

RADIO FIX AND HOLDING DATA RECORD

NAME: CRISI

STATE: HI

COUNTRY: US

ICAO REGION CODE: PH

LATITUDE/LONGITUDE: 202744.16N/1570356.63W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	HONOLULU	HNL	VORTAC	H	125.00	136.00	70.13	70.13		10000	45000
2	LANAI	LNK	VORTAC	H	185.80	196.80	18.87	18.87		10000	45000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
HNL	VORTAC	R-125	71	10000	45000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

HONOLULU (FAC 1) AND LANAI (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	CRISI (RNAV)			PHKO	KAILUA/KONA	HI (US)
DP	ONIZU (RNAV)			PHKO	KAILUA/KONA	HI (US)
EN ROUTE	V20	1, 2				(US)
IAP	RNAV (GPS) RWY 3			PHNY	LANAI CITY	HI (US)
STAR	JULLE	1, 2		PHNL	HONOLULU	HI (US)
STAR	MAKAH (RNAV)			PHNL	HONOLULU	HI (US)
STAR	SAKKI	1, 2		PHNL	HONOLULU	HI (US)
STAR	SHLAE (RNAV)			PHNL	HONOLULU	HI (US)

REQUIRED CHARTING: DP, STAR, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7

DATE OF REVISION: 02/25/2021

REASON FOR REVISION:

1. ADDED ONIZU (RNAV) SID TO FIX USE.
2. ADDED DP TO REQUIRED CHARTING.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: LORRI DOWNEY

APPROVED BY:

DATE:

OFFICE: AVJ-A430

NAME: GEORGE DAVIS

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: WST
ARTCC: ZHN
ATC FACILITY: HCF TRACON
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: EYEPO

STATE: HI

COUNTRY: US

ICAO REGION CODE: PH

LATITUDE/LONGITUDE: 204403.18N/1570015.28W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	LANAI CITY	I-LNY	LOC/DME		213.04	224.04	4.85	4.85	29466	2600	5800

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 3	1		PHNY	LANAI CITY	HI (US)
IAP	RNAV (GPS) RWY 3			PHNY	LANAI CITY	HI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3

DATE OF REVISION: 12/31/2020

REASON FOR REVISION:

REMOVED "DME" FROM ILS OR LOC RWY 3 PROCEDURE NAME AT PHNY

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: NICHOLAS JACKSON

APPROVED BY:

DATE:

OFFICE: AJV-A430

NAME: LONNIE EVERHART

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: SEA
ARTCC: ZHN
ATC FACILITY: HCF TRACON
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: GRAMY

STATE: HI

COUNTRY: US

ICAO REGION CODE: PH

LATITUDE/LONGITUDE: 204907.97N/1570813.61W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	LANAI	LNK	VORTAC	H	278.00	289.00	10.00	10.00		2000	17500
2	MOLOKAI	MKK	VORTAC	H	163.90	174.90		19.16		2000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	W	LNK	VORTAC	278.00	098.00	R	1		2000	14000	4	11
2	W		WP	278.00	098.00	R		4	2000	6000	4	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	SHIP	204540.94N/1570850.30W	250	2B
2	200	SHIP	204540.94N/1570850.30W	250	2B

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETE.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V16	1, 2				(US)
EN ROUTE	V21	1, 2				(US)
IAP	ILS OR LOC RWY 3	1, 2	1	PHNY	LANAI CITY	HI (US)
IAP	RNAV (GPS) RWY 3		2	PHNY	LANAI CITY	HI (US)
IAP	VOR OR TACAN RWY 3	1, 2	1	PHNY	LANAI CITY	HI (US)
IAP	VOR OR TACAN-A	1, 2	1	PHNY	LANAI CITY	HI (US)
STAR	JULLE	1, 2		PHNL	HONOLULU	HI (US)
STAR	SAKKI	1, 2		PHNL	HONOLULU	HI (US)

REQUIRED CHARTING: STAR, MILITARY IAP, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5

DATE OF REVISION: 12/31/2020

REASON FOR REVISION:

REMOVED "DME" FROM ILS OR LOC RWY 3 PROCEDURE NAME AT PHNY
CHANGED CONTROLLER TO CONTROLLER LOW IN REQUIRED CHARTING

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: NICHOLAS JACKSON

APPROVED BY:

DATE:

OFFICE: AJV-A430

NAME: LONNIE EVERHART

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: SEA
ARTCC: ZHN
ATC FACILITY: HCF TRACON
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: JORDA

STATE: HI

COUNTRY: US

ICAO REGION CODE: PH

LATITUDE/LONGITUDE: 203934.66N/1571558.23W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	HONOLULU	HNL	VORTAC	H	125.00	136.00	53.80	53.80	5000	45000
2	LANAI	LNK	VORTAC	H	238.50	249.50	17.86	17.86	5000	45000
3	MOLOKAI	MKK	VORTAC	H	179.99	190.99	29.14	29.14	5000	45000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
HNL	VORTAC	R-125	54	5000	45000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

HONOLULU (FAC 1) AND LANAI (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	KEAHI	1, 2, 3		PHNL	HONOLULU	HI (US)
DP	ONIZU (RNAV)			PHKO	KAILUA/KONA	HI (US)
EN ROUTE	V20	1, 2, 3				(US)
IAP	RNAV (GPS) RWY 3			PHNY	LANAI CITY	HI (US)
IAP	VOR OR TACAN RWY 3	2, 3		PHNY	LANAI CITY	HI (US)
STAR	JULLE	1, 2, 3		PHNL	HONOLULU	HI (US)
STAR	SAKKI	1, 2, 3		PHNL	HONOLULU	HI (US)

REQUIRED CHARTING: DP, STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 02/25/2021

REASON FOR REVISION:

1. ADDED ONIZU (RNAV) SID TO FIX USE.
2. ADDED CONTROLLER LOW AND HIGH TO REQUIRED CHARTING.
3. REMOVED AIRSPACE DOCKET 10-AWP-20.
4. ADDED "HONOLULU (FAC 1) AND LANAI (FAC 2) USED TO ESTABLISH FIX COORDINATES" TO REMARKS.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: LORRI DOWNEY

APPROVED BY:

DATE:

OFFICE: AJV-A430

NAME: GEORGE DAVIS

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: WST
ARTCC: ZHN
ATC FACILITY: HCF TRACON
OTHER:

NAME: LANAI VORTAC	STATE: HI	COUNTRY: US	ICAO REGION CODE: PH
LATITUDE/LONGITUDE: 204552.20N/1565808.00W	TYPE:		
AIRSPACE DOCKET:	FIX TYPE OF ACTION: NO CHANGE		

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST	FROM NM	FAC FEET	MRA	MAA
1	LANAI	LNK	VORTAC	H								45000

HOLDING:	HOLDING TYPE OF ACTION: MODIFY
-----------------	---------------------------------------

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING MIN	ALTITUDES MAX	TEMPLATES MIN	MAX
1	W	LNY	VORTAC	278.00	098.00	R	1		4000	14000	4	10

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	204921.00N/1565339.00W	3038	4B

PAT	SPEED	ADDITION
1	230	380

REMARKS:
PRECIPITOUS TERRAIN EVALUATION COMPLETED.
ASSIGNED FACILITY MAG VAR: 11E/1995

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	VOR/DME-A		1	PHJH	LAHAINA	HI (US)
DP	KEAHI			PHNL	HONOLULU	HI (US)
DP	OPIHI			PHNL	HONOLULU	HI (US)
DP	PALAY			PHNL	HONOLULU	HI (US)
DP	PIPLN (RNAV)			PHNL	HONOLULU	HI (US)
DP	BEACH			PHOG	KAHULUI	HI (US)
DP	MAUI			PHOG	KAHULUI	HI (US)
DP	STACEY			PHOG	KAHULUI	HI (US)
DP	JELIE (RNAV)			PHJR	KAPOLEI	HI (US)
DP	HAPAI			PHMK	KAUNAKAKAI	HI (US)
DP	KALAE (RNAV)			PHMK	KAUNAKAKAI	HI (US)
DP	MAULA (RNAV)			PHMK	KAUNAKAKAI	HI (US)
DP	TAKEOFF MINIMUMS			PHNY	LANAI CITY	HI (US)
DP	KOKO HEAD			PHHI	WAHIAWA	HI (US)
EN ROUTE	V16					(US)
EN ROUTE	V21					(US)
EN ROUTE	V24					(US)
EN ROUTE	V7					(US)
EN ROUTE	V2					HI (US)
IAP	ILS RWY 8L			PHNL	HONOLULU	HI (US)
IAP	LOC RWY 8L			PHNL	HONOLULU	HI (US)
IAP	ILS Y OR LOC Y RWY 2			PHOG	KAHULUI	HI (US)
IAP	NDB RWY 2			PHOG	KAHULUI	HI (US)
IAP	SMOKE STACK VISUAL RWY 2			PHOG	KAHULUI	HI (US)
IAP	VOR Y RWY 20			PHOG	KAHULUI	HI (US)
IAP	VOR Z OR TACAN RWY 20			PHOG	KAHULUI	HI (US)
IAP	ILS OR LOC RWY 17			PHKO	KAILUA/KONA	HI (US)
IAP	VOR OR TACAN RWY 17			PHKO	KAILUA/KONA	HI (US)
IAP	RNAV (GPS)-B			PHMK	KAUNAKAKAI	HI (US)
IAP	VOR OR TACAN-A			PHMK	KAUNAKAKAI	HI (US)
IAP	ILS OR LOC RWY 3			PHNY	LANAI CITY	HI (US)
IAP	RNAV (GPS) RWY 3			PHNY	LANAI CITY	HI (US)
IAP	VOR OR TACAN OR GPS-A			PHNY	LANAI CITY	HI (US)
IAP	VOR OR TACAN RWY 3			PHNY	LANAI CITY	HI (US)
STAR	JULLE			PHNL	HONOLULU	HI (US)
STAR	SAKKI			PHNL	HONOLULU	HI (US)
STAR	SHLAE (RNAV)			PHNL	HONOLULU	HI (US)
STAR	CAMPS			PHOG	KAHULUI	HI (US)
STAR	KAYAK			PHKO	KAILUA-KONA	HI (US)
STAR	VECKI			PHKO	KAILUA/KONA	HI (US)

REQUIRED CHARTING: DP, STAR, MILITARY IAP, MILITARY DP, IAP, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: LOW/HIGH

RECORD REVISION NUMBER: 17 **DATE OF REVISION:** 01/25/2024

REASON FOR REVISION:
1. REMOVED SHINSEKI DP FROM FIX USE.
2. ADDED KOKO HEAD DP TO FIX USE.
3. CHANGED PAT 1 MIN TEMPLATE FROM 6 TO 4 AND UPDATED AAO COORDINATES, ELEVATION, AC, AND PRECIP TERRAIN ADDITION.
4. ADDED PHOG VOR Y RWY 20 AND NDB RWY 02 TO FIX USE.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
OFFICE OF PRIMARY RESPONSIBILITY:		AJV-A422	NAME: JAMES HAUGH
APPROVED BY:	DATE: 01/25/2024	OFFICE: AJV-A422	NAME: RAKE MCGRAW
	SIGNATURE:		

RADIO FIX AND HOLDING DATA RECORD

NAME: MOLOKAI VORTAC STATE: HI COUNTRY: US ICAO REGION CODE: PH
 LATITUDE/LONGITUDE: 210817.20N/1571002.70W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	MOLOKAI	MKK	VORTAC	H						45000

FIX RESTRICTIONS:

MCA V22 5000 EASTBOUND
 MCA V15 5000 EASTBOUND

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	SW	MKK	VORTAC	236.00	056.00	R	1	3400 17500	4 16
2	N	MKK	VORTAC	360.00	180.00	R	1	4000 7000	4 8

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	210818.00N/1571003.00W	1615	4E
1	310	AAO	210809.00N/1565642.00W	3304	4E
2	200	AAO	210818.00N/1571003.00W	1615	4E
2	310	AAO	210818.00N/1571003.00W	1615	4E

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	KAUNAKAIKAI	PHMK	KAUNAKAKAI	HI (US)
2	KALAUPAPA	PHLU	KALAUPAPA	HI (US)

REMARKS:

CHART PATTERN 1 ON ENROUTE PAA CHART.
 PRECIPITOUS TERRAIN EVALUATION COMPLETE
 PATTERN 1 CLIMB IN HOLD EVALUATED (310 KTS) PER ATC
 HOLD PAT 1 310 KIAS OBS LIES 11755.3 FT INTO THE SECONDARY AREA, PRIMARY EQUIVALENT IS 2321.
 ASSIGNED FACILITY MAG VAR: 11E/1990.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	HONOLULU (OBSTACLE)			PHNL	HONOLULU	HI (US)
DP	KEAHI			PHNL	HONOLULU	HI (US)
DP	MOLOKAI			PHNL	HONOLULU	HI (US)
DP	OPIHI			PHNL	HONOLULU	HI (US)
DP	PALAY			PHNL	HONOLULU	HI (US)
DP	MAUI			PHOG	KAHULUI	HI (US)
DP	STACEY			PHOG	KAHULUI	HI (US)
DP	KALAUPAPA		2	PHLU	KALAUPAPA	HI (US)
DP	JELIE (RNAV)			PHJR	KAPOLEI	HI (US)
DP	BLUSH			PHMK	KAUNAKAKAI	HI (US)
DP	HAPAI			PHMK	KAUNAKAKAI	HI (US)
DP	KAUNAKAIKAI		1	PHMK	KAUNAKAKAI	HI (US)
DP	TAKEOFF MINIMUMS			PHMK	KAUNAKAKAI	HI (US)
DP	KOKO HEAD			PHHI	WAHIAWA	HI (US)
EN ROUTE	V15					HI (US)
EN ROUTE	V22					HI (US)
EN ROUTE	V7					HI (US)
EN ROUTE	V8		1			HI (US)
IAP	ILS RWY 8L			PHNL	HONOLULU	HI (US)
IAP	ILS Y RWY 4R			PHNL	HONOLULU	HI (US)
IAP	ILS Z RWY 4R			PHNL	HONOLULU	HI (US)
IAP	LDA RWY 26L			PHNL	HONOLULU	HI (US)
IAP	LOC RWY 4R			PHNL	HONOLULU	HI (US)
IAP	LOC RWY 8L			PHNL	HONOLULU	HI (US)
IAP	VOR OR TACAN RWY 4R			PHNL	HONOLULU	HI (US)
IAP	VOR OR TACAN-A			PHNL	HONOLULU	HI (US)
IAP	VOR OR TACAN-B			PHNL	HONOLULU	HI (US)
IAP	VOR OR TACAN-A			PHMK	KAUNAKAKAI	HI (US)
IAP	ILS OR LOC RWY 3			PHNY	LANAI CITY	HI (US)
IAP	RNAV (GPS) RWY 3			PHNY	LANAI CITY	HI (US)
IAP	VOR OR TACAN OR GPS-A			PHNY	LANAI CITY	HI (US)
IAP	VOR OR TACAN RWY 3			PHNY	LANAI CITY	HI (US)
STAR	JULLE			PHNL	HONOLULU	HI (US)
STAR	MAGGI			PHNL	HONOLULU	HI (US)

STAR
STAR
STARSAKKI
KAYAK
VECKIPHNL
PHKO
PHKOHONOLULU
KAILUA-KONA
KAILUA-KONAHI (US)
HI (US)
HI (US)**REQUIRED CHARTING:** DP, STAR, MILITARY DP, IAP, AREA, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH**COMPULSORY REPORTING POINT:** LOW**RECORD REVISION NUMBER:** 19**DATE OF REVISION:** 10/05/2023**REASON FOR REVISION:**

REMOVED PHOG NDB RWY 2 FROM FIX USE

REMOVED PHOG ILS Y OR LOC Y RWY 2 FROM FIX USE

INITIATED BY:**DATE:****ORGANIZATION:****NAME:****OFFICE OF PRIMARY RESPONSIBILITY:**

AJV-A432

NAME: JOSEPH BLANCO**APPROVED BY:****DATE:** 10/05/2023**OFFICE:** AJV-A430**NAME:** JOHNNIE BAKER**SIGNATURE:**

RADIO FIX AND HOLDING DATA RECORD

NAME: OJOVU

STATE: HI

COUNTRY: US

ICAO REGION CODE: PH

LATITUDE/LONGITUDE: 203846.29N/1570540.47W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	LANAI CITY	I-LNY	LOC/DME		213.04	224.04	12.16	12.16	2600	5800
2	MOLOKAI	MKK	VORTAC	H	161.06	172.06		29.69	2600	5800

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	SW		WP	212.98	032.98	R		4	3500	6000	5	6
2	SW	I-LNY	LOC/DME	213.04	033.04	R	1		3500	5800	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	SHIP	203846.29N/1570540.47W	250	2B
2	200	SHIP	203846.29N/1570540.47W	250	2B

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 3	1, 2	2	PHNY	LANAI CITY	HI (US)
IAP	RNAV (GPS) RWY 3		1	PHNY	LANAI CITY	HI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3

DATE OF REVISION: 12/31/2020

REASON FOR REVISION:

REMOVED "DME" FROM ILS OR LOC RWY 3 PROCEDUR NAME AT PHNY

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: NICHOLAS JACKSON

APPROVED BY:

DATE:

OFFICE: AJV-A430

NAME: LONNIE EVERHART

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: SEA
ARTCC: ZHN
ATC FACILITY: HCF TRACON
OTHER: