

# RADIO FIX AND HOLDING DATA RECORD

**NAME:** ALGIE **STATE:** UT **COUNTRY:** US **ICAO REGION CODE:** K2

**LATITUDE/LONGITUDE:** 402833.74N/1115619.11W **TYPE:** WP, RADAR, DME

**AIRSPACE DOCKET:** **FIX TYPE OF ACTION:** MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	SALT LAKE CITY	I-SLC	LOC/DME		163.96	174.96	17.80	20.13		8000	10000

**EXPANDED SERVICE VOLUME (ESV):**

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-SLC	LOC/DME	R-164	21	8000	10000

**HOLDING:** **HOLDING TYPE OF ACTION:** NO CHANGE

**REMARKS:**

I-SLC MRA BASED ON MVAAC AND FLOOR OF CONTROLLED AIRSPACE BY ATC REQUEST TO RADAR VECTOR AIRCRAFT TO FINAL.  
 ESV ESTABLISHED FOR I-SLC GLIDE SLOPE: R-164, 19, 8000/10000.  
 I-SLC DME ANT: 404618.71N/1115818.11W (COMMON SOURCE WITH I-MOY).

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			KSLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** IAP

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 2 **DATE OF REVISION:** 02/20/2025

**REASON FOR REVISION:**

REMOVED REMARK FIX ESTABLISHED AT GSIP USING RNP PFAF FORMULA AT 10000 FT.  
 CHANGED FIX USE TITLE RNAV (GPS) RWY 34R TO RNAV (GPS) Y RWY 34R  
 ADDED FIX USE RNAV (RNP) Z RWY 34R

**INITIATED BY:** **DATE:** **ORGANIZATION:** **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:** AJV-A432 **NAME:** JOSEPH BLANCO

**APPROVED BY:** **DATE:** 02/20/2025 **OFFICE:** AJV-A430 **NAME:** BEV L BORDY

**SIGNATURE:**



# RADIO FIX AND HOLDING DATA RECORD

NAME: CHEVL

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 404046.89N/1115743.69W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-SLC	LOC/DME		163.96	174.96	5.54	7.87	47831		6100	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

**REMARKS:**

I-SLC DME ANT: 404618.71N/1115818.11W (COMMON SOURCE WITH I-MOY).

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 02/20/2025

**REASON FOR REVISION:**

FIX MOVED 93 FEET TO THE NORTH  
UPDATED FIX MAKE UP DISTANCES CHANGED FROM 5.56/7.89/47923 TO 5.54/7.87/47831.  
CHANGED FIX USE TITLE RNAV (GPS) RWY 34R TO RNAV (GPS) Y RWY 34R  
ADDED FIX USE RNAV (RNP) Z RWY 34R  
REMOVED REMARK "FIX ESTABLISHED AT ILS GSIP USING RNP PFAF FORMULA AT 6100 FT"

INITIATED BY:                      DATE:                      ORGANIZATION:                      NAME:

OFFICE OF PRIMARY RESPONSIBILITY:                      AJV-A432                      NAME: JOSEPH BLANCO

APPROVED BY:                      DATE: 02/20/2025                      OFFICE: AJV-A430                      NAME: BEV L BORDY

SIGNATURE:

QUALITY  
34  
CHECKED

# RADIO FIX AND HOLDING DATA RECORD

NAME: GITBE

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 404601.10N/1115820.05W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	FAC	MRA	MAA
								NM	FEET		
1	SALT LAKE CITY	I-SLC	LOC/DME		163.96	174.96	0.29	2.62		4600	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

**REMARKS:**

I-SLC DME ANT: 404618.71N/1115818.11W (COMMON SOURCE WITH I-MOY).

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34R	1		KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5

DATE OF REVISION: 02/20/2025

**REASON FOR REVISION:**

REMOVED FIX USE RNAV (GPS) RWY 34R  
REMOVED WP FROM FIX TYPE

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: JOSEPH BLANCO

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A430

NAME: BEV L BORDY

SIGNATURE:

QUALITY  
34  
CHECKED

# RADIO FIX AND HOLDING DATA RECORD

**NAME:** HAKKR **STATE:** UT **COUNTRY:** US **ICAO REGION CODE:** K2

**LATITUDE/LONGITUDE:** 403141.48N/1115640.71W **TYPE:** WP, RADAR, DME

**AIRSPACE DOCKET:** **FIX TYPE OF ACTION:** MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	SALT LAKE CITY	I-SLC	LOC/DME		163.96	174.96	14.66	16.99		8200	9500

**EXPANDED SERVICE VOLUME (ESV):**

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-SLC	LOC/DME	R-164	16	8000	9500

**HOLDING:** **HOLDING TYPE OF ACTION:** NO CHANGE

**REMARKS:**

I-SLC MRA BASED ON MVAAC AND FLOOR OF CONTROLLED AIRSPACE BY ATC REQUEST TO RADAR VECTOR AIRCRAFT TO FINAL.  
 ESV ESTABLISHED FOR I-SLC GLIDE SLOPE AT 16NM, LOC WITHIN RANGE.  
 I-SLC DME ANT: 404618.71N/1115818.11W (COMMON SOURCE WITH I-MOY).

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			KSLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** IAP

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 2 **DATE OF REVISION:** 02/20/2025

**REASON FOR REVISION:**

REMOVED REMARK FIX ESTABLISHED AT GSIP USING RNP PFAF FORMULA AT 9000 FT.  
 CHANGED FIX USE TITLE RNAV (GPS) RWY 34R TO RNAV (GPS) Y RWY 34R  
 ADDED FIX USE RNAV (RNP) Z RWY 34R

**INITIATED BY:** **DATE:** **ORGANIZATION:** **NAME:**  
**OFFICE OF PRIMARY RESPONSIBILITY:** AJV-A432 **NAME:** JOSEPH BLANCO  
**APPROVED BY:** **DATE:** 02/20/2025 **OFFICE:** AJV-A430 **NAME:** BEV L BORDY

**SIGNATURE:**  
**CASIMIR L TABAKA**  
Oct 21, 2024



# RADIO FIX AND HOLDING DATA RECORD

NAME: IRUYU

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 404431.28N/1115809.64W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	FAC	MRA	MAA
								NM	FEET		
1	SALT LAKE CITY	I-SLC	LOC/DME		163.96	174.96	1.79	4.12		4800	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

**REMARKS:**

I-SLC DME ANT: 404618.72N/1115818.13W (COMMON SOURCE WITH I-MOY).

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5

DATE OF REVISION: 02/20/2025

**REASON FOR REVISION:**

CHANGED FIX USE TITLE RNAV (GPS) RWY 34R TO RNAV (GPS) Y RWY 34R

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: JOSEPH BLANCO

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A430

NAME: BEV L BORDY

SIGNATURE:

*Digitally signed by*  
**CASIMIR L TABAKA**  
Oct 21, 2024

QUALITY  
34  
CHECKED

# RADIO FIX AND HOLDING DATA RECORD

NAME: PLAGE STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402612.10N/1115602.83W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

### FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-SLC	LOC/DME		163.96	174.96	20.17	22.50		11000	12000

### EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-SLC	LOC/DME	R-164	23	11000	12000

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

### REMARKS:

I-SLC DME ANTENNA COORDINATES: 404618.71N/1115818.11W (COMMON SOURCE WITH I-MOY).

### FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 10 DATE OF REVISION: 02/20/2025

### REASON FOR REVISION:

CHANGED FIX USE TITLE RNAV (GPS) RWY 34R TO RNAV (GPS) Y RWY 34R  
ADDED "(COMMON SOURCE WITH I-MOY)" TO I-SLC DME ANTENNA COORDINATES REMARK  
REMOVED LEEHY AND QWENN STARS FROM FIX USE  
REMOVED STAR FROM REQUIRED CHARTING

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A432 NAME: JOSEPH BLANCO

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A430 NAME: BEV L BORDY

SIGNATURE: *Digitally signed by*  
**CASIMIR L TABAKA**  
Oct 21, 2024

QUALITY  
34  
CHECKED