

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 07/11/2024	APWS Task ID: 6FAF50DD4C3A4ECEA62331C272AB3422	APWS Project ID: 5EF108314A22408BA042C590FA67ED98
Procedure: RNAV (GPS) RWY 19 AMDT 1		Enroute: NO	Specialist: Milligan, Walker		Agreement Number:
Airport ID: K88			Airport City: IOLA		State: KS
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE AIRNAV DATA USED FOR KK88. CLEARS T-NOTAM 3/7475. CNU VOR MON. CONTACT DAVID DANNER, AJV-A421, 405-954-5077. QUALITY 38 CHECKED QUALITY 26 CHECKED					

IOLA, KANSAS

AL-6546 (FAA)

FIG

APP CRS	Rwy Idg	5501
189°	TDZE	1016
	Apt Elev	1016

RNAV (GPS) RWY 19


ALLEN COUNTY (K88)

RNP APCH - GPS.

▼ Rwy 19 helicopter visibility reduction below $\frac{3}{4}$ SM NA. When local altimeter setting not received, use Chanute altimeter setting: increase all MDAs 40 feet and LNAV visibility Cat C $\frac{1}{4}$ SM and Circling visibility Cat C $\frac{1}{4}$ SM. VDP NA when using Chanute altimeter setting.

MISSED APPROACH:
Climb to 3000 direct
VUGBY and hold.

AWOS-3 128.325	KANSAS CITY CENTER 127.725 270.25	UNICOM 122.8 (CTAF) 0
--------------------------	---	---------------------------------



AUTOMATED AL-6546 RNAV (GPS) RWY 19

NC-2

5 APR 2024

COMPILER: CG

REVIEWER:

DBL CHKR:

EFF: FIG

IOLA, KANSAS

Amdt 1 FIG

37°52'N-95°23'W

ALLEN COUNTY (K88)

RNAV (GPS) RWY 19



APP CRS	Rwy Idg	5501
189°	TDZE	1016
	Apt Elev	1016

OLD

RNAV (GPS) RWY 19
ALLEN COUNTY (K88)

RNP APCH: ▼ Rwy 19 helicopter visibility reduction below ¾ SM NA. When local altimeter setting not received, use Chanute altimeter setting and increase all MDAs 40 feet and visibility Circling Cat C ¼ SM. VDP NA when using Chanute altimeter setting.	MISSED APPROACH: Climb to 3000 direct VUGBY and hold.
--	--

AWOS-3 128.325	KANSAS CITY CENTER 127.725 270.25	UNICOM 122.8 (CTAF) 0
-------------------	--------------------------------------	--------------------------



3000	VUGBY	VEYUT 2.5 NM to RW19	SAVOF	TIGAY	4 NM Holding Pattern
		1.2 NM to RW19	1860	2600	009° → 3000
		1.2	1.3	2.3 NM	6.1 NM
CATEGORY	A	B	C	D	
LNAV MDA	1460-1	444 (500-1)	1460-1 3/8 444 (500-1 3/8)	NA	
CIRCLING	1520-1	504 (600-1)	1660-1 3/4 644 (700-1 3/4)	NA	

NC-2, 05 OCT 2023 to 02 NOV 2023

NC-2, 05 OCT 2023 to 02 NOV 2023

