

RADIO FIX AND HOLDING DATA RECORD

NAME: ADEEM

STATE: CA

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 342536.04N/1195337.04W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (GPS) RYW 7

FAC

PAT

AIRPORT IDENT
KSBA

CITY
SANTA BARBARA

STATE
CA (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 03/19/2026

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A421

NAME: RONALD STROBACH

APPROVED BY:

DATE: 02/12/2026

OFFICE: AJV-A421

NAME: CASEY HILL

Digitally signed by

CASEY D HILL

SIGNATURE:

Dec 30, 2025



RADIO FIX AND HOLDING DATA RECORD

NAME: CESRA **STATE:** CA **COUNTRY:** US **ICAO REGION CODE:** K2

LATITUDE/LONGITUDE: 342547.03N/1194445.43W **TYPE:** WP

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** CANCEL

HOLDING: **HOLDING TYPE OF ACTION:**

FIX USE:	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
USE TYPE IAP	RNAV (GPS) RWY 7			KSBA	SANTA BARBARA	CA (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1 **DATE OF REVISION:** 02/20/2025

REASON FOR REVISION:

- COORDINATES CHANGED FROM 342545.87N/1194543.05W TO 342547.0313N/1194445.4302W - 0.79 NM EAST.
- FIX USE: ADDED KSBA IAP RNAV (GPS) RWY 7.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A423 **NAME:** WILLIAM MELTON

APPROVED BY: **DATE:** 02/12/2026 **OFFICE:** AJV-A421 **NAME:** CASEY HILL

Digitally signed by
CASEY D HILL

SIGNATURE:

Dec 30, 2025



RADIO FIX AND HOLDING DATA RECORD

NAME: GOLET **STATE:** CA **COUNTRY:** US **ICAO REGION CODE:** K2

LATITUDE/LONGITUDE: 341652.86N/1195151.75W **TYPE:** WP, INT, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	GAVIOTA	GVO	VORTAC	VL	127.00	143.00	18.73	18.73		1600	17500
2	FILLMORE	FIM	VORTAC	VL	250.00	265.00	49.06	49.06		4000	17500
3	SAN MARCUS	RZS	VORTAC	VH	184.77	198.77	14.43	14.43		1600	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
FIM	VORTAC	R-250	50	4000	17500

FIX RESTRICTIONS:

MCA V27 5000 NORTHWEST BOUND

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	SE	GVO	VORTAC	127.00	307.00	R	1		4000	17500	5	13
2	SE		WP	127.00	307.00	R		5	4000	17500	5	13
3	N	RZS	VORTAC	184.77	184.77	R	1		4000	14000	4	10
4	W	FIM	VORTAC	250.00	070.00	R	1		4000	17500	6	18

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	SHIP	341620.70N/1195356.12W	208	2C
1	310	AAO	340203.00N/1194603.00W	2320	4B
2	200	SHIP	341620.70N/1195356.12W	208	2C
2	310	AAO	340212.00N/1194554.00W	2048	4B
3	200	AAO	342918.00N/1195121.00W	2277	4B
4	200	SHIP	341652.86N/1195151.75W	208	2C
4	310	AAO	340351.00N/1195312.00W	1382	4B

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	310	120
2	310	120

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	VOR RWY 25	SBA	SANTA BARBARA	CA (US)
1	ILS OR LOC RWY 7	KSBA	SANTA BARBARA	CA (US)
1	TAKEOFF MINIMUMS	KSBA	SANTA BARBARA	CA (US)
2	RNAV (GPS) RWY 7	SBA	SANTA BARBARA	CA (US)
4	ILS OR LOC RWY 7 (ALT MISSED)	KSBA	SANTA BARBARA	CA (US)

REMARKS:

PATTERN 1 OVERLAPS W-412 AND CHANNEL ISLANDS NATIONAL MARINE SANCTUARY.
 PRECIPITOUS TERRAIN EVALUATION COMPLETED.
 PATTERN 3 REQUESTED FOR ATC USE.
 GAVIOTA (FAC 1) AND SAN MARCUS (FAC 3) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	RNAV (RNP) M RWY 25			KSBA	SANTA BARBARA	CA (US)
SPECIAL IAP	RNAV (RNP) M RWY 7		2	KSBA	SANTA BARBARA	CA (US)
DP	SKIFF	1, 2, 3		KOXR	OXNARD	CA (US)
DP	TAKEOFF MINIMUMS	1, 2, 3	1	KSBA	SANTA BARBARA	CA (US)
EN ROUTE	V27					(US)
IAP	ILS OR LOC RWY 7	1, 3	1	KSBA	SANTA BARBARA	CA (US)
IAP	ILS OR LOC RWY 7 (ALT MISSED)	1, 2	4	KSBA	SANTA BARBARA	CA (US)
IAP	RNAV (GPS) RWY 7		2	SBA	SANTA BARBARA	CA (US)
IAP	VOR RWY 25	1, 3	1	SBA	SANTA BARBARA	CA (US)

REQUIRED CHARTING: DP, IAP, EN ROUTE LOW, SPECIAL IAP, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO



RECORD REVISION NUMBER: 15

DATE OF REVISION: 03/19/2026

REASON FOR REVISION:

CONTROLLING OBSTRUCTIONS: UPDATED PAT 2, 200 COORDINATES FROM "341620.69N/1195356.12W" TO "341620.70N/1195356.12W".
CONTROLLING OBSTRUCTIONS: UPDATED PAT 2, 310 FROM "342457.00N/1194509.00W, ELEVATION 804, AC 4B" TO "340212.00N/1194554.00W, ELEVATION 2048, AC 4B"
PRECIPITOUS TERRAIN ADDITIONS: CHANGED PAT 2 ADDITION FROM "110" TO "120".
PROCEDURES REQUIRING CLIMB-IN-HOLD: ADDED PAT 1, VOR RWY 25, SBA, SANTA BARBARA, CA (US).

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A421

NAME: RONALD STROBACH

APPROVED BY:

DATE: 02/12/2026

OFFICE: AJV-A421

NAME: CASEY HILL

SIGNATURE:

Digitally signed by
CASEY D HILL
Dec 30, 2025



RADIO FIX AND HOLDING DATA RECORD

NAME: IYOBE **STATE:** CA **COUNTRY:** US **ICAO REGION CODE:** K2

LATITUDE/LONGITUDE: 341856.15N/1194409.01W **TYPE:** WP

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** CANCEL

HOLDING: **HOLDING TYPE OF ACTION:**

FIX USE:	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
USE TYPE IAP	RNAV (GPS) RWY 7			KSBA	SANTA BARBARA	CA (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1 **DATE OF REVISION:** 02/20/2025

REASON FOR REVISION:

- COORDINATE CHANGED FROM 341723.66N/1194528.26W TO 341856.15N/1194409.01W - 1.89NM NE - NAME RETAINED PER ATC OPERATIONAL REQUEST.
- FIX USE: ADDED KSBA IAP RNAV (GPS) RWY 7.
- FIX MAKE-UP FACILITIES: DELETED CERSA.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
OFFICE OF PRIMARY RESPONSIBILITY:		AJV-A423	NAME: WILLIAM MELTON <i>Digitally signed by</i>
APPROVED BY:	DATE: 02/12/2026	OFFICE: AJV-A421	NAME: CASEY HILL CASEY D HILL
SIGNATURE:			Dec 30, 2025



RADIO FIX AND HOLDING DATA RECORD

NAME: LOBER **STATE:** CA **COUNTRY:** US **ICAO REGION CODE:** K2

LATITUDE/LONGITUDE: 341547.87N/1200507.65W **TYPE:** WP, INT, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	FILLMORE	FIM	VORTAC	VL	250.00	265.00	60.11	60.11		4000	17500
2	GAVIOTA	GVO	VORTAC	VL	163.00	179.00		16.06		4000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
FIM	VORTAC	R-250	61	4000	17500

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	HOLDING ALTITUDES DME	MIN	MAX	MIN	MAX
1	W		WP	250.00	070.00	R		4	4000	10000	5	10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	341547.87N/1200507.65W	200	3D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN

REMARKS:

FILLMORE (FAC 1) AND GAVIOTA (FAC 2) USED TO ESTABLISH FIX COORDINATES.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	RNAV (RNP) M RWY 25		1	KSBA	SANTA BARBARA	CA (US)
SPECIAL IAP	RNAV (RNP) M RWY 7			KSBA	SANTA BARBARA	CA (US)
IAP	RNAV (GPS) RWY 7			KSBA	SANTA BARBARA	CA (US)
IAP	ILS OR LOC RWY 7	1, 2		SBA	SANTA BARBARA	CA (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 10 **DATE OF REVISION:** 03/19/2026

REASON FOR REVISION:

FIX MAKE-UP FACILITIES: UPDATED FAC 1 CLASS FROM "L" TO "VL".

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
OFFICE OF PRIMARY RESPONSIBILITY:		AJV-A421	NAME: RONALD STROBACH
APPROVED BY:	DATE: 02/12/2026	OFFICE: AJV-A421	NAME: CASEY HILL <i>Digitally signed by</i>
SIGNATURE:			CASEY D HILL Dec 30, 2025



RADIO FIX AND HOLDING DATA RECORD

NAME: NAPPS

STATE: CA

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 342530.54N/1195752.05W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	SANTA BARBARA	I-SBA	LOC/DME		254.55	268.55	6.66	6.68	40592	1800	4500
2	GAVIOTA	GVO	VORTAC	VL	119.32	135.32		8.94		1800	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

SANTA BARBARA (FAC 1) AND GAVIOTA (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	RNAV (RNP) M RWY 25			SBA	SANTA BARBARA	CA (US)
SPECIAL IAP	RNAV (RNP) M RWY 7			SBA	SANTA BARBARA	CA (US)
IAP	ILS OR LOC RWY 7	1, 2		KSBA	SANTA BARBARA	CA (US)
IAP	RNAV (GPS) RWY 7			KSBA	SANTA BARBARA	CA (US)

REQUIRED CHARTING: IAP, SPECIAL IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 10

DATE OF REVISION: 03/19/2026

REASON FOR REVISION:

FIX USE: ADDED "SPECIAL IAP" TO RNAV (RNP) M RWY 25.

FIX USE: ADDED "SPECIAL IAP" TO RNAV (RNP) M RWY 7.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A421

NAME: RONALD STROBACH

APPROVED BY:

DATE: 02/12/2026

OFFICE: AJV-A421

NAME: CASEY HILL

Digitally signed by

CASEY D HILL

SIGNATURE:

Dec 30, 2025



RADIO FIX AND HOLDING DATA RECORD

NAME: RIMVE

STATE: CA

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 342906.38N/1200648.65W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (GPS) RWY 7

FAC

PAT

AIRPORT IDENT
KSBA

CITY
SANTA BARBARA

STATE
CA (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 03/19/2026

REASON FOR REVISION:

FIX USE MAKE-UP: REMOVED WP ECEVA.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A421

NAME: RONALD STROBACH

APPROVED BY:

DATE: 02/12/2026

OFFICE: AJV-A421

NAME: CASEY HILL

Digitally signed by

CASEY D HILL

Dec 30, 2025

SIGNATURE:

