

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HATLE	ONE	HATLE1.HATLE	NONE		

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**DP ROUTE DESCRIPTION:**

VFR SEGMENT: VFR CLIMB TO HATLE, CROSS HATLE AT OR ABOVE 900 ON TRACK 313.98.

IFR SEGMENT: FROM HATLE, TRACK 343.01 TO CROSS FIGOP AT OR ABOVE 3400. MAINTAIN ATC ASSIGNED ALTITUDE.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

**PBN REQUIREMENT NOTES:**

RNP 0.3 - GPS. AP.

**EQUIPMENT REQUIREMENT NOTES:**

**PROCEDURAL DATA NOTES:**

NOTE: USE LEW ALTIMETER SETTING; WHEN NOT RECEIVED, USE IWI ALTIMETER SETTING AND CROSS HATLE AT OR ABOVE 980.

NOTE: PILOT MUST ENSURE CDI SENSITIVITY IS SET TO 0.30 NM. CDI MAY BE RESET TO 1.00 NM AFTER FIGOP.

NOTE: USE OF CMMC AIR AMBULANCE LANDING SITE REQUIRES PERMISSION OF THE OWNER; USE OF THIS PROCEDURE REQUIRES SPECIFIC AUTHORIZATION BY FAA FLIGHT STANDARDS.

**TAKEOFF MINIMUMS:**

**TAKEOFF OBSTACLES NOTES:**

**CONTROLLING OBSTACLES:**

IDF ALTITUDE CONTROLLING OBSTACLE: 578 FT MSL AAO 440615.00N/0701442.00W

**MSA:**

MSA FROM HATLE, 3700 WITHIN A 25 NM RADIUS

**LOST COMMUNICATIONS PROCEDURES:**

**ADDITIONAL FLIGHT DATA:**

HELIPORT MV: ME95 17W/1995

CHART: TOP ALTITUDE: ASSIGNED BY ATC

DME/DME ASSESSMENT: NOT CONDUCTED

CHART: LEW AWOS-3PT



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HATLE	ONE	HATLE1.HATLE	NONE		

**AIRPORTS SERVED:**

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
ME95	LEWISTON	ME

**COMMUNICATIONS:**

CHART: PWM APP CON, ZBW

**FIXES AND/OR NAVAIDS:**

**REMARKS:**

RASS PRESSURE PATTERNS THE SAME  
 DISTANCE TO HATLE = 4.30  
 KME95 241, KLEW 288  
 RA = 0.0

RASS PRESSURE PATTERNS THE SAME  
 DISTANCE TO HATLE = 24.00  
 KME95 241, KIWI 70  
 RA = 79.2

ME95 DOES NOT HAVE LOCAL ALTIMETER.  
 LEW AND IWI ARE ON WMSCR.  
 FIX FIGOP IS ON ZK421 (FARAM-FIGOP MEA 3400, FIGOP-AGFAR MEA 2300).

PRECIPITOUS TERRAIN EVALUATION COMPLETED.  
 100 FT VEGETATION USED PER FPT.

BLANKET WAIVERS ON FILE (2):

1. AFS-400 MEMO DATED 1/26/24, SUBJECT: WAIVER TO INSTRUMENT PROCEDURE DESIGN INITIAL DEPARTURE FIX CRITERIA.
2. AFS-400 MEMO DATED 1/12/24, SUBJECT: WAIVER TO SIGNATURES ON SPECIAL INSTRUMENT FLIGHT PROCEDURE FORMS.

**FLIGHT INSPECTED BY**

TERRY HESTER  
*Digitally signed by*  
**CASIMIR L TABAKA**  
 Nov 12, 2025

**SIGNATURE**

**OFFICE**

**DATE**

AJF 11/04/2025

**DEVELOPED BY**

JON NEIDIGH

**SIGNATURE**

*Digitally signed by*  
**JON M NEIDIGH**  
 Apr 08, 2025

**OFFICE**

**DATE**

AJV-A432 04/08/2025

**APPROVED BY**

CASIMIR TABAKA  
*Digitally signed by*  
**CASIMIR L TABAKA**  
 Nov 12, 2025

**SIGNATURE**

**OFFICE**

**DATE**

**TITLE**  
 MANAGER

AJV-A432

**REQUIRED EFFECTIVE DATE**

**COORDINATED WITH:**

**A4A**  **ALPA**  **AOPA**  **APA**  **HAI**  **NBAA**  **OTHER:**ZBW, PWM APP CON, AMGR, LIFEFLIGHT AVIATION SERVICES LLC



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HATLE	ONE	HATLE1.HATLE	NONE		

**CHANGES - REASONS:**  
ORIGINAL PROCEDURE.



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>				
HATLE	ONE	HATLE1.HATLE	NONE						
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
ME95	440611.64N/0701254.26W	N	-	-	-	-			VFR SEGMENT
900 MSL	-	-	-	-	-	-			
HATLE	440629.27N/0701342.33W	Y	FB	IF	-	-	AT/ABOVE 900		IFR SEGMENT
FIGOP	441037.96N/0701735.38W	Y	FB	TF	326.01	5.00	AT/ABOVE 3400		

