

RADIO FIX AND HOLDING DATA RECORD

NAME: ALGIE STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402833.74N/1115619.11W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	MRA	MAA
								NM FEET		
1	SALT LAKE CITY	I-SLC	LOC/DME		163.96	174.96	17.80	20.13	8000	10000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-SLC	LOC/DME	R-164	21	8000	10000

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

I-SLC MRA BASED ON MVAAC AND FLOOR OF CONTROLLED AIRSPACE BY ATC REQUEST TO RADAR VECTOR AIRCRAFT TO FINAL.
ESV ESTABLISHED FOR I-SLC GLIDE SLOPE: R-164, 19, 8000/10000.
I-SLC DME ANT: 404618.71N/1115818.11W (COMMON SOURCE WITH I-MOY).

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2 DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

REMOVED REMARK FIX ESTABLISHED AT GSIP USING RNP PFAF FORMULA AT 10000 FT.
CHANGED FIX USE TITLE RNAV (GPS) RWY 34R TO RNAV (GPS) Y RWY 34R
ADDED FIX USE RNAV (RNP) Z RWY 34R

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A432 NAME: JOSEPH BLANCO

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A430 NAME: BEV L BORDY

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: HAKKR STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 403141.48N/1115640.71W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	SALT LAKE CITY	I-SLC	LOC/DME		163.96	174.96	14.66	16.99		8200	9500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-SLC	LOC/DME	R-164	16	8000	9500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

I-SLC MRA BASED ON MVAR AND FLOOR OF CONTROLLED AIRSPACE BY ATC REQUEST TO RADAR VECTOR AIRCRAFT TO FINAL.
ESV ESTABLISHED FOR I-SLC GLIDE SLOPE AT 16NM, LOC WITHIN RANGE.
I-SLC DME ANT: 404618.71N/1115818.11W (COMMON SOURCE WITH I-MOY).

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2 DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

REMOVED REMARK FIX ESTABLISHED AT GSIP USING RNP PFAF FORMULA AT 9000 FT.
CHANGED FIX USE TITLE RNAV (GPS) RWY 34R TO RNAV (GPS) Y RWY 34R
ADDED FIX USE RNAV (RNP) Z RWY 34R

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A432 NAME: JOSEPH BLANCO

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A430 NAME: BEV L BORDY

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: JAZZZ

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402041.27N/1115246.55W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			SLC	SALT LAKE CITY	UT (US)
STAR	JAZZZ (RNAV)			SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX USE: ADDED SLC ILS RWY 34R (SA CAT I), ILS RWY 34R (CAT II), ILS RWY 34R (CAT III), ILS RWY 34L (SA CAT I), ILS RWY 34L (CAT II), ILS RWY 34L (CAT III).
2. CHANGED KSLC RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35.
3. REMOVED KSLC RNAV (RNP) Z RWY 35.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: BRITNEY ARMENTROUT

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

IAP	ILS RWY 16L (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I - II)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II-III)	1	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1	SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35	5	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R	2	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R	2	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV(GPS) RWY 16R		SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17		TVY	TOOELE	UT (US)
STAR	TAYTR (RNAV)		PVU	PROVO	UT (US)
STAR	BEARR		SLC	SALT LAKE CITY	UT (US)
STAR	BRIGHAM CITY		SLC	SALT LAKE CITY	UT (US)
STAR	JAMMN		SLC	SALT LAKE CITY	UT (US)
STAR	SPANE		SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: SECTIONAL, DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, SPECIAL IAP, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 37 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:

1. FIX USE: CHANGED SLC IAPS RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35 AND REMOVED RNAV (RNP) Z RWY 35.
2. HOLDING: CHANGED PAT 2, 4, 5 CONTROLLING OBSTACLE ELEVATION AND ACCURACY CODE FROM 7195/AC 4E TO 7271/AC 4B.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 **NAME:** JANTZEN TAYLOR

APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A422 **NAME:** RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: QWENN

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 401914.43N/1115800.86W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

FIX NAME RETAINED PER ATC FOR OPERATIONAL NECESSITY.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II - III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II - III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			SLC	SALT LAKE CITY	UT (US)
STAR	QWENN (RNAV)			SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX LAT/LONG: FIX MOVED 4.22 NM SOUTH FROM 402324.41N/1115704.78W TO 401914.43N/1115800.86W.
2. FIX USE: ADDED SLC IAPS: ILS RWY 34L (SA CAT I), ILS RWY 34L (CAT II - III), ILS RWY 34R (SA CAT I), AND ILS RWY 34R (CAT II - III).
3. FIX USE: CHANGED SLC IAPS: RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35 AND REMOVED RNAV (RNP) Z RWY 35.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE: