

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date				
VUUDU (RNAV)	THREE	VUUDU.VUUDU3	TWO	07/09/2026					
TRANSITION ROUTES:									
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
ACORI	ACORI.VUUDU3	ACORI	ACORI						
			BULZI	137.92	124.30	FL270	2700		
			SNAPY	156.02	38.62	FL200	2700		
			NICKI	156.21	38.49	FL200	2700		
			MOLIE	149.02	91.36	FL200	2700		
			SANTR	169.25	25.81	FL200	2700		
			HORUT	169.63	17.00	FL200	2600		AT/BELOW FL260
			FANTE	169.35	19.35	FL200	2600		BETWEEN FL240 AND FL250
			HUCUR	135.43	16.07	FL180	2600		AT/BELOW FL220
			RACNO	136.30	17.75	11000	2600		AT FL190
			LUCYS	081.30	14.05	11000	2600		AT/BELOW 15000
			SHRVY	081.42	12.82	9000	2600		BETWEEN 11000 AND 13000
			VUUDU	093.17	10.51	9000	2600		
DEFUN	DEFUN.VUUDU3	DEFUN	DEFUN						
			CABLO	097.70	66.78	FL200	2700		
			BULZI	127.06	46.28	FL200	2700		
			SNAPY	156.02	38.62	FL200	2700		
			NICKI	156.21	38.49	FL200	2700		
			MOLIE	149.02	91.36	FL200	2700		
			SANTR	169.25	25.81	FL200	2700		
			HORUT	169.63	17.00	FL200	2600		AT/BELOW FL260
			FANTE	169.35	19.35	FL200	2600		BETWEEN FL240 AND FL250
			HUCUR	135.43	16.07	FL180	2600		AT/BELOW FL220
			RACNO	136.30	17.75	11000	2600		AT FL190
			LUCYS	081.30	14.05	11000	2600		AT/BELOW 15000
			SHRVY	081.42	12.82	9000	2600		BETWEEN 11000 AND 13000
			VUUDU	093.17	10.51	9000	2600		

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name VUUDU (RNAV)		Number THREE		STAR Computer Code VUUDU.VUUDU3		Superseded Number TWO			Dated 07/09/2026	Effective Date
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes	
ENEME	ENEME.VUUDU3	ENEME	ENEME							
			FETAL	192.77	31.28	FL200	2700			
			DOFFY	187.10	55.56	FL200	2700			
			MOLIE	176.93	74.18	FL200	2700			
			SANTR	169.25	25.81	FL200	2700			
			HORUT	169.63	17.00	FL200	2600			AT/BELOW FL260
			FANTE	169.35	19.35	FL200	2600			BETWEEN FL240 AND FL250
			HUCUR	135.43	16.07	FL180	2600			AT/BELOW FL220
			RACNO	136.30	17.75	11000	2600			AT FL190
			LUCYS	081.30	14.05	11000	2600			AT/BELOW 15000
			SHRVY	081.42	12.82	9000	2600			BETWEEN 11000 AND 13000
			VUUDU	093.17	10.51	9000	2600			
GAWKS	GAWKS.VUUDU3	GAWKS	GAWKS							AT/BELOW FL310
			BAGGS	108.03	13.50	FL200	2600			
			NOILS	114.66	05.85	FL200	2600			AT/ABOVE FL280
			PEBOE	114.36	23.80	FL200	2600			AT/BELOW FL260
			PACLA	120.39	15.00	FL200	2600			BETWEEN FL240 AND FL250
			TROPS	114.50	09.19	FL180	2600			AT/BELOW FL220
			RACNO	118.30	23.69	11000	2600			AT FL190
			LUCYS	081.30	14.05	11000	2600			AT/BELOW 15000
			SHRVY	081.42	12.82	9000	2600			BETWEEN 11000 AND 13000
			VUUDU	093.17	10.51	9000	2600			
LUCYS	LUCYS.VUUDU3	LUCYS	LUCYS							AT/BELOW 15000
			SHRVY	081.42	12.82	9000	2600			BETWEEN 11000 AND 13000
			VUUDU	093.17	10.51	9000	2600			
MOLIE	MOLIE.VUUDU3	MOLIE	MOLIE							
			SANTR	169.25	25.81	FL200	2700			
			HORUT	169.63	17.00	FL200	2600			AT/BELOW FL260

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name VUUDU (RNAV)		Number THREE		STAR Computer Code VUUDU.VUUDU3		Superseded Number TWO			Dated 07/09/2026	Effective Date
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes	
			FANTE	169.35	19.35	FL200	2600		BETWEEN FL240 AND FL250	
			HUCUR	135.43	16.07	FL180	2600		AT/BELOW FL220	
			RACNO	136.30	17.75	11000	2600		AT FL190	
			LUCYS	081.30	14.05	11000	2600		AT/BELOW 15000	
			SHRVY	081.42	12.82	9000	2600		BETWEEN 11000 AND 13000	
			VUUDU	093.17	10.51	9000	2600			
SABEE	SABEE.VUUDU3	SABEE	SABEE						AT/BELOW FL250	
			TROPS	141.07	22.24	FL180	2600		AT/BELOW FL220	
			RACNO	118.30	23.69	11000	2600		AT FL190	
			LUCYS	081.30	14.05	11000	2600		AT/BELOW 15000	
			SHRVY	081.42	12.82	9000	2600		BETWEEN 11000 AND 13000	
			VUUDU	093.17	10.51	9000	2600			
SWAGS	SWAGS.VUUDU3	SWAGS	SWAGS						AT/BELOW FL250	
			LUCYS	353.42	34.08	11000	2600		AT/BELOW 15000	
			SHRVY	081.42	12.82	9000	2600		BETWEEN 11000 AND 13000	
			VUUDU	093.17	10.51	9000	2600			
ZPLEN	ZPLEN.VUUDU3	ZPLEN	ZPLEN							
			IISLY	167.79	61.77	FL200	2700			
			DOFFY	161.00	95.89	FL200	2700			
			MOLIE	176.93	74.18	FL200	2700			
			SANTR	169.25	25.81	FL200	2700			
			HORUT	169.63	17.00	FL200	2600		AT/BELOW FL260	
			FANTE	169.35	19.35	FL200	2600		BETWEEN FL240 AND FL250	
			HUCUR	135.43	16.07	FL180	2600		AT/BELOW FL220	
			RACNO	136.30	17.75	11000	2600		AT FL190	
			LUCYS	081.30	14.05	11000	2600		AT/BELOW 15000	
			SHRVY	081.42	12.82	9000	2600		BETWEEN 11000 AND 13000	
			VUUDU	093.17	10.51	9000	2600			

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	THREE	VUUDU.VUUDU3	TWO	07/09/2026	

ARRIVAL ROUTE DESCRIPTION:

DJT: FROM VUUDU ON TRACK 093.47/2.65 TO CROSS TARTY BETWEEN 9000 AND 11000 AND AT 250 KIAS, THEN ON TRACK 116.26/10.00 TO CROSS HLIBT AT OR BELOW 9000.
LANDING DJT RWY 10L, 14: FROM HLIBT ON TRACK 117.23/6.34 TO CROSS GULLO AT 5000. EXPECT ILS OR LOC RWY 10L, RNAV (RNP) Z RWY 14 APPROACH.
LANDING DJT RWY 28R, 32: FROM HLIBT ON TRACK 118.43/15.08 TO CROSS JANDS AT OR ABOVE 8000, THEN ON TRACK 118.14/7.39 TO CROSS BEKAH AT 6000, THEN ON TRACK 098.78/7.64 TO CROSS COTEB AT 6000 AND AT 210 KIAS, THEN ON TRACK 098.78. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.
LANDING 06FA/F45: FROM VUUDU ON TRACK 093.47/2.62 TO CROSS OWLLL AT 9000 AND AT 250 KIAS, THEN ON TRACK 090.02/11.54 TO SHZAM, THEN ON HEADING 091.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.
LANDING BCT: FROM VUUDU ON TRACK 093.47/2.62 TO CROSS OWLLL AT 9000 AND AT 250 KIAS, THEN ON TRACK 158.86/15.48 TO VETCH, THEN ON TRACK 110.94/12.23 TO SCALE, THEN ON TRACK 099.00/5.50 TO DIVRR, THEN ON TRACK 099.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.
LANDING SUA: FROM VUUDU ON TRACK 093.47/2.62 TO CROSS OWLLL AT 9000 AND AT 250 KIAS, THEN ON TRACK 031.76/19.47 TO MSQTO, THEN ON HEADING 050.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS
GAWKS TRANSITION: RNAV 1-GPS.

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY.
NOTE: DO NOT FILE LUCYS OR MOLIE TRANSITION - TO BE ASSIGNED BY ATC.
NOTE: SABEE TRANSITION FOR TPA AREA DEPARTURES.
NOTE: GAWKS TRANSITION, GPS REQUIRED.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT EXONS: HOLD SW, RT, 050.00 INBOUND, 10 NM LEGS.
CHART HOLDING AT GAWKS: HOLD W, LT, 108.03 INBOUND, 10 NM LEGS.
CHART HOLDING AT HORUT: HOLD N, RT, 169.35 INBOUND, 10 NM LEGS.
CHART HOLDING AT MOLIE: HOLD N, RT, 169.25 INBOUND, 10 NM LEGS.
CHART HOLDING AT RACNO: HOLD NW, RT, 118.30 INBOUND, 10 NM LEGS.
CHART HOLDING AT TROPS: HOLD NW, RT, 117.30 INBOUND, 10 NM LEGS.
CHART HOLDING AT VUUDU: HOLD W, LT, 093.17 INBOUND, 10 NM LEGS.
CHART HOLDING AT WATES: HOLD W, RT, 106.61 INBOUND, 10 NM LEGS.

COMMUNICATIONS:

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	THREE	VUUDU.VUUDU3	TWO	07/09/2026	

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
DJT	WEST PALM BEACH	FL
BCT	BOCA RATON	FL
F45	WEST PALM BEACH	FL
06FA	JUPITER	FL
SUA	STUART	FL

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

THE ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.
WATES, EXONS WP ARE STAND-ALONE HOLDING.
LOWEST ASSIGNED ATC ALTITUDE AT MSQTO 5000.
LOWEST ASSIGNED ATC ALTITUDE AT SHZAM 2000.
LOWEST ASSIGNED ATC ALTITUDE AT DIVRR 3000.
2600 FT MOCA VALUES DUE TO 1552 MSL TWR, 12-001773, LOCATED DOWNSTREAM IN RWY TRANSITIONS BETWEEN JANDS-BEKAH.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)
MAG VAR: DJT 06W/2010
CHART AT COTEB TERMINUS: LDG DJT RWY 28R/32
CHART AT GULLO TERMINUS: LDG DJT RWY 10L/14
CHART AT MSQTO TERMINUS: LDG SUA
CHART AT DIVRR TERMINUS: LDG BCT
CHART AT SHZAM TERMINUS: LDG 06FA/F45

FLIGHT INSPECTED BY:

JAMES HAWLEY

ORGANIZATION: DATE:

AJF 08/11/2026

Flight Inspected Signature:

Digitally signed by
TARA N MARTINELLI

Aug 12, 2026

DEVELOPED BY:

CASEY HILL (SILVIA YOUNG)

AJV-A431 05/19/2026

Developed By Signature:

Digitally signed by
TARA N MARTINELLI

Aug 12, 2026

APPROVED BY:

CASEY HILL

AJV-A431

Approved By Signature:

Digitally signed by
TARA N MARTINELLI

Aug 12, 2026

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	THREE	VUUDU.VUUDU3	TWO	07/09/2026	

CHANGES:

- 1. INCREASED MOCA VALUES.
- 2. PACLA FIX MOVED 3632 FT, COORDINATES UPDATED.
- 3. ADDED "2600 FT MOCA VALUES DUE TO 1552 MSL TWR, 12-001773, LOCATED DOWNSTREAM IN RWY TRANSITIONS BETWEEN JANDS-BEKAH" TO REMARKS.
- 4. ADDED ASSUMED ALTITUDES FOR TERMINUS FIXES.

REASONS:

- 1. IAW 8260.3G, 2-2-7D(3) AND NEW OBST EVALUATION.
- 2. PACLA RELOCATED PER ATC REQUEST.
- 3. PER 8260.19K, 4-5-12I.
- 4. IAW AFS MEMO DATED 08/11/2023.




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	THREE	VUUDU.VUUDU3	TWO	07/09/2026	

Graphic Depiction 1




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	THREE	VUUDU.VUUDU3	TWO	07/09/2026	


Graphic Depiction 2



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	THREE	VUUDU.VUUDU3	TWO	07/09/2026	
Graphic Depiction 3					




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	THREE	VUUDU.VUUDU3	TWO	07/09/2026	

Graphic Depiction 4




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	THREE	VUUDU.VUUDU3	TWO	07/09/2026	


Graphic Depiction 5



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.


Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	THREE	VUUDU.VUUDU3	TWO	07/09/2026	
Graphic Depiction 6					



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	THREE	VUUDU.VUUDU3	TWO	07/09/2026	
Graphic Depiction 7					



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name VUUDU (RNAV)	Number THREE		STAR Computer Code VUUDU.VUUDU3		Superseded Number TWO		Dated 07/09/2026		Effective Date
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
En Route Transition									
ACORI	314623.36N / 0855129.51W	Y		IF					ACORI.VUUDU3
BULZI	302224.93N / 0840434.47W	Y	FB	TF	131.92	124.30			
SNAPY	294851.17N / 0834223.61W	Y	FB	TF	150.02	38.62			
NICKI	291520.19N / 0832031.80W	Y	FB	TF	150.21	38.49			
MOLIE	280155.53N / 0821825.55W	Y	FB	TF	143.02	91.36			
SANTR	273708.56N / 0821003.14W	Y	FB	TF	163.25	25.81			
HORUT	272047.06N / 0820440.37W	Y	FB	TF	163.63	17.00	AT/BELOW FL260	AT 280K	
FANTE	270211.41N / 0815827.71W	Y	FB	TF	163.35	19.35	FL240BFL250		
HUCUR	265156.49N / 0814434.78W	Y	FB	TF	129.43	16.07	AT/BELOW FL220		
RACNO	264024.83N / 0812928.08W	Y	FB	TF	130.30	17.75	AT FL190	AT 280K	
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000		
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			
En Route Transition									
DEFUN	304851.27N / 0860753.09W	Y		IF					DEFUN.VUUDU3
CABLO	304629.00N / 0845024.00W	Y	FB	TF	091.70	66.78			
BULZI	302224.93N / 0840434.47W	Y	FB	TF	121.06	46.28			
SNAPY	294851.17N / 0834223.61W	Y	FB	TF	150.02	38.62			
NICKI	291520.19N / 0832031.80W	Y	FB	TF	150.21	38.49			
MOLIE	280155.53N / 0821825.55W	Y	FB	TF	143.02	91.36			
SANTR	273708.56N / 0821003.14W	Y	FB	TF	163.25	25.81			
HORUT	272047.06N / 0820440.37W	Y	FB	TF	163.63	17.00	AT/BELOW FL260	AT 280K	
FANTE	270211.41N / 0815827.71W	Y	FB	TF	163.35	19.35	FL240BFL250		
HUCUR	265156.49N / 0814434.78W	Y	FB	TF	129.43	16.07	AT/BELOW FL220		
RACNO	264024.83N / 0812928.08W	Y	FB	TF	130.30	17.75	AT FL190	AT 280K	
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000		



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name VUUDU (RNAV)	Number THREE	STAR Computer Code VUUDU.VUUDU3		Superseded Number TWO		Dated 07/09/2026		Effective Date	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			
En Route Transition									
ENEME	304212.09N / 0822609.31W	Y		IF					ENEME.VUUDU3
FETAL	301103.69N / 0823024.76W	Y	FB	TF	186.77	31.28			
DOFFY	291522.73N / 0823138.10W	Y	FB	TF	181.10	55.56			
MOLIE	280155.53N / 0821825.55W	Y	FB	TF	170.93	74.18			
SANTR	273708.56N / 0821003.14W	Y	FB	TF	163.25	25.81			
HORUT	272047.06N / 0820440.37W	Y	FB	TF	163.63	17.00	AT/BELOW FL260	AT 280K	
FANTE	270211.41N / 0815827.71W	Y	FB	TF	163.35	19.35	FL240BFL250		
HUCUR	265156.49N / 0814434.78W	Y	FB	TF	129.43	16.07	AT/BELOW FL220		
RACNO	264024.83N / 0812928.08W	Y	FB	TF	130.30	17.75	AT FL190	AT 280K	
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000		
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			
En Route Transition									
GAWKS	271053.38N / 0830515.17W	Y		IF			AT/BELOW FL310		GAWKS.VUUDU3
BAGGS	270803.28N / 0825027.20W	Y	FB	TF	102.03	13.50			
NOILS	270610.61N / 0824414.80W	Y	FB	TF	108.66	05.85	AT/ABOVE FL280		
PEBOE	265837.28N / 0821857.49W	Y	FB	TF	108.36	23.80	AT/BELOW FL260	AT 280K	
PACLA	265223.60N / 0820340.64W	Y	FB	TF	114.39	15.00	FL240BFL250		
TROPS	264927.76N / 0815355.96W	Y	FB	TF	108.50	09.19	AT/BELOW FL220		
RACNO	264024.83N / 0812928.08W	Y	FB	TF	112.30	23.69	AT FL190	AT 280K	
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000		
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name VUUDU (RNAV)		Number THREE		STAR Computer Code VUUDU.VUUDU3			Superseded Number TWO		Dated 07/09/2026	Effective Date
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
En Route Transition										
LUCYS	264358.54N / 0811417.39W	Y		IF			AT/BELOW 15000		LUCYS.VUUDU3	
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000			
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51				
En Route Transition										
MOLIE	280155.53N / 0821825.55W	Y		IF					MOLIE.VUUDU3	
SANTR	273708.56N / 0821003.14W	Y	FB	TF	163.25	25.81				
HORUT	272047.06N / 0820440.37W	Y	FB	TF	163.63	17.00	AT/BELOW FL260	AT 280K		
FANTE	270211.41N / 0815827.71W	Y	FB	TF	163.35	19.35	FL240BFL250			
HUCUR	265156.49N / 0814434.78W	Y	FB	TF	129.43	16.07	AT/BELOW FL220			
RACNO	264024.83N / 0812928.08W	Y	FB	TF	130.30	17.75	AT FL190	AT 280K		
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000			
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000			
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51				
En Route Transition										
SABEE	270516.20N / 0821129.33W	Y		IF			AT/BELOW FL250	AT 280K	SABEE.VUUDU3	
TROPS	264927.76N / 0815355.96W	Y	FB	TF	135.07	22.24	AT/BELOW FL220			
RACNO	264024.83N / 0812928.08W	Y	FB	TF	112.30	23.69	AT FL190	AT 280K		
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000			
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000			
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51				
En Route Transition										
SWAGS	261037.07N / 0810559.93W	Y		IF			AT/BELOW FL250	AT 280K	SWAGS.VUUDU3	
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	347.42	34.08	AT/BELOW 15000			
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000			
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51				



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name VUUDU (RNAV)	Number THREE		STAR Computer Code VUUDU.VUUDU3		Superseded Number TWO		Dated 07/09/2026		Effective Date
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
En Route Transition									
ZPLEN	314128.42N / 0834021.06W	Y		IF					ZPLEN.VUUDU3
IISLY	304237.70N / 0831757.72W	Y	FB	TF	161.79	61.77			
DOFFY	291522.73N / 0823138.10W	Y	FB	TF	155.00	95.89			
MOLIE	280155.53N / 0821825.55W	Y	FB	TF	170.93	74.18			
SANTR	273708.56N / 0821003.14W	Y	FB	TF	163.25	25.81			
HORUT	272047.06N / 0820440.37W	Y	FB	TF	163.63	17.00	AT/BELOW FL260	AT 280K	
FANTE	270211.41N / 0815827.71W	Y	FB	TF	163.35	19.35	FL240BFL250		
HUCUR	265156.49N / 0814434.78W	Y	FB	TF	129.43	16.07	AT/BELOW FL220		
RACNO	264024.83N / 0812928.08W	Y	FB	TF	130.30	17.75	AT FL190	AT 280K	
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000		
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			
Common Route									
VUUDU	264742.70N / 0804841.88W	Y		IF					VUUDU.VUUDU3
TARTY	264749.70N / 0804544.54W	Y	FB	TF	087.47	02.65	9000B11000	AT 250K	
HLIBT	264420.94N / 0803515.82W	Y	FB	TF	110.26	10.00	AT/BELOW 9000		
Common Route									
VUUDU	264742.70N / 0804841.88W	Y		IF					VUUDU.VUUDU3
OWLLL	264749.62N / 0804546.53W	Y	FB	TF	087.47	02.62	AT 9000	AT 250K	
SHZAM	264901.36N / 0803256.82W	Y	FO	TF	084.02	11.54			
K06FA,KF45				VM	085.00				
Common Route									
VUUDU	264742.70N / 0804841.88W	Y		IF					VUUDU.VUUDU3
OWLLL	264749.62N / 0804546.53W	Y	FB	TF	087.47	02.62	AT 9000	AT 250K	
VETCH	263400.67N / 0803754.15W	Y	FB	TF	152.86	15.48			
SCALE	263050.38N / 0802444.09W	Y	FB	TF	104.94	12.23			

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name VUUDU (RNAV)		Number THREE		STAR Computer Code VUUDU.VUUDU3		Superseded Number TWO		Dated 07/09/2026	Effective Date
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
DIVRR	263032.93N / 0801836.73W	Y	FO	TF	093.00	05.50			
KBCT				FM	093.00				
Common Route									
VUUDU	264742.70N / 0804841.88W	Y		IF					VUUDU.VUUDU3
OWLLL	264749.62N / 0804546.53W	Y	FB	TF	087.47	02.62	AT 9000	AT 250K	
MSQTO	270524.57N / 0803617.54W	Y	FO	TF	025.76	19.47			
KSUA				VM	044.00				
Runway Transition									
HLIBT	264420.94N / 0803515.82W	Y		IF			AT/BELOW 9000		
GULLO	264202.59N / 0802839.81W	Y	FB	TF	111.23	06.34	AT 5000		
KDJT:RWY 10L,RWY 14									
Runway Transition									
HLIBT	264420.94N / 0803515.82W	Y		IF			AT/BELOW 9000		
JANDS	263833.86N / 0801942.64W	Y	FB	TF	112.43	15.08	AT/ABOVE 8000		
BEKAH	263546.10N / 0801204.61W	Y	FB	TF	112.14	07.39	AT 6000		
COTEB	263523.54N / 0800333.67W	Y	FO	TF	092.78	07.64	AT 6000	AT 210K	
KDJT:RWY 28R,RWY 32									
				FM	092.78				