FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statue miles or feet RVR unless otherwise indicated.

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
SEFUD	ONE	SEFUD1.SEFUD	NONE		12/24/2026

TYPE:	OBSTACLE	COPTER	SID	SPECIAL	RNAV
	☐	☐	☒	☐	☒

DP ROUTE DESCRIPTION:
MYR, CRE, GGE:
TAKEOFF ALL RUNWAYS: CLIMB ON ASSIGNED HEADING FOR VECTORS TO FLNDR, THEN ON DEPICTED ROUTE TO CROSS SEFUD AT OR BELOW 4000, THEN ON TRANSITION. MAINTAIN ATC ASSIGNED ALTITUDE. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

TRANSITION NAME	TRANSITION COMPUTER CODE	FROM FIX/NAVAID	TO FIX/NAVAID	COURSE	DISTANCE	MEA	MOCA	CROSSING ALTITUDE/FIXES
AARNN	SEFUD1.AARNN	SEFUD	YUUHH	TRACK 079.09	27.20	4000	1700	
		YUUHH	WYLMS	TRACK 077.68	10.27	4000	1700	WYLMS AT/ABOVE 4000
		WYLMS	ZORDO	TRACK 034.77	51.10	7000	3100	
		ZORDO	AARNN	TRACK 003.12	91.05	9000	1800	
ALINN	SEFUD1.ALINN	SEFUD	YUUHH	TRACK 079.09	27.20	4000	1700	
		YUUHH	WYLMS	TRACK 077.68	10.27	4000	1700	WYLMS AT/ABOVE 4000
		WYLMS	ZORDO	TRACK 034.77	51.10	7000	3100	
		ZORDO	JAAMS	TRACK 024.53	54.19	7000	2300	
		JAAMS	ALINN	TRACK 023.85	45.42	7000	1600	
JAMIE	SEFUD1.JAMIE	SEFUD	YUUHH	TRACK 079.09	27.20	4000	1700	
		YUUHH	WYLMS	TRACK 077.68	10.27	4000	1700	WYLMS AT/ABOVE 4000
		WYLMS	ZORDO	TRACK 034.77	51.10	7000	3100	
		ZORDO	PAACK	TRACK 032.46	69.35	7000	1600	
		PAACK	JAMIE	TRACK 040.45	118.34	7000	2300	
KALDA	SEFUD1.KALDA	SEFUD	YUUHH	TRACK 079.09	27.20	4000	1700	
		YUUHH	WYLMS	TRACK 077.68	10.27	4000	1700	WYLMS AT/ABOVE 4000

QUALITY 8 CHECKED

DP NAME			NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER		DATED		ACTUAL EFFECTIVE DATE
SEFUD			ONE	SEFUD1.SEFUD	NONE				12/24/2026
		WYLMS		ZORDO	TRACK 034.77	51.10	7000	3100	
		ZORDO		KALDA	TRACK 039.23	207.65	9000	3100	
MAYKR	SEFUD1.MAYKR	SEFUD		YUUHH	TRACK 079.09	27.20	4000	1700	
		YUUHH		WYLMS	TRACK 077.68	10.27	4000	1700	WYLMS AT/ABOVE 4000
		WYLMS		ZORDO	TRACK 034.77	51.10	7000	3100	
		ZORDO		MAYKR	TRACK 008.49	95.78	9000	2500	
CRABB	SEFUD1.CRABB	SEFUD		CRABB	TRACK 342.31	15.49	5000	2000	
RUKRR	SEFUD1.RUKRR	SEFUD		YUUHH	TRACK 079.09	27.20	4000	1700	
		YUUHH		WYLMS	TRACK 077.68	10.27	4000	1700	WYLMS AT/ABOVE 4000
		WYLMS		ZORDO	TRACK 034.77	51.10	7000	3100	
		ZORDO		LARKE	TRACK 019.41	44.92	7000	2300	
		LARKE		RUKRR	TRACK 017.24	57.25	7000	1700	
TANJA	SEFUD1.TANJA	SEFUD		YUUHH	TRACK 079.09	27.20	4000	1700	
		YUUHH		WYLMS	TRACK 077.68	10.27	4000	1700	WYLMS AT/ABOVE 4000
		WYLMS		ZORDO	TRACK 034.77	51.10	7000	3100	
		ZORDO		TANJA	TRACK 014.75	98.48	9000	1800	
ZORDO	SEFUD1.ZORDO	SEFUD		YUUHH	TRACK 079.09	27.20	4000	1700	
		YUUHH		WYLMS	TRACK 077.68	10.27	4000	1700	WYLMS AT/ABOVE 4000
		WYLMS		ZORDO	TRACK 034.77	51.10	7000	3100	

PBN REQUIREMENT NOTES:
RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:
RADAR REQUIRED

PROCEDURAL DATA NOTES:



DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
SEFUD	ONE	SEFUD1.SEFUD	NONE		12/24/2026

TAKEOFF MINIMUMS:
MYRTLE BEACH (MYR):
RWY 18, 36: STANDARD

NORTH MYRTLE BEACH (CRE):
RWY 5, 23: STANDARD

GEORGETOWN (GGE):
RWY 5, 11, 23: STANDARD
RWY 29: STANDARD WITH MINIMUM CLIMB OF 270 FT/NM TO 600 FT

TAKEOFF OBSTACLES NOTES:
SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

CONTROLLING OBSTACLES:
GEORGETOWN (GGE):
RWY 29: 432 FT MSL STACK 331945.25N/0792123.51.00W

MSA:
ALL AIRPORTS: 2100

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:
ALL AIRPORTS - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
AIRPORT MV: MYR (P) 9W/2020, GGE 8W/2015, CRE 8W/2010.
DME/DME ASSESSMENT: SAT RNP 2.0

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
MYR	MYRTLE BEACH	SC
GGE	GEORGETOWN	SC
CRE	NORTH MYRTLE BEACH	SC

COMMUNICATIONS:
MYR, CRE: CHART: ATIS, AWOS/ASOS, CLNC DEL, GND CON, ATCT
GGE CHART: ATIS, AWOS, CLNC DEL, GND CON

FIXES AND/OR NAVAIDS:

REMARKS:
ALL AIRPORTS: ORDER 8260.3G, LEGACY ICA USED FOR DESIGN AND EVALUATION
WAIVER (1): ATC REQUESTED ALTITUDE LOWER THAN UNRESTRICTED CLIMB ALLOWED BY TERPS EVALUATION; (2): REDUCED ROC; (3): ABSENCE OF A CODED ALTITUDE AT THE IF (FLNDR).
BANK ANGLE OVERRIDE OF 16 DEGREES APPLIED AT WYLMS TO MEET LEG LENGTH CRITERIA IAW WAIVER TO FAA ORDER 8260-58, PARAGRAPH 1-2-5. C. (3), MAXIMUM BANK ANGLE.
ATC FACILITY OPERATING INFO: FAA JO 7110.65, PARAGRAPH 5-6-3.B. AFTER REACHING THE FIRST MVA/MIA SECTOR, ALL SUBSEQUENT MVA/MIA SECTORS ENCOUNTERED MUST BE MET. THIS REQUIRES THE CONTROLLER TO ENSURE THE AIRCRAFT DOES NOT ENTER A HIGHER MVA ONCE THEY REACHED THE FIRST MVA SECTOR ALTITUDE. THIS INCLUDES SUBSEQUENT CONTROLLERS WHEN THE AIRCRAFT IS HANDED OFF.



DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
SEFUD	ONE	SEFUD1.SEFUD	NONE		12/24/2026

FLIGHT INSPECTED BY	SIGNATURE	OFFICE	DATE	
PENDING				

DEVELOPED BY	SIGNATURE	OFFICE	DATE	
LEO PALMER		AJV-A432	04/27/2026	*Digitally signed by* ***TARA N MARTINELLI*** Oct 20, 2026

APPROVED BY	SIGNATURE	OFFICE	DATE	TITLE
APRIL SARMENTO		AJV-A432	09/24/2026	MANAGER

REQUIRED EFFECTIVE DATE
ROUTINE

Digitally signed by ***TARA N MARTINELLI*** Oct 20, 2026

COORDINATED WITH:

A4A ☒ **ALPA** ☒ **AOPA** ☒ **APA** ☒ **HAI** ☐ **NBAA** ☒ **OTHER:**ZJX, ZDC, MYR ATCT, MYR APP CON, AMGR

CHANGES - REASONS:
ORIGINAL SID - TO SERVE MYR, GGE, CRE

10/20/2026:THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 04/27/2026.
ACTUAL EFFECTIVE DATE: ADDED HARD DATE 12/24/2026

QUALITY 8 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
SEFUD	ONE	SEFUD1.SEFUD	NONE		12/24/2026

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
FLNDR	334620.32N/0785701.34W	Y	-	IF	-	-			
SEFUD	335302.23N/0785847.99W	Y	FB	TF	347.52	6.85	AT/BELOW 4000		
SEFUD	335302.23N/0785847.99W	Y	-	IF	-	-			SEFUD1.AARNN
YUUHH	340215.26N/0782801.27W	Y	FB	TF	070.09	27.20			
WYLMS	340559.04N/0781630.27W	Y	FB	TF	068.68	10.27	AT/ABOVE 4000		
ZORDO	345201.73N/0774930.60W	Y	FB	TF	025.77	51.10			
AARNN	362243.59N/0780104.05W	Y	FB	TF	354.12	91.05			
SEFUD	335302.23N/0785847.99W	Y	-	IF	-	-			SEFUD1.ALINN
YUUHH	340215.26N/0782801.27W	Y	FB	TF	070.09	27.20			
WYLMS	340559.04N/0781630.27W	Y	FB	TF	068.68	10.27	AT/ABOVE 4000		
ZORDO	345201.73N/0774930.60W	Y	FB	TF	025.77	51.10			
JAAMS	354418.05N/0773141.60W	Y	FB	TF	015.53	54.19			
ALINN	362815.05N/0771715.81W	Y	FB	TF	014.85	45.42			
SEFUD	335302.23N/0785847.99W	Y	-	IF	-	-			SEFUD1.JAMIE
YUUHH	340215.26N/0782801.27W	Y	FB	TF	070.09	27.20			
WYLMS	340559.04N/0781630.27W	Y	FB	TF	068.68	10.27	AT/ABOVE 4000		
ZORDO	345201.73N/0774930.60W	Y	FB	TF	025.77	51.10			
PAACK	355540.26N/0771530.99W	Y	FB	TF	023.46	69.35			
JAMIE	373620.58N/0755748.81W	Y	FB	TF	031.45	118.34			

QUALITY 8 CHECKED

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
SEFUD	ONE	SEFUD1.SEFUD	NONE		12/24/2026

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
SEFUD	335302.23N/0785847.99W	Y	-	IF	-	-			SEFUD1.KALDA
YUUHH	340215.26N/0782801.27W	Y	FB	TF	070.09	27.20			
WYLMS	340559.04N/0781630.27W	Y	FB	TF	068.68	10.27	AT/ABOVE 4000		
ZORDO	345201.73N/0774930.60W	Y	FB	TF	025.77	51.10			
KALDA	375031.06N/0753735.34W	Y	FB	TF	030.23	207.65			
SEFUD	335302.23N/0785847.99W	Y	-	IF	-	-			SEFUD1.MAYKR
YUUHH	340215.26N/0782801.27W	Y	FB	TF	070.09	27.20			
WYLMS	340559.04N/0781630.27W	Y	FB	TF	068.68	10.27	AT/ABOVE 4000		
ZORDO	345201.73N/0774930.60W	Y	FB	TF	025.77	51.10			
MAYKR	362756.72N/0775034.35W	Y	FB	TF	359.49	95.78			
SEFUD	335302.23N/0785847.99W	Y	-	IF	-	-			SEFUD1.CRABB
CRABB	340653.80N/0790710.77W	Y	FB	TF	333.31	15.49			LEFT TURN
SEFUD	335302.23N/0785847.99W	Y	-	IF	-	-			SEFUD1.RUKRR
YUUHH	340215.26N/0782801.27W	Y	FB	TF	070.09	27.20			
WYLMS	340559.04N/0781630.27W	Y	FB	TF	068.68	10.27	AT/ABOVE 4000		
ZORDO	345201.73N/0774930.60W	Y	FB	TF	025.77	51.10			
LARKE	353616.63N/0773933.59W	Y	FB	TF	010.41	44.92			
RUKRR	363300.47N/0772922.43W	Y	FB	TF	008.24	57.25			
SEFUD	335302.23N/0785847.99W	Y	-	IF	-	-			SEFUD1.TANJA
YUUHH	340215.26N/0782801.27W	Y	FB	TF	070.09	27.20			

QUALITY 8 CHECKED

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
SEFUD	ONE	SEFUD1.SEFUD	NONE		12/24/2026

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
WYLMS	340559.04N/0781630.27W	Y	FB	TF	068.68	10.27	AT/ABOVE 4000		
ZORDO	345201.73N/0774930.60W	Y	FB	TF	025.77	51.10			
TANJA	363008.79N/0773716.55W	Y	FB	TF	005.75	98.48			
SEFUD	335302.23N/0785847.99W	Y	-	IF	-	-			SEFUD1.ZORDO
YUUHH	340215.26N/0782801.27W	Y	FB	TF	070.09	27.20			
WYLMS	340559.04N/0781630.27W	Y	FB	TF	068.68	10.27	AT/ABOVE 4000		
ZORDO	345201.73N/0774930.60W	Y	FB	TF	025.77	51.10			

QUALITY 8 CHECKED