

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: Textual DP	Estimated Chart Date: 05/14/2026	APWS Task ID: 7D916F422CFF4A088CE7235875FB2925	APWS Project ID: 8D5BDE45D9AA4047BA9B1F7CFA5BF9BE
Procedure: TAKEOFF MINIMUMS AND OBSTACLE DP AMDT 0A		Enroute: NO	Specialist: Tyler, George		Agreement Number:
Airport ID: KMVN			Airport City: MOUNT VERNON		State: IL
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			

Procedure Comments:  
ACTIVE AIRNAV DATA UTILIZED FOR KMVN AND RWYS.  
  
CLEARS NOTAM FDC 5/9216.  
  
CONTACT CASEY HILL, AJV-A421, 405-954-0624.





# TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

25275

## MOSINEE, WI (CON'T)

### CENTRAL WISCONSIN (CWA) (CON'T)

- Rwy 26 (CON'T)**, tree 2247' from DER, 883' right of centerline, 1338' MSL.  
Tree 2252' from DER, 1015' right of centerline, 1341' MSL.  
Trees beginning 2351' from DER, 930' right of centerline, up to 1342' MSL.
- Rwy 35**, utility building, vertical point beginning 39' from DER, 153' right of centerline, up to 5' AGL/1279' MSL.  
Light poles 39' from DER, 152' left of centerline, 1278' MSL.  
Fence beginning 62' from DER, 125' right of centerline, up to 9' AGL/1286' MSL.  
Wind indicator 509' from DER, 443' right of centerline, 26' AGL/1302' MSL.  
Pole 513' from DER, 443' right of centerline, 23' AGL/1303' MSL.  
Pole 912' from DER, 695' right of centerline, 25' AGL/1311' MSL.  
NAVAID 1042' from DER, 250' left of centerline, 17' AGL/1306' MSL.  
Poles beginning 1098' from DER, 656' right of centerline, up to 27' AGL/1315' MSL.  
Pole 1335' from DER, 831' right of centerline, 30' AGL/1318' MSL.  
Tree 1404' from DER, 670' right of centerline, 1319' MSL.  
Pole, trees beginning 1513' from DER, 693' right of centerline, up to 38' AGL/1327' MSL.  
Tree 1869' from DER, 958' right of centerline, 1328' MSL.  
Tower, tree beginning 1995' from DER, 867' right of centerline, up to 47' AGL/1349' MSL.  
Tree 2500' from DER, 367' left of centerline, 1346' MSL.  
Tower 2714' from DER, 857' right of centerline, 44' AGL/1356' MSL.  
Smokestack 2838' from DER, 862' right of centerline, 46' AGL/1359' MSL.  
Smokestack 3248' from DER, 1353' right of centerline, 72' AGL/1372' MSL.

OLD

## MOUNT CARMEL, IL

### MOUNT CARMEL MUNI (AJG)

#### TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 1 03APR14 (14093) (FAA)

##### TAKEOFF MINIMUMS:

- Rwy 22**, 300-1 or std. w/min. climb of 325' per NM to 700.  
**Rwy 31**, 300-1 or std. w/min. climb of 225' per NM to 700, or alternatively, with std. takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 1600' prior to DER.

##### TAKEOFF OBSTACLE NOTES:

- Rwy 4**, vehicle on road 409' from DER, 170' left of centerline, up to 15' AGL/404' MSL.  
Trees 3718' from DER, 130' right of centerline, 85' AGL/525' MSL.  
**Rwy 13**, vehicle on road 7' from DER, 190' right of centerline, 15' AGL/445' MSL.  
Trees beginning 2438' from DER, 839' right of centerline, up to 100' AGL/542' MSL.  
REIL 41' from DER, 112' left of centerline, 1' AGL/413' MSL.  
**Rwy 22**, ground beginning 194' from DER, 262' right of centerline, up to 459' MSL.  
Trees beginning 535' from DER, 146' right of centerline, up to 90' AGL/587' MSL.  
Tree 81' from DER, 146' right of centerline, 19' AGL/448' MSL.  
Antenna on grain elevator 4403' from DER, 378' left of centerline, 100' AGL/606' MSL.  
**Rwy 31**, poles beginning 1812' from DER, 318' left of centerline, up to 55' AGL/484' MSL.  
Trees beginning 2886' from DER, 112' left of centerline, up to 98' AGL/527' MSL.  
Trees beginning 3657' from DER, 217' right of centerline, up to 91' AGL/580' MSL.

## MOUNT STERLING, IL

### MOUNT STERLING MUNI (I63)

#### TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 02JUL09 (09183) (FAA)

##### TAKEOFF OBSTACLE NOTES:

- Rwy 18**, trees beginning 1555' from DER, 309' right of centerline, up to 95' AGL/784' MSL.  
Tree 2243' from DER, 856' left of centerline, 100' AGL/819' MSL.  
**Rwy 36**, vehicle on road and pole 686' from DER, 486' right of centerline, up to 60' AGL/779' MSL.  
Vehicle on road and trees beginning 679' from DER, 365' left of centerline, up to 100' AGL/839' MSL.

## MOUNT VERNON, IL

### MOUNT VERNON (MVN)

#### TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 15MAR07 (07074) (FAA)

##### DEPARTURE PROCEDURE:

- Rwy 33**, climb via heading 331° to 1300 before turning left.

##### TAKEOFF OBSTACLE NOTES:

- Rwy 5**, multiple trees beginning 1615' from DER, 7' left of centerline, up to 134' AGL/602' MSL.  
Antenna 2477' from DER, 990' right of centerline, 79' AGL/547' MSL.  
Tree 3329' from DER, 519' right of centerline, 98' AGL/566' MSL.  
**Rwy 15**, multiple trees beginning 712' from DER, 17' right of centerline, up to 71' AGL/529' MSL.  
Tree 908' from DER, 465' left of centerline, 70' AGL/527' MSL.  
Railroad 608' from DER, 159' right of centerline, 23' AGL/479' MSL.  
Road 564' from DER, 3' right of centerline, 15' AGL/472' MSL.  
**Rwy 23**, multiple trees beginning 1705' from DER, 102' right of centerline, up to 72' AGL/539' MSL.  
Tree 1797' from DER, 158' left of centerline, 57' AGL/524' MSL.  
Railroad 238' from DER, 500' left of centerline, 23' AGL/485' MSL.

CON'T

# TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

25275

# TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

25275

## MOUNT VERNON, IL (CON'T)

### MOUNT VERNON (MVN) (CON'T)

**Rwy 23 (CON'T)**, multiple roads beginning 12' from DER, 367' left of centerline, up to 15' AGL/479' MSL.  
Fencepost 291' from DER, 426' right of centerline, 9' AGL/476' MSL.

**Rwy 33**, multiple trees beginning 696' from DER, 130' right of centerline, up to 93' AGL/573' MSL.  
Multiple trees beginning 689' from DER, 216' left of centerline, up to 105' AGL/585' MSL.

## NECEDAH, WI

### NECEDAH (DAF)

#### TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG-A 12JUN25 (25163) (FAA)

##### TAKEOFF OBSTACLE NOTES:

**Rwy 18**, tree 17' from DER, 369' right of centerline, 958' MSL.  
Trees beginning 26' from DER, 465' left of centerline, up to 969' MSL.  
Trees beginning 120' from DER, 297' right of centerline, up to 51' AGL/969' MSL.  
Trees beginning 153' from DER, 312' right of centerline, up to 61' AGL/975' MSL.  
Trees, vehicles on road, building beginning 303' from DER, 102' left of centerline, up to 970' MSL.  
Trees, buildings, vehicles on road beginning 406' from DER, 19' right of centerline, up to 977' MSL.  
Tree, vehicles on road beginning 559' from DER, 136' left of centerline, up to 971' MSL.  
Tree 826' from DER, 645' left of centerline, 976' MSL.  
Trees beginning 851' from DER, 53' right of centerline, up to 988' MSL.  
Tree 860' from DER, 488' left of centerline, 978' MSL.  
Trees beginning 952' from DER, 447' left of centerline, up to 979' MSL.  
Tree 1412' from DER, 333' left of centerline, 986' MSL.  
Trees beginning 1454' from DER, 115' left of centerline, up to 987' MSL.  
Trees beginning 1742' from DER, 22' left of centerline, up to 1004' MSL.  
Trees beginning 2220' from DER, 197' right of centerline, up to 59' AGL/990' MSL.  
**Rwy 36**, trees, buildings, poles, railroad beginning 16' from DER, 46' right of centerline, up to 63' AGL/975' MSL.  
Trees beginning 701' from DER, 30' left of centerline, up to 938' MSL.  
Tree 707' from DER, 463' left of centerline, 948' MSL.  
Tree 793' from DER, 295' left of centerline, 960' MSL.  
Trees beginning 816' from DER, 71' left of centerline, up to 974' MSL.  
Trees beginning 1005' from DER, 18' left of centerline, up to 978' MSL.  
Trees beginning 1659' from DER, 230' right of centerline, up to 978' MSL.  
Trees beginning 1839' from DER, 153' right of centerline, up to 987' MSL.  
Trees beginning 2222' from DER, 327' left of centerline, up to 980' MSL.  
Tree 2937' from DER, 378' left of centerline, 986' MSL.

## NEILLSVILLE, WI

### NEILLSVILLE MUNI (VIQ)

#### TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG-A 02DEC21 (21336) (FAA)

##### TAKEOFF OBSTACLE NOTES:

**Rwy 10**, tree, NAVAID beginning 9' from DER, 30' right of centerline, up to 1252' MSL.  
Tree 159' from DER, 528' left of centerline, 1268' MSL.  
Trees beginning 417' from DER, 550' left of centerline, up to 1272' MSL.  
Tree 774' from DER, 564' left of centerline, 1281' MSL.  
Trees beginning 902' from DER, 60' left of centerline, up to 1308' MSL.  
Trees beginning 961' from DER, 19' right of centerline, up to 1264' MSL.  
Tree 1063' from DER, 772' right of centerline, 1274' MSL.  
Trees, vehicle on road beginning 1647' from DER, 309' left of centerline, up to 1309' MSL.  
Poles, tree beginning 2152' from DER, 171' left of centerline, up to 34' AGL/1318' MSL.  
Trees, pole beginning 2274' from DER, 209' left of centerline, up to 1321' MSL.  
Pole 2295' from DER, 145' right of centerline, 33' AGL/1297' MSL.  
Pole 2351' from DER, 138' right of centerline, 34' AGL/1302' MSL.  
Trees, building, pole, elevator, tank beginning 2375' from DER, 6' right of centerline, up to 1340' MSL.  
Tree 2573' from DER, 15' left of centerline, 1330' MSL.  
Trees beginning 2660' from DER, 121' left of centerline, up to 1340' MSL.  
Tree 2928' from DER, 1146' left of centerline, 1348' MSL.  
Trees beginning 3232' from DER, 179' right of centerline, up to 1352' MSL.  
Tree 3542' from DER, 998' left of centerline, 1352' MSL.  
Trees beginning 3563' from DER, 546' left of centerline, up to 1358' MSL.  
Trees beginning 3582' from DER, 275' right of centerline, up to 1371' MSL.  
**Rwy 28**, tree 5' from DER, 219' left of centerline, 1213' MSL.  
Terrain 147' from DER, 373' right of centerline, 1212' MSL.  
Poles, tree beginning 349' from DER, 460' right of centerline, up to 41' AGL/1252' MSL.  
Trees beginning 861' from DER, 149' left of centerline, up to 1233' MSL.  
Trees beginning 950' from DER, 218' right of centerline, up to 1253' MSL.

02 OCT 2025 to 30 OCT 2025

02 OCT 2025 to 30 OCT 2025

# TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

25275

EC-3