

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 05/14/2026	APWS Task ID: 7ECAED5114224333B152778BD08607E5	APWS Project ID: 0A7EDE4CB05E4EC2941A905489506E3A
Procedure: ILS OR LOC RWY 13L AMDT 34B		Enroute: NO	Specialist: Young, Silvia		Agreement Number:
Airport ID: KDAL			Airport City: DALLAS		State: TX
Facility ID: DAL	Facility Type: ILS	Flight Inspection Remark Type: New FC Slot			
<p>Procedure Comments:</p> <p>ACTIVE DATA USED FOR KDAL AIRPORT AND RWYS.</p> <p>CANCEL NOTAM FDC 5/3067.</p> <p>CONTACT CASIMIR TABAKA 405.202.7857</p>					
 					

OLD

DALLAS, TEXAS

AL-106 (FAA)

24361




LOC/DME I-DAL	APP CRS	Rwy Idg	7352
111.5	133°	TDZE	485
Chan 52		Apt Elev	487

ILS RWY 13L (SA CAT I & II)

DALLAS LOVE FLD (DAL)

RADAR required for procedure entry.		MALSR	MISSED APPROACH: Climb to 1000 then climbing left turn to 3000 on heading 060° and CVE VOR/DME R-087 to SOLDO INT/CVE 28.9 DME and hold.
<p>Simultaneous approach authorized. SA CAT I: Requires specific OPSPEC, MSPEC, or LOA approval and use of HUD to DH. SA CAT II: Reduced lighting: Requires specific OPSPEC, MSPEC, or LOA approval and use of Autoland or HUD to touchdown.</p>			

D-ATIS	LONE STAR APP CON	LOVE TOWER	GND CON	CLNC DEL	CPDLC
120.15	NORTH 124.3 282.275 SOUTH 125.2 343.65	123.7 239.3	121.75 348.6	127.9	



CATEGORY	A	B	C	D
S-ILS 13L	SA CAT I	RA 168/14	150 DA 635	
S-ILS 13L	SA CAT II	RA 144/12	100 DA 585	

SA CATEGORY I & II ILS SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED

TDZ/CL Rwy 13L and 31L
HIRL Rwy 13L-31R, and 13R-31L

DALLAS, TEXAS
Amdt 34A 26DEC24

32°51'N-96°51'W

ILS RWY 13L (SA CAT I & II)

SC-2, 07 AUG 2025 to 04 SEP 2025

SC-2, 07 AUG 2025 to 04 SEP 2025


LOC/DME I-DAL 111.5 Chan 52	APP CRS 133°	Rwy Idg 7352 TDZE 485 Apt Elev 487
---	------------------------	---

ILS or LOC RWY 13L

DALLAS LOVE FLD (DAL)

RADAR required for procedure entry.		MALSR	MISSED APPROACH: Climb to 1000 then climbing left turn to 3000 on heading 060° and CVE VOR/DME R-087 to SOLDO INT/CVE 28.9 DME and hold.
Simultaneous approach authorized.			

D-ATIS 120.15	LONE STAR APP CON NORTH 124.3 282.275 SOUTH 125.2 343.65	LOVE TOWER 123.7 239.3	GND CON 121.75 348.6	CLNC DEL 127.9	CPDLC
-------------------------	--	----------------------------------	--------------------------------	--------------------------	-------



SC-2, 07 AUG 2025 to 04 SEP 2025

SC-2, 07 AUG 2025 to 04 SEP 2025

ELEV 487		TDZE 485		
WADES INT I-DAL 14.4 NNATE INT I-DAL 5.7 TSKED INT I-DAL 2.8 I-DAL 2.3 I-DAL 1.4 GS 3.00° TCH 55 2500 1900 920 1000 3000 hdg 060° CVE R-087 SOLDO				
CATEGORY	A	B	C	D
S-ILS 13L	685/18 200 (200-½)			
S-LOC 13L	920/24	435 (500-½)	920/40	435 (500-¾)
CIRCLING	1000-1 513 (600-1)	1140-1 653 (700-1)	1220-2 733 (800-2)	1520-3 1033 (1100-3)
TSKED FIX MINIMUMS (DUAL VOR RECEIVERS OR DME REQUIRED)				
S-LOC 13L	820/24	335 (400-½)	820/26	335 (400-½)
CIRCLING	1000-1 513 (600-1)	1140-1 653 (700-1)	1220-2 733 (800-2)	1520-3 1033 (1100-3)
TDZ/CL Rws 13L and 31L HIRL Rws 13L-31R, and 13R-31L FAF to MAP 4.3 NM				
Knots: 60 90 120 150 180 Min:Sec: 4:18 2:52 2:09 1:43 1:26				