

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 02/20/2025	APWS Task ID: 818598B817124BAB8AD5556B68F2FB03	APWS Project ID: B6DB519969FC4AD2AF6B6DCF5BED6B92
Procedure: RNAV (GPS) RWY 35 ORIG		Enroute: NO	Specialist: Kunkler, Jamie		Agreement Number:
Airport ID: KRFI			Airport City: HENDERSON		State: TX
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: NEW IAP WITH LPV, LNAV/VNAV AND LNAV MINIMIUMS. ACTIVE DATA USED FOR ORIGINAL. POC: JOHN BORDY 405.954.0980 QUALITY 33 CHECKED QUALITY 19 CHECKED					

FIPC BASIC FORM							
PROCEDURE: RNAV (GPS) RWY 35 ORIG			AIRPORT NAME: RUSK COUNTY		AIRPORT ID: KRFI	SPECIAL CONTROL NO: OG-11-062-24	
FAC ID: KRFI35		CITY: HENDERSON			ST: TX	ORIG CHART DATE: 02/20/2025	
DFL TYPE: PROC/S	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER: AC0598		PTS TASK ID: 818598B817124BAB8AD5556B68F2FB03		
PREFLIGHT NOTES							
REVIEWER: jeffrey j scorse					DATE: 03/18/2025		
COMMENTS:					CHECK ONE:		
					☒ FLT CK REQ ☐ NFCR ☐ REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 03/18/2025		CREW #: VN479	N #: N78	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: jeffrey j scorse @ 03/18/2025 17:21			PRINTED NAME: SCORSE, JEFFREY JAMES				NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: Complete SAT							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:




FIG

RNAV (GPS) RWY 35

▼ Baro-VNAV and VDP NA when using GGG altimeter setting. For uncompensated
▲ Baro-VNAV systems, LNAV/VNAV NA below -15°C or above 54°C. Rwy 35 helicopter
 visibility reduction below $\frac{3}{4}$ SM NA. Circling Rwy 12, 17 and 30 NA at night. When local
 altimeter setting not received, use GGG altimeter setting and increase LPV DA to 740 feet;
 increase LNAV/VNAV DA to 904 feet and all visibilities $\frac{1}{4}$ SM. Increase all MDAs 60 feet
 and LNAV visibility Cat C $\frac{1}{4}$ SM, and Circling visibility Cat C $\frac{1}{4}$ SM.


MISSED APPROACH: Climb to 900 then climbing left turn to 3000 direct ZIDAV and hold.

AWOS-3 119.375	LONGVIEW APP CON ★ 124.275 257.975	UNICOM 122.8 (CTAF)
--------------------------	--	-------------------------------




RUSK COUNTY (RFI)

RNAV (GPS) RWY 35



ARPT ID: KRFI
NAME: RUSK COUNTY
CITY/STATE: HENDERSON, TX
PROC: RNAV (GPS) RWY 35
AMDT: ORIG
LPV FINAL, MISSED
SCALE: 1:100,000



ARPT ID: KRFI
NAME: RUSK COUNTY
CITY/STATE: HENDERSON, TX
PROC: RNAV (GPS) RWY 35
AMDT: ORIG
LNAV/VNAV FINAL, MISSED
SCALE: 1:100,000

