

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: SID	Estimated Chart Date: 12/26/2024	APWS Task ID: 837B23AA8D49420987203408E0490DDF	APWS Project ID: 86DB0947ED464CAE84FF207B807FD525
Procedure: DES MOINES TWO		Enroute: YES	Specialist: Christensen, Richard		Agreement Number:
Airport ID: KDSM			Airport City: DES MOINES		State: IA
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE DATA USED FOR AIRPORT AND RUNWAYS. REMOVED NAVIADS FROM CHART, ADDED NEW WP'S. CONTACTS: ERIC SUSKI (AJV-A431), 405.954.7331 BEVERLY L. BORDY (AJV-A430), 405.954.8293 Digitally signed by ERIC N SUSKI Sep 26, 2024 QUALITY 41 CHECKED QUALITY 8 CHECKED					


OLD

(DSM1.DSM) 24053

DES MOINES ONE DEPARTURE

AL-117 (FAA)

DES MOINES INTL (DSM)
DES MOINES, IOWA



NC-3, 18 APR 2024 to 16 MAY 2024

NC-3, 18 APR 2024 to 16 MAY 2024

DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAY 5: Climb on heading 053° to 1500 before turning left for RADAR vectors to assigned route/fix, thence

TAKEOFF RUNWAY 13: Climb on heading 131° for RADAR vectors to assigned route/fix, thence

TAKEOFF RUNWAY 23: Climb on heading 233° for RADAR vectors to assigned route/fix, thence

TAKEOFF RUNWAY 31: Climb on heading 311° for RADAR vectors to assigned route/fix, thence

. . . . maintain 5000 or assigned lower altitude.

Expect clearance to filed altitude 10 minutes after departure.

(DSM2.DSM) FIG

DES MOINES TWO DEPARTURE

AL-117 (FAA)

DES MOINES INTL (DSM)
DES MOINES, IOWA

TOP ALTITUDE:
5000


For waypoints: RNAV 1 - GPS.

RADAR required.


DES MOINES DEP CON
123.9 307.15
CLNC DEL
134.15 317.55

TAKEOFF MINIMUMS

Rwys 5, 13, 23, 31: Standard



PROTOTYPE-NOT FOR NAVIGATION



NOTE: Chart not to scale.



DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAY 5: Climb on heading 053° to 1400 before turning left for RADAR vectors to assigned route/fix, thence . . .
TAKEOFF RUNWAY 13: Climb on heading 131° for RADAR vectors to assigned route/fix, thence . . .
TAKEOFF RUNWAY 23: Climb on heading 233° for RADAR vectors to assigned route/fix, thence . . .
TAKEOFF RUNWAY 31: Climb on heading 311° for RADAR vectors to assigned route/fix, thence . . .
. . . maintain 5000.
Expect clearance to filed altitude 10 minutes after departure.


DES MOINES TWO DEPARTURE
(DSM2.DSM) FIG

DES MOINES, IOWA
DES MOINES INTL (DSM)

AUTOMATED AL-117 DES MOINES DEPARTURE


NC-3
8-6-24
COMPILER: HD
REVIEWER:
DBL CHKR:
EFF: FIG

**RWY 5: ICA TURN ALT OBST
BUILDING (1456) 19-000908**





PROC: DES MOINES TWO
CITY/STATE: DES MOINES, IA
APT NAME/ID: DES MOINES INTL (KDSM)
RWY 5
1:100K

PROC: DES MOINES TWO
CITY/STATE: DES MOINES, IA
APT NAME/ID: DES MOINES INTL (KDSM)
RWY 13
1:100K





PROC: DES MOINES TWO
CITY/STATE: DES MOINES, IA
APT NAME/ID: DES MOINES INTL (KDSM)
RWY 23
1:100K






PROC: DES MOINES TWO
CITY/STATE: DES MOINES, IA
APT NAME/ID: DES MOINES INTL (KDSM)
RWY 31
1:100K





PROC: DES MOINES TWO
CITY/STATE: DES MOINES, IA
APT NAME/ID: DES MOINES INTL (KDSM)
RWY 13
1:500K



PROC: DES MOINES TWO
CITY/STATE: DES MOINES, IA
APT NAME/ID: DES MOINES INTL (KDSM)
RWY 23
1:500K

PROC: DES MOINES TWO
CITY/STATE: DES MOINES, IA
APT NAME/ID: DES MOINES INTL (KDSM)
RWY 31
1:500K

