

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TRISH (RNAV)	FIVE	TRISH.TRISH5	FOUR	09/05/2024	

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
BAINS	BAINS.TRISH5	BAINS	BAINS						
			KRVER	268.68	08.32	9000	1900		AT 10000
			FREEE	268.57	08.39	8000	1900		AT/ABOVE 9000
			TRISH	238.99	06.73	7000	1900		AT/BELOW 9000
IZZEE	IZZEE.TRISH5	IZZEE	IZZEE						
			LEGGO	161.18	45.11	10000	4800		
			DRRES	146.22	32.37	9000	3900		AT 10000
			RAUKY	172.54	12.20	8000	3200		AT/ABOVE 9000
			TRISH	172.52	13.08	7000	2100		AT/BELOW 9000
LANCASTER	LRP.TRISH5	LRP VOR/DME	LRP VOR/DME						
			DRRES	233.29	17.52	9000	3900		AT 10000
			RAUKY	172.54	12.20	8000	3200		AT/ABOVE 9000
			TRISH	172.52	13.08	7000	2100		AT/BELOW 9000
NUGGY	NUGGY.TRISH5	NUGGY	NUGGY						
			TROYZ	246.79	06.28	10000	2000		AT 12000
			FREEE	238.41	09.33	8000	1900		AT/ABOVE 9000
			TRISH	238.99	06.73	7000	1900		AT/BELOW 9000

ARRIVAL ROUTE DESCRIPTION:

LANDING BWI RWY 10: FROM TRISH ON TRACK 257.93/17.65 TO CROSS STALK BETWEEN 5000 AND 7000, THEN ON TRACK 251.87/5.86 TO CROSS STARZ BETWEEN 4000 AND 5000 AND AT 210 KIAS, THEN ON TRACK 209.62/3.08 TO CROSS STRPS AT 4000 AND AT 210 KIAS, THEN ON TRACK 248.05/3.98 TO BRAYV, THEN ON TRACK 284.93/2.09 TO CROSS SPNGL AT 4000, THEN ON HEADING 284.93. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING BWI RWY 15L/R: FROM TRISH ON TRACK 257.97/17.67 TO CROSS HUEYP AT 5000 AND AT 210 KIAS, THEN ON TRACK 346.62/2.49 TO CROSS RYJON AT 5000, THEN ON TRACK 346.62. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING BWI RWY 28: FROM TRISH ON TRACK 205.53/8.23 TO CROSS WUUDI BETWEEN 5000 AND 6000, THEN ON TRACK 205.51/5.69 TO CROSS FINNZ AT 5000 AND AT 210 KIAS, THEN ON TRACK 143.36/3.37 TO CROSS ASHOR AT 4000, THEN ON TRACK 105.71/2.50 TO CROSS GRAMZ AT 4000, THEN ON HEADING 105.10. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING BWI RWY 33L/R: FROM TRISH ON TRACK 205.53/8.23 TO CROSS WUUDI BETWEEN 5000 AND 6000, THEN ON TRACK 205.51/5.69 TO CROSS FINNZ AT 5000 AND AT 210 KIAS, THEN ON TRACK 205.49/4.13 TO CROSS KEEYY AT 4000 AND AT 210 KIAS, THEN ON TRACK 204.09/5.04 TO CROSS ROAPS AT 4000, THEN ON TRACK 155.21/4.37 TO CROSS HOOK AT 4000, THEN ON TRACK 155.21. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING MTN: FROM TRISH ON TRACK 205.53/8.23 TO CROSS WUUDI BETWEEN 5000 AND 6000, THEN ON TRACK 205.51/5.69 TO CROSS FINNZ AT 5000 AND AT 210 KIAS, THEN ON TRACK 160.00/5.00 TO CROSS RAAY AT 4000, THEN ON TRACK 160.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TRISH (RNAV)	FIVE	TRISH.TRISH5	FOUR	09/05/2024	

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY

NOTE: PCT TRACON WILL ISSUE RUNWAY ASSIGNMENT PRIOR TO TRISH.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT DRRES: HOLD NW, LT, 146.22 INBOUND, 7 NM LEGS, 210 KIAS.

CHART HOLDING AT TRISH: HOLD NE, RT, 223.00 INBOUND, 7 NM LEGS, 210 KIAS.

COMMUNICATIONS:

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
BWI	BALTIMORE	MD
MTN	BALTIMORE	MD

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

ABBREVIATED AMENDMENT

ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)

MAG VAR: KBWI 11W/2000

CHART AT HOOOK TERMINUS: BWI LDG RWY 33L/R

CHART AT RYJON TERMINUS: BWI LDG RWY 15L/R

CHART AT GRAMZ TERMINUS: BWI LDG RWY 28

CHART AT SPNGL TERMINUS: BWI LDG RWY 10

CHART AT RAAYY TERMINUS: LDG MTN

CHART: R-4001 A, B, & C



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TRISH (RNAV)	FIVE	TRISH.TRISH5	FOUR	09/05/2024	

FLIGHT INSPECTED BY:

ORGANIZATION: **DATE:**

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT: GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION.

Flight Inspected Signature: _____

Digitally signed by
TARA N MARTINELLI

Jun 15, 2026

DEVELOPED BY:

TARA MARTINELLI (GALE SHELTON)

AJV-A421

04/20/2026

Developed By Signature: _____

Digitally signed by
TARA N MARTINELLI

Jun 15, 2026

APPROVED BY:

TARA MARTINELLI, MANAGER

AJV-A421

09/24/2026

Approved By Signature: _____

Digitally signed by
TARA N MARTINELLI

Jun 15, 2026

CHANGES:

1. REMOVED "CHART: CAUTION: UNMARKED AEROSTAT TETHERED TO CABLE WITHIN R-4001C UP TO 10000 MSL"
2. REMOVED "NOTE: ZDC ARTCC WILL ISSUE LANDING DIRECTION."
3. COMMUNICATIONS: REMOVED CHART: POTOMAC APP CON.


REASONS:

1. THE AEROSTAT BROKE AWAY FROM IT'S TETHER IN 2015. THE DOD HAS NO PLANS AT THIS TIME TO REDEPLOY AN AEROSTAT IN R-4001C.
2. ZNY FEEDS THE TRISH ARRIVALS AND DOES NOT ISSUE LANDING DIRECTION.
3. APPROACH CONTROL FREQUENCIES NOW CHARTED AUTOMATICALLY PER FAAO 8260.19K, PARA 4-5-12F.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TRISH (RNAV)	FIVE	TRISH.TRISH5	FOUR	09/05/2024	
Graphic Depiction 1					




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TRISH (RNAV)	FIVE	TRISH.TRISH5	FOUR	09/05/2024	

Graphic Depiction 2



Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

[illegible]

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name TRISH (RNAV)	Number FIVE	STAR Computer Code TRISH.TRISH5		Superseded Number FOUR		Dated 09/05/2024		Effective Date	
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
En Route Transition									
BAINS	393818.97N / 0755451.72W	Y		IF					BAINS.TRISH5
KRVER	393631.89N / 0760522.77W	Y	FB	TF	257.68	08.32	AT 10000		
FREEE	393442.98N / 0761558.51W	Y	FB	TF	257.57	08.39	AT/ABOVE 9000		
TRISH	393012.43N / 0762225.99W	Y	FB	TF	227.99	06.73	AT/BELOW 9000		
En Route Transition									
IZZEE	405629.44N / 0773144.71W	Y		IF					IZZEE.TRISH5
LEGGO	401716.01N / 0770225.65W	Y	FB	TF	150.18	45.11			
DRRES	395412.64N / 0763247.76W	Y	FB	TF	135.22	32.37	AT 10000		
RAUKY	394237.60N / 0762747.38W	Y	FB	TF	161.54	12.20	AT/ABOVE 9000		
TRISH	393012.43N / 0762225.99W	Y	FB	TF	161.52	13.08	AT/BELOW 9000		
En Route Transition									
LRP VOR/DME	400711.91N / 0761728.66W	Y		IF					LRP.TRISH5
DRRES	395412.64N / 0763247.76W	Y	FB	TF	222.29	17.52	AT 10000		
RAUKY	394237.60N / 0762747.38W	Y	FB	TF	161.54	12.20	AT/ABOVE 9000		
TRISH	393012.43N / 0762225.99W	Y	FB	TF	161.52	13.08	AT/BELOW 9000		
En Route Transition									
NUGGY	394434.56N / 0760022.21W	Y		IF					NUGGY.TRISH5
TROYZ	394102.40N / 0760705.67W	Y	FB	TF	235.79	06.28	AT 12000		
FREEE	393442.98N / 0761558.51W	Y	FB	TF	227.41	09.33	AT/ABOVE 9000		
TRISH	393012.43N / 0762225.99W	Y	FB	TF	227.99	06.73	AT/BELOW 9000		
Common Route									
TRISH	393012.43N / 0762225.99W	Y		IF			AT/BELOW 9000		KMTN TRISH.TRISH5
WUUDI	392214.13N / 0762505.74W	Y	FB	TF	194.53	08.23	5000B6000		
FINNZ	391643.30N / 0762655.87W	Y	FB	TF	194.51	05.69	AT 5000	AT 210K	



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name TRISH (RNAV)		Number FIVE		STAR Computer Code TRISH.TRISH5		Superseded Number FOUR		Dated 09/05/2024	Effective Date
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RAAYY	391225.88N / 0762337.09W	Y	FO	TF	149.00	05.00	AT 4000		
KMTN				FM	149.00				
Runway Transition									
TRISH	393012.43N / 0762225.99W	Y		IF			AT/BELOW 9000		
STALK	392315.23N / 0764322.78W	Y	FB	TF	246.93	17.65	5000B7000		
STARZ	392023.71N / 0764958.65W	Y	FB	TF	240.87	05.86	4000B5000	AT 210K	
STRPS	391728.38N / 0765114.67W	Y	FB	TF	198.62	03.08	AT 4000	AT 210K	
BRAYV	391518.45N / 0765532.35W	Y	FB	TF	237.05	03.98			
SPNGL	391527.03N / 0765813.52W	Y	FO	TF	273.93	02.09	AT 4000		
KBWI:RWY 10				VM	273.93				
Runway Transition									
TRISH	393012.43N / 0762225.99W	Y		IF			AT/BELOW 9000		
HUEYP	392315.48N / 0764324.29W	Y	FB	TF	246.97	17.67	AT 5000	AT 210K	
RYJON	392531.57N / 0764443.81W	Y	FO	TF	335.62	02.49	AT 5000		
KBWI:RWY 15L RWY 15R				FM	335.62				
Runway Transition									
TRISH	393012.43N / 0762225.99W	Y		IF			AT/BELOW 9000		
WUUDI	392214.13N / 0762505.74W	Y	FB	TF	194.53	08.23	5000B6000		
FINNZ	391643.30N / 0762655.87W	Y	FB	TF	194.51	05.69	AT 5000	AT 210K	
ASHOR	391427.03N / 0762343.78W	Y	FB	TF	132.36	03.37	AT 4000		
GRAMZ	391414.65N / 0762031.37W	Y	FO	TF	094.71	02.50	AT 4000		
KBWI:RWY 28				VM	094.10				
Runway Transition									
TRISH	393012.43N / 0762225.99W	Y		IF			AT/BELOW 9000		
WUUDI	392214.13N / 0762505.74W	Y	FB	TF	194.53	08.23	5000B6000		



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name TRISH (RNAV)		Number FIVE		STAR Computer Code TRISH.TRISH5			Superseded Number FOUR		Dated 09/05/2024	Effective Date
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>	
FINNZ	391643.30N / 0762655.87W	Y	FB	TF	194.51	05.69	AT 5000	AT 210K		
KEEYY	391243.16N / 0762815.62W	Y	FB	TF	194.49	04.13	AT 4000	AT 210K		
ROAPS	390748.10N / 0762943.72W	Y	FB	TF	193.09	05.04	AT 4000			
HOOOK	390415.21N / 0762626.84W	Y	FO	TF	144.21	04.37	AT 4000			
KBWI:RWY 33L RWY 33R				FM	144.21					