

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 10/02/2025	APWS Task ID: 85989D6643BD4EC190905E983DA4EE51	APWS Project ID: 79BE8BA97978440D9E0D76B1190645BC
Procedure: RNAV (GPS) RWY 30 AMDT 1A		Enroute: NO	Specialist: Strobach, Ronald		Agreement Number:
Airport ID: KBEA			Airport City: BEEVILLE		State: TX
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE AIRNAV DATA USED FOR KBEA AND RUNWAY. CANCELS T-NOTAM 4/3429. NEW CIRCLING CAT A OBSTACLE: TREE 282309.00N/0974839.00W 367 AMSL (4B). NEW CIRCLING CAT B OBSTACLE: TOWER 282303.00N/0974604.00W 636 AMSL (4D). NEW CIRCLING CAT C OBSTACLE: TOWER 282303.00N/0974604.00W 636 AMSL (4D). NEW MSA OBSTACLE: WINDMILL 284039.50N/0975548.01W 1104 AMSL (4D). NEW MISSED HOLDING OBSTACLE: WINDMILL 283346.62N-975854.65W 1070 AMSL (4D). CONTACT CASIMIR L. TABAKA, AJV-A432, 405-954-7931. QUALITY 38 CHECKED QUALITY 13 CHECKED					

FIPC BASIC FORM						
PROCEDURE: RNAV (GPS) RWY 30 AMDT 1A			AIRPORT NAME: BEEVILLE MUNI		AIRPORT ID: KBEA	SPECIAL CONTROL NO: OG-04-431-25
FAC ID: KBEA30.01		CITY: BEEVILLE			ST: TX	ORIG CHART DATE: 10/02/2025
DFL TYPE: PROC/S	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:	PTS TASK ID: 85989D6643BD4EC190905E983DA4EE51		
PREFLIGHT NOTES						
REVIEWER:					DATE:	
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT	
					YES	NO
					CPV COMPLETE? ☒ X ☐	
PROCEDURE RESULTS						
INSPECTION DATE: 06/05/2025	CREW #: VN477	N #: N78	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: colton crowder @ 06/09/2025 13:08			PRINTED NAME: CROWDER, COLTON MAX			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: Complete, SAT						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:		



WAAS CH 53741 W30A	APP CRS 307°	Rwy Idg TDZE 262 Apt Elev 273
--	------------------------	---



RNAV (GPS) RWY 30
BEEVILLE MUNI (BEA)

RNP APCH. ▼ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C (5°F) or above 54°C (130°F). Circling Rwy 18 and 36 NA at night. ▲ Rwy 30 helicopter visibility reduction below ¾ SM NA.	MISSED APPROACH: Climb to 2000 direct NEYIB and hold.
--	---

AWOS-3 118.675	HOUSTON CENTER 134.6 322.5	UNICOM 122.8 (CTAF) 0
--------------------------	--------------------------------------	---------------------------------



2000	NEYIB	*LNAV only.	GUVLY	JOSUK	4 NM Holding Pattern
		*2.4 NM to RW30	2000	2000	127° → 2000
		2.4 NM	3 NM	6 NM	GP 3.00° TCH 43
CATEGORY	A	B	C	D	
LPV DA	517-1	255 (300-1)		NA	
LNAV/VNAV DA	540-1	278 (300-1)		NA	
LNAV MDA	1060-1 798 (800-1)	1060-1¼ 798 (800-1¼)	1060-2½ 798 (800-2½)	NA	
CIRCLING	1060-1 787 (800-1)	1060-1¼ 787 (800-1¼)	1060-2½ 787 (800-2½)	NA	

SC-3, 20 MAR 2025 to 17 APR 2025

SC-3, 20 MAR 2025 to 17 APR 2025

[illegible]

