

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: SID	Estimated Chart Date: 02/20/2025	APWS Task ID: 88FD426CF37246928256D104D92E962D	APWS Project ID: F97419F14E9748A4817BA2394E862C01
Procedure: SID BERYY SIX (RNAV) ST LOUIS MO KSTL		Enroute: YES	Specialist: Martinez, Rafael		Agreement Number:
Airport ID: KSTL			Airport City: ST LOUIS		State: MO
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: REMOVED LIT, REPLACED WITH WP LITTR - LIT DECOMMISSIONED, VOR MON REQUIREMENT. ACTIVE DATA USED FOR KSTL AIRPORT AND RUNWAY (11-03-2022). CONTACT: BEV L BORDY: 405-954-8293/ROBERT G HAMILTON 405-954-4608. 06/11/2025: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 04/10/2024. 1. DP ROUTE DESCRIPTION: REMOVED RWY 6 AND 24. 2. TAKEOFF MINIMUMS REMOVED RWY 6 AND 24. ADDED NOTE RWY 6, 24:NA - CODING. 3. REMARKS: REMOVED: FOR RWY 6, 24 FPT/ATC VERIFIED NO VECTORS BELOW MVA 2000 DUE TO NOISE ABATEMENT UP TO 2500. QUALITY 16 CHECKED QUALITY 38 CHECKED QUALITY 38 CHECKED QUALITY 8 CHECKED					

FIPC DME/DME FORM												
PROCEDURE: BERYY SIX DEPARTURE (RNAV)			AIRPORT NAME: ST LOUIS LAMBERT INTL		AIRPORT ID: KSTL	SPECIAL CONTROL NO: OG-11-003-24						
FAC ID: BERYY6		CITY: ST LOUIS			ST: MO	ORIG CHART DATE: 02/20/2025						
DFL TYPE: PROC/D	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 1.0	REIMB. NUMBER:	PTS TASK ID: 88FD426CF37246928256D104D92E962D								
PREFLIGHT NOTES												
REVIEWER:					DATE:							
COMMENTS: BERYY6 Waypoint not in custom database for RWYs 6/24. Editted Beryy6: Admended to "SAT w/ Changes". Restrict useage of runways 6/24 of the DP.					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;"></td> <td style="width: 10%; text-align: center;">YES</td> <td style="width: 10%; text-align: center;">NO</td> </tr> <tr> <td>CPV COMPLETE?</td> <td style="text-align: center;">X</td> <td></td> </tr> </table>			YES	NO	CPV COMPLETE?	X	
	YES	NO										
CPV COMPLETE?	X											
PROCEDURE RESULTS												
INSPECTION DATE: 12/19/2024	CREW #: VN536	N #: N83	INSTRUMENT PROCEDURE STATUS: ☐ SAT ☒ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT							
FLIGHT INSPECTOR SIGNATURE: david p maturo @ 06/10/2025 10:05			PRINTED NAME: VARNER, NICHOLAS ALLEN			NOTAM INITIATED? ☐ YES ☒ NO						
FLIGHT INSPECTOR REMARKS: WBERYY6aypoint not in custom database for RWYs 6/24. Editted BERYY6: Admended to "SAT w/ Changes". restrict useage of runways 6/24 of the DP.												
DME/DME STATUS: ☒ SAT ☐ UNSAT	SPECIALIST SIGNATURE: lisa a-ctr thrysoe @ 06/16/2025 12:10				PRINTED NAME: Lisa Thrysoe							
SPECIALIST REMARKS: Post Flight DME/DME Analysis has been performed on the KSTL BERYY 6 SID with satisfactory results. All modeled DME's and ESV's were recorded by Flight Inspection or certified by TARGETS and suitable for DME/DME/IRU operations.												
IN-FLIGHT OBSTACLE REPORT												
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:								

FIPC DME/DME FORM						
PROCEDURE: BERYY SIX DEPARTURE (RNAV)			AIRPORT NAME: ST LOUIS LAMBERT INTL		AIRPORT ID: KSTL	SPECIAL CONTROL NO: OG-11-003-24
FAC ID: BERYY6		CITY: ST LOUIS			ST: MO	ORIG CHART DATE: 02/20/2025
DFL TYPE: PROC/D	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 1.0	REIMB. NUMBER:	PTS TASK ID: 88FD426CF37246928256D104D92E962D		
PREFLIGHT NOTES						
REVIEWER:					DATE:	
COMMENTS: BERYY6 Waypoint not in custom database for RWYs 6/24. Editted Beryy6: Admended to "SAT w/ Changes". Restrict useage of runways 6/24 of the DP.					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT YES NO CPV COMPLETE? X 	
PROCEDURE RESULTS						
INSPECTION DATE: 12/19/2024	CREW #: VN536	N #: N83	INSTRUMENT PROCEDURE STATUS: ☐ SAT ☒ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: david p maturo @ 06/10/2025 10:05			PRINTED NAME: VARNER, NICHOLAS ALLEN			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: WBERYY6aypoint not in custom database for RWYs 6/24. Editted BERYY6: Admended to "SAT w/ Changes". restrict useage of runways 6/24 of the DP.						
DME/DME STATUS: ☒ SAT ☐ UNSAT	SPECIALIST SIGNATURE:				PRINTED NAME: Lisa Thrysoe	
SPECIALIST REMARKS: Post Flight DME/DME Analysis has been performed on the KSTL BERYY 6 SID with satisfactory results. All modeled DME's and ESV's were recorded by Flight Inspection or certified by TARGETS and suitable for DME/DME/IRU operations.						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:		

FIPC DME/DME FORM						
PROCEDURE: BERYY SIX DEPARTURE (RNAV)			AIRPORT NAME: ST LOUIS LAMBERT INTL		AIRPORT ID: KSTL	SPECIAL CONTROL NO: OG-11-003-24
FAC ID: BERYY6		CITY: ST LOUIS			ST: MO	ORIG CHART DATE: 02/20/2025
DFL TYPE: PROC/D	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 1.0	REIMB. NUMBER:	PTS TASK ID: 88FD426CF37246928256D104D92E962D		
PREFLIGHT NOTES						
REVIEWER:					DATE:	
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT YES NO	
					CPV COMPLETE? X	
PROCEDURE RESULTS						
INSPECTION DATE: 12/19/2024	CREW #: VN536	N #: N83	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: nicholas a varner @ 12/19/2024 20:23			PRINTED NAME: VARNER, NICHOLAS ALLEN			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS:						
DME/DME STATUS: ☒ SAT ☐ UNSAT		SPECIALIST SIGNATURE: lisa a-ctr thrysoe @ 12/31/2024 10:19			PRINTED NAME: Lisa Thrysoe	
SPECIALIST REMARKS: Post Flight DME/DME Analysis has been performed on the KSTL BERYY 6 SID with satisfactory results. All modeled DME's and ESV's were recorded by Flight Inspection or certified by TARGETS and suitable for DME/DME/IRU operations.						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:		

FIPC DME/DME FORM								
PROCEDURE: BERYY SIX DEPARTURE (RNAV)			AIRPORT NAME: ST LOUIS LAMBERT INTL		AIRPORT ID: KSTL	SPECIAL CONTROL NO: OG-11-003-24		
FAC ID: BERYY6		CITY: ST LOUIS			ST: MO	ORIG CHART DATE: 02/20/2025		
DFL TYPE: PROC/D	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 1.0	REIMB. NUMBER:		PTS TASK ID: 88FD426CF37246928256D104D92E962D			
PREFLIGHT NOTES								
REVIEWER:					DATE:			
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT			
							YES	NO
					CPV COMPLETE?		X	
PROCEDURE RESULTS								
INSPECTION DATE: 12/19/2024		CREW #: VN536	N #: N83	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT		
FLIGHT INSPECTOR SIGNATURE: nicholas a varner @ 12/19/2024 20:23			PRINTED NAME: VARNER, NICHOLAS ALLEN			NOTAM INITIATED? ☐ YES ☒ NO		
FLIGHT INSPECTOR REMARKS:								
DME/DME STATUS: ☐ SAT ☐ UNSAT		SPECIALIST SIGNATURE:			PRINTED NAME:			
SPECIALIST REMARKS:								
IN-FLIGHT OBSTACLE REPORT								
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:	

(BERYY6.BERY) FIG

BERYY SIX DEPARTURE (RNAV)

AL-360 (FAA)

ST LOUIS LAMBERT INTL (STL)
ST. LOUIS, MISSOURI

ST. LOUIS DEP CON

128.1 307.05

D-ATIS

125.025 379.925

CLNC DEL

119.5 363.1

CPDLC

GND CON

121.9 348.6 (Inbound)

121.65 377.175 (Outbound)

118.925 227.125 (Rwy 11/29)

ST. LOUIS TOWER

120.05 284.6 (Rwys 12L/30R, 24)


118.5 257.7 (Rwy 12R/30L)

132.475 239.275 (Rwys 6, 11/29)

RNAV 1 - DME/DME/IRU or GPS.

RADAR required.

**TOP ALTITUDE:
5000**



(CONTINUED ON FOLLOWING PAGE)

NOTE: Chart not to scale.

BERYY SIX DEPARTURE (RNAV)

(BERYY6.BERY) FIG

ST. LOUIS, MISSOURI
ST LOUIS LAMBERT INTL (STL)



DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAY 6: Climb heading 064° to 1120, then on heading 064° for radar vectors to BERYY. Thence. . . .

TAKEOFF RUNWAY 11: Climb on heading 123° to 1120, then direct to cross LUUBE at or above 2500, then on depicted route to BERYY. Thence. . . .

TAKEOFF RUNWAYS 12L/R: Climb heading 123° to 1120, then direct to cross HEFNR at or above 2500, then on depicted route to BERYY. Thence. . . .

TAKEOFF RUNWAY 24: Climb on heading 244° to 1120, then on heading 244° for radar vectors to BERYY. Thence. . . .

TAKEOFF RUNWAY 29: Climb heading 303° to 1120, then direct to cross HAGEE at or above 2500, then on depicted route to BERYY. Thence. . . .

TAKEOFF RUNWAYS 30L/R: Climb heading 303° to 1120, then direct to cross PYUNG at or above 2500, then on depicted route to BERYY. Thence. . . .

. . . .on transition. Maintain 5000, expect filed altitude 10 minutes after departure.

LITTR TRANSITION (BERYY6.LITTR)

PROTOTYPE-NOT FOR NAVIGATION

(BERYY5.BERY) 18312


BERYY FIVE DEPARTURE (RNAV)

AL-360 (FAA)

ST LOUIS LAMBERT INTL (STL)
ST. LOUIS, MISSOURI

D-ATIS
125.025 379.925
CLNC DEL
119.5 363.1
CPDLC
GND CON
121.9 348.6 (Inbound) WA
121.65 377.175 (Outbound)
118.925 227.125 (Rwy 11/29)
ST. LOUIS TOWER
120.05 284.6 (Rwys 12L/30R, 24)
118.5 257.7 (Rwy 12R/30L)
132.475 239.275 (Rwys 6, 11/29)
ST. LOUIS DEP CON
128.1 307.05

TOP ALTITUDE:
5000



BERYY FIVE DEPARTURE (RNAV)

(BERYY5.BERY) 19JUL18

ST. LOUIS, MISSOURI
ST LOUIS LAMBERT INTL (STL)

NC-3, 21 MAR 2024 to 18 APR 2024

NC-3, 21 MAR 2024 to 18 APR 2024



DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAY 6: Climb heading 064° to 1120, then as assigned by ATC, expect RADAR vectors to BERYY. Thence. . . .

TAKEOFF RUNWAY 24: Climb heading 244° to 1120, then as assigned by ATC, expect RADAR vectors to BERYY. Thence. . . .

TAKEOFF RUNWAY 11: Climb heading 123° to 1120, then direct LUUBE, cross LUUBE at or above 2500, then on depicted route to BERYY. Thence. . . .

TAKEOFF RUNWAYS 12L/R: Climb heading 123° to 1120, then direct HEFNR, cross HEFNR at or above 2500, then on depicted route to BERYY. Thence. . . .

TAKEOFF RUNWAY 29: Climb heading 303° to 1120, then direct HAGEE, cross HAGEE at or above 2500, then on depicted route to BERYY. Thence. . . .

TAKEOFF RUNWAYS 30L/R: Climb heading 303° to 1120, then direct PYUNG, cross PYUNG at or above 2500, then on depicted route to BERYY. Thence. . . .

. . . . (transition). Maintain 5000, expect filed altitude 10 minutes after departure.


LITTLE ROCK TRANSITION (BERYY5.LIT)

KSTL
ST LOUIS LAMBERT INTL
ST LOUIS, MO

BERYY SIX RNAV SID

RWY 06 - TRANSITION

SCALE: 1:100,000




KSTL
ST LOUIS LAMBERT INTL
ST LOUIS, MO


BERYY SIX RNAV SID

RWY 11 - TRANSITION

SCALE: 1:100,000



SCALE: 1:100,000



KSTL
ST LOUIS LAMBERT INTL
ST LOUIS, MO

BERYY SIX RNAV SID

RWY 12R - TRANSITION

SCALE: 1:100,000

KSTL
ST LOUIS LAMBERT INTL
ST LOUIS, MO

BERYY SIX RNAV SID

RWY 12R - TRANSITION

SCALE: 1:100,000

KSTL
ST LOUIS LAMBERT INTL
ST LOUIS, MO

BERYY SIX RNAV SID

RWY 12R - TRANSITION


SCALE: 1:100,000

KSTL
ST LOUIS LAMBERT INTL
ST LOUIS, MO

BERYY SIX RNAV SID

RWY 12R - TRANSITION

SCALE: 1:100,000




KSTL
ST LOUIS LAMBERT INTL
ST LOUIS, MO

BERYY SIX RNAV SID

RWY 24 - TRANSITION

SCALE: 1:100,000




KSTL
ST LOUIS LAMBERT INTL
ST LOUIS, MO

BERYY SIX RNAV SID

RWY 29 - TRANSITION

SCALE: 1:100,000




KSTL
ST LOUIS LAMBERT INTL
ST LOUIS, MO

BERYY SIX RNAV SID

RWY 30L - TRANSITION

SCALE: 1:100,000




KSTL
ST LOUIS LAMBERT INTL
ST LOUIS, MO


BERYY SIX RNAV SID

RWY 30R - TRANSITION

SCALE: 1:100,000



SCALE: 1:500,000




KSTL
ST LOUIS LAMBERT INTL
ST LOUIS, MO

BERYY SIX RNAV SID

BERYY TO TWRAY

SCALE: 1:500,000



SCALE: 1:500,000

LITTR TERRAIN+AAO (1608)
TP1 KSTL


TVRAY

KSTL
ST LOUIS LAMBERT INTL
ST LOUIS, MO
BERYY SIX RNAV SID

TWRAY TO LITTR

1 of 2

SCALE: 1:500,000



KSTL
ST LOUIS LAMBERT INTL
ST LOUIS, MO
BERYY SIX RNAV SID

TWRAY TO LITTR
2 of 2
SCALE: 1:500,000

