

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 06/12/2025	APWS Task ID: 8BCB5885F56E454CA01ECF1BB26FF185	APWS Project ID: 9BE65EF302BE477793BAADA6F49066DE
Procedure: RNAV (GPS) RWY 16 AMDT 3		Enroute: NO	Specialist: Hirst, Charles		Agreement Number:
Airport ID: KGZS			Airport City: PULASKI		State: TN
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE AIRPORT & RUNWAY DATA USED. REMOVE LP MINIMA ADD LPV & LNAV/VNAV MINIMA ADD NIGHT MINIMA, 20:1 IS NOW CLEAR FOR QUESTIONS CONTACT ERIC SUSKI, MANAGER 405-954-7331 QUALITY 9 CHECKED BEGUE QUALITY 42 CHECKED					

FIPC BASIC FORM							
PROCEDURE: RNAV (GPS) RWY 16 AMDT 3			AIRPORT NAME: ABERNATHY FLD		AIRPORT ID: KGZS	SPECIAL CONTROL NO: AG-02-288-25	
FAC ID: KGZS16.03		CITY: PULASKI			ST: TN	ORIG CHART DATE: 06/12/2025	
DFL TYPE: PROC/S	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:		PTS TASK ID: 8BCB5885F56E454CA01ECF1BB26FF185		
PREFLIGHT NOTES							
REVIEWER:					DATE:		
COMMENTS:					CHECK ONE:		
					☐ FLT CK REQ ☐ NFCR ☐ REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 03/26/2025		CREW #: VN389	N #: N87	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: john kearby @ 03/27/2025 19:12			PRINTED NAME: KEARBY, JOHN DAVID				NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS:							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:

ACTIVE PROCEDURE

PULASKI, TENNESSEE

AL-6125 (FAA)



23278

WAAS CH 77882 W16A	APP CRS 155°	Rwy Idg TDZE 689 Apt Elev 689
--	------------------------	---

RNAV (GPS) RWY 16
ABERNATHY FLD (GZS)

RNP APCH - GPS.	Procedure NA at night. Helicopter visibility reduction below 1 SM NA. When local altimeter setting not received, use Huntsville Exec Tom Sharp Jr Fld altimeter setting: increase all MDA 100 feet and visibility LP and LNAV Cats C/D ½ SM and Circling Cats A/B ¼ SM and Cat C ½ SM.	MISSED APPROACH: Climb to 3000 direct ZEWGU and hold.
-----------------	--	--

AWOS-3 118.275	MEMPHIS CENTER 125.85 379.25	UNICOM 122.8 (CTAF)
--------------------------	--	-------------------------------



MIRL Rwy 16-34
REIL Rws 16 and 34
PULASKI, TENNESSEE
Amdt 2D 08SEP22

4 NM Holding Pattern WOZYE		Visual Segment-Obstacles.		3000	ZEWGU
3000 ← 335° → 155°		UZSAP		2600	RW16
		6.7 NM		5.9 NM	
CATEGORY	A	B	C	D	
LP MDA	1300-1	611 (700-1)	1300-1¾	611 (700-1¾)	
LNAV MDA	1340-1	651 (700-1)	1340-1⅞	651 (700-1⅞)	
CIRCLING	1420-1 731 (800-1)	1480-1 791 (800-1)	1480-2¼ 791 (800-2¼)	1640-3 951 (1000-3)	


35°09'N-87°03'W


ABERNATHY FLD (GZS)
RNAV (GPS) RWY 16


SE-1, 03 OCT 2024 to 31 OCT 2024

SE-1, 03 OCT 2024 to 31 OCT 2024

FIG PLACEHOLDER







ABERNATHY FLD
KGZS
PULASKI, TN
RNAV (GPS) RWY 16 AMDT 3
1:100,000
LNAV/VNAV FINAL AND MISSED

LNAV/VNAV TERRAIN+VEG (960)
TP150

Missed Level Surface TERRAIN+AAO (1221)
TPMA355

