


Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 06/12/2025	APWS Task ID: 8DB0CCA709564B2FAB9E9840C8302A6B	APWS Project ID: C2C1A18BB5C94820963AE949586B7E18
Procedure: RNAV (GPS) RWY 33 AMDT 2D		Enroute: NO	Specialist: Johnson, Timothy		Agreement Number:
Airport ID: KLCH			Airport City: LAKE CHARLES		State: LA
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE DATA USED. ABBREVIATED AMENDMENT. CLEARs T-NOTAM 4/6210. CRC REMAINDER CHANGE. CONTACT: DAVID DANNER (405) 954-5077. QUALITY 38 CHECKED QUALITY 34 CHECKED					

WAAS CH 56215 W33A	APP CRS 332°	Rwy Idg TDZE 11 Apt Elev 15	6500
--	------------------------	---	-------------

RNAV (GPS) RWY 33

LAKE CHARLES RGNL (LCH)

RNP APCH-GPS. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -3°C or above 43°C. Inop table does not apply to LPV all Cats. For inop ALS, increase LNAV/VNAV all Cats visibility to ½ SM.			MALSF 	MISSED APPROACH: Climb to 1700 direct ZUKLA and hold.	
ATIS 118.75	LAKE CHARLES APP CON★ 119.35 353.75	LAKE CHARLES TOWER★ 120.7 (CTAF) 0 257.8	GND CON 121.8	CLNC DEL 126.25	UNICOM 122.95



REIL Rwys 5 and 23
 MIRL Rwy 5-23
 HIRL Rwy 15-33

5200 X 100
 6500 X 150

TWR 97

332°

1700 ZUKLA

ATUYE 1.3 NM to RW33

JERIL 1900

SOTLE

4 NM Holding Pattern

(155°T) 152° → 1400
 ← 332° 1900
 (335°T)

GP 3.00°
 TCH 50



1.3 NM 4.5 NM 6 NM

CATEGORY	A	B	C	D
LPV DA		211-¾	200 (200-¾)	
LNAV/VNAV DA		296-¾	285 (300-¾)	
LNAV MDA		380-¾	369 (400-¾)	
CIRCLING	440-1 425 (500-1)	480-1 465 (500-1)	580-1½ 565 (600-1½)	680-2 665 (700-2)

WAAS CH 56215 W33A	APP CRS 332°	Rwy Idg TDZE 11 Apt Elev 15
--	------------------------	---


RNAV (GPS) RWY 33
LAKE CHARLES RGNL (LCH)

RNP APCH.			MALSF 	MISSED APPROACH: Climb to 1700 direct ZUKLA and hold.		
▼ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -3°C (27°F) or above 43°C (109°F). For inop MALSF, increase LNAV/VNAV all Cats visibility to 7/6 and LNAV all Cats visibility to 1 mile. ▲ ASR						
ATIS 118.75	LAKE CHARLES APP CON★ 119.35 353.75	LAKE CHARLES TOWER★ 120.7 (CTAF) 0 257.8	GND CON 121.8	CLNC DEL 126.25	UNICOM 122.95	




ELEV 15 TDZE 11		1700 ZUKLA		VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 54).	
*LNAV only.		ATUYE 1.3 NM to RW33		JERIL 1900	
RW33		*460		SOTLE	
1.3 NM		4.5 NM		6 NM	
CATEGORY	A	B	C	D	
LPV DA		211-3/4	200 (200-3/4)		
LNAV/VNAV DA		296-3/4	285 (300-3/4)		
LNAV MDA		380-3/4	369 (400-3/4)		
CIRCLING	440-1 425 (500-1)	480-1 465 (500-1)	580-1 1/2 565 (600-1 1/2)	680-2 1/4 665 (700-2 1/4)	

NM
FT 42000 7 14 21 28 35 42 49
ftobjb | lch_rnav33 (PROD) | 4 Jan 2012 13:40:33 | 1" = 41750.1 feet (MAP)





OLD CIRCLING OBSTACLES




P-NOTAM 0/6070 CIRCLING OBSTACLES

AIRPORT ID:	KLCH	REF #	SEGMENT	OBSTRUCTION	ELEV
AIRPORT NAME	LAKE CHARLES	12	LNAV	TOWER	148
CITY	LAKE CHARLES	11	CIRC CAT A	BLDG	130
STATE	LA	16	CIRC CAT B	TOWER	180
PROCEDURE ID:	RNAV (GPS) RWY 23	17	CIRC CAT C	TOWER	262
AMDT #:	23	18	CIRC CAT D	TOWER	365
DATE DRAWN:	7/7/2017				
SCALE:	1:100,000				








NM 10 20 30 40 50 60 70
 FT 60000 120000 180000 240000 300000 360000 420000

fpobjb | lch_rnav33 (PROD) | 7 Jan 2012 11:58:21 | 1" = 60000.0 feet (MAP)



Airport ID:	KLCH	FM 9	SEGMENT	OBSTRUCTION	ELEV
Apt Name:	LAKE CHARLES RGNL	No			
City:	LAKE CHARLES	1	STRAIGHT-IN 242/30 CW 062/30	TOWER	637
State:	LA				
Proc ID:	RNAV (GPS) RWY 33	3	STRAIGHT-IN FROM 062/30 CW 242/30 TO 062/20 CW 242/20	TOWER	1549
Amdt #:	AMDT 2				
Scale:		5	STRAIGHT-IN 062/20 CW 242/20	TOWER	673