

RADIO FIX AND HOLDING DATA RECORD

NAME: DUPAGE VOR/DME STATE: IL COUNTRY: US ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 415325.34N/0882100.64W

TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	DUPAGE	DPA	VOR/DME	L							17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	W	DPA	VOR/DME	248.00	068.00	R	1		2500	10000	4	12
2	W		WP	248.00	068.00	R		4	4000	6000	5	6
3	S	DPA	VOR/DME	169.51	349.51	R	1		3000	6000	4	5

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	415509.00N/0882551.00W	1214	4E
1	310	AAO	415509.00N/0882551.00W	1214	4E
2	200	AAO	415509.00N/0882551.00W	1214	4E
3	200	TOWER (17-001880)	414827.00N/0881607.00W	1187	4D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	ILS OR LOC RWY 2L	KDPA	CHICAGO/WEST CHICAGO	IL (US)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
ASSIGNED FACILITY MAG VAR: 2E 1965.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	RNAV (GPS)-A			LL22	DOWNERS GROVE	IL (US)
SPECIAL IAP	VOR-A			68IS	HAMPSHIRE	IL (US)
SPECIAL IAP	VOR-A		3	82IS	HUNTLEY	IL (US)
DP	MIDWAY			KMDW	CHICAGO	IL (US)
DP	O'HARE			KORD	CHICAGO	IL (US)
DP	PAL-WAUKEE			KPWK	CHICAGO/PROSPECT HEIGHTS/WHEELING	IL (US)
EN ROUTE	V172					(US)
EN ROUTE	V6					(US)
IAP	VOR-A			1C5	BOLINGBROOK	IL (US)
IAP	ILS OR LOC RWY 13C			KMDW	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 10C			KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 10L			KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 22R		1	KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 27C			KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 27R			KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 28C		1	KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 28R		1	KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 4R			KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 9R			KORD	CHICAGO	IL (US)
IAP	ILS PRM RWY 10C			KORD	CHICAGO	IL (US)
IAP	ILS PRM RWY 10C (CAT II-III)			KORD	CHICAGO	IL (US)
IAP	ILS PRM RWY 10C (SA CAT I)			KORD	CHICAGO	IL (US)
IAP	ILS PRM RWY 28C (CP)		1	KORD	CHICAGO	IL (US)
IAP	ILS PRM RWY 28C (CP) (SA CAT I, CAT II/III)		1	KORD	CHICAGO	IL (US)
IAP	ILS PRM Y RWY 10R (CP)		1	KORD	CHICAGO	IL (US)
IAP	ILS RWY 10C (CAT II-III)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 10C (SA CAT I)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 10L (CAT II-III)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 10L (SA CAT I)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 27C (CAT II-III)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 27C (SA CAT I)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 27R (SA CAT I, CAT II/III)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 28C (CAT II & III)		1	KORD	CHICAGO	IL (US)
IAP	ILS RWY 28C (SA CAT I)		1	KORD	CHICAGO	IL (US)
IAP	ILS RWY 28R (CAT II & III)		1	KORD	CHICAGO	IL (US)
IAP	ILS RWY 28R (SA CAT I)		1	KORD	CHICAGO	IL (US)
IAP	ILS RWY 4R (SA CAT I/II)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 9R (CAT II)		1	KORD	CHICAGO	IL (US)
IAP	ILS RWY 9R (CAT III)		1	KORD	CHICAGO	IL (US)

IAP	ILS Y OR LOC Y RWY 10R	1	KORD	CHICAGO	IL (US)
IAP	ILS Z OR LOC Z RWY 10R	1	KORD	CHICAGO	IL (US)
IAP	ILS Z RWY 10R (SA CAT I, CAT II/III)	1	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) PRM RWY 28C (CP)	2	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) PRM Y RWY 10R (CP)	2	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 22R	2	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 28C	2	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 28R	2	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) Y RWY 10R	2	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) Z RWY 10R	2	KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 9		KARR	CHICAGO/AURORA	IL (US)
IAP	LOC RWY 33		KARR	CHICAGO/AURORA	IL (US)
IAP	RNAV (GPS) RWY 27		KARR	CHICAGO/AURORA	IL (US)
IAP	VOR RWY 36		KARR	CHICAGO/AURORA	IL (US)
IAP	VOR RWY 26		3CK	CHICAGO/LAKE IN THE HILLS	IL (US)
IAP	LOC/DME RWY 9		KLOT	CHICAGO/ROMEOVILLE	IL (US)
IAP	RNAV (GPS) RWY 20		KLOT	CHICAGO/ROMEOVILLE	IL (US)
IAP	RNAV (GPS) RWY 9		KLOT	CHICAGO/ROMEOVILLE	IL (US)
IAP	ILS OR LOC RWY 10		KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	ILS OR LOC RWY 2L	1	KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 10		KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 20L		KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 20R		KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	ILS OR LOC RWY 2		KDKB	DE KALB	IL (US)
STAR	JANESVILLE		KORD	CHICAGO	IL (US)

REQUIRED CHARTING: SECTIONAL, VFR TERMINAL AREA, HELICOPTER ROUTE, DP, STAR, IAP, AREA, EN ROUTE LOW, SPECIAL IAP, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 31

DATE OF REVISION: 07/14/2022

REASON FOR REVISION:

1. ADDED KORD ILS RWY 9R (CAT II) AND (CAT III) TO FIX USE

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A423

NAME: KELLIE BARNES

APPROVED BY:

DATE: 07/14/2022

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: FABUG

STATE: IL

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 414901.62N/0881645.17W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (GPS) RWY 20R

FAC

PAT

AIRPORT IDENT
KDPA

CITY
CHICAGO/WEST CHICAGO

STATE
IL (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 06/30/2011

REASON FOR REVISION:

DELETED FIX MAKE-UP - NO LONGER REQUIRED.
REFORMATED FIX USE DATA.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 01/05/2011

OFFICE: AVN-120

NAME: NEIL SIMPANEN

APPROVED BY:

DATE: 04/12/2011

OFFICE: AVN-120

NAME: GREGORY YAMAMOTO

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZAU
ATC FACILITY: DPA TOWER, ORD APP CON
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: JOLIET VOR/DME STATE: IL COUNTRY: US ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 413247.11N/0881906.28W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	JOLIET	JOT	VOR/DME	H						45000

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	E	JOT	VOR/DME	102.32	282.32	R	1	2300 6000	4 5
2	SW	JOT	VOR/DME	231.00	051.00	R	1	2200 6000	4 5
3	SW	JOT	VOR/DME	246.00	066.00	R	1	2500 6000	4 5
4	W	JOT	VOR/DME	268.00	088.00	R	1 1/2	18000 45000	16 29
5	SW		WP	231.00	051.00	R		4 2300 6000	5 6
6	SW	JOT	VOR/DME	203.89	023.89	R	1	2500 6000	4 5
7	SE		WP	137.19	317.19	R		4 2600 6000	5 6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (17-001137)	413045.00N/0881518.00W	1043	5D
2	200	TOWER (17-001137)	413045.00N/0881518.00W	1043	5D
3	200	TOWER (17-001137)	413045.00N/0881518.00W	1043	5D
4	200	TOWER (17-001137)	413045.00N/0881518.00W	1043	5D
5	200	TOWER (17-001137)	413045.00N/0881518.00W	1043	5D
6	200	TOWER (17-001137)	413045.00N/0881518.00W	1043	5D
7	200	STACK (17-000092)	412943.00N/0880728.00W	1065	5D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN(S)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
ASSIGNED FACILITY MAG VAR: 2E 1965.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	VOR OR GPS RWY 36		6	LL10	NAPERVILLE	IL (US)
EN ROUTE	J101					(US)
EN ROUTE	J146		4			(US)
EN ROUTE	J18					(US)
EN ROUTE	J26					(US)
EN ROUTE	J30					(US)
EN ROUTE	J35					(US)
EN ROUTE	J60		4			(US)
EN ROUTE	J82					(US)
EN ROUTE	J87					(US)
EN ROUTE	J96					(US)
EN ROUTE	V171					(US)
EN ROUTE	V262					(US)
EN ROUTE	V429					(US)
EN ROUTE	V586					(US)
EN ROUTE	V69					(US)
EN ROUTE	V8					(US)
IAP	RNAV (GPS)-B		5	1C5	BOLINGBROOK	IL (US)
IAP	VOR-A		2	1C5	BOLINGBROOK	IL (US)
IAP	RNAV (GPS) RWY 9			KIGQ	CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 13L			KMDW	CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 31R			KMDW	CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 4L			KMDW	CHICAGO	IL (US)
IAP	RNAV (GPS) Z RWY 4R			KMDW	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 22L			KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 28L		3	KORD	CHICAGO	IL (US)
IAP	ILS PRM Y RWY 10R (CLOSE PARALLEL)		3	KORD	CHICAGO	IL (US)
IAP	ILS RWY 22L (SA CAT I-II)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 28L (CAT II & III)		3	KORD	CHICAGO	IL (US)
IAP	ILS RWY 28L (SA CAT I)		3	KORD	CHICAGO	IL (US)
IAP	ILS Y OR LOC Y RWY 10R		3	KORD	CHICAGO	IL (US)
IAP	ILS Z OR LOC Z RWY 10R		3	KORD	CHICAGO	IL (US)
IAP	ILS Z RWY 10R (CAT II-III)		3	KORD	CHICAGO	IL (US)
IAP	ILS Z RWY 10R (SA CAT I)		3	KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 9			KARR	CHICAGO/AURORA	IL (US)
IAP	LOC RWY 33			KARR	CHICAGO/AURORA	IL (US)
IAP	RNAV (GPS) RWY 27			KARR	CHICAGO/AURORA	IL (US)
IAP	RNAV (GPS) RWY 33			KARR	CHICAGO/AURORA	IL (US)

IAP	VOR RWY 36		KARR	CHICAGO/AURORA	IL (US)
IAP	LOC RWY 2	3	KLOT	CHICAGO/ROMEOVILLE	IL (US)
IAP	LOC/DME RWY 9	3	KLOT	CHICAGO/ROMEOVILLE	IL (US)
IAP	RNAV (GPS) RWY 2		KLOT	CHICAGO/ROMEOVILLE	IL (US)
IAP	ILS OR LOC RWY 10	1	KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	ILS OR LOC RWY 2L		KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 10	7	KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 20L	5	KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 20R	5	KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 2R		KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	VOR-A		C09	MORRIS	IL (US)
STAR	MOTIF		KMDW	CHICAGO	IL (US)
STAR	MOTIF		KGYG	GARY	IN (US)
STAR	CEGRM (RNAV)		KCVG	COVINGTON	KY (US)
STAR	SHELBYVILLE		KCVG	COVINGTON	KY (US)
STAR	SHELBYVILLE		K62	FALMOUTH	KY (US)
STAR	SHELBYVILLE		I69	BATAVIA	OH (US)
STAR	SHELBYVILLE		KLUK	CINCINNATI	OH (US)
STAR	SHELBYVILLE		KHAO	HAMILTON	OH (US)

REQUIRED CHARTING: SECTIONAL, VFR TERMINAL AREA, STAR, IAP, AREA, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 39

DATE OF REVISION: 06/15/2023

REASON FOR REVISION:

DELETED KDPA RNAV (GPS) RWY 2L FROM FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: KELLY DEAN

APPROVED BY:

DATE: 06/15/2023

OFFICE: AVJ-A432

NAME: CASIMIR TABAKA

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: NUELG STATE: IL COUNTRY: US ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 415905.90N/0883921.51W TYPE: WP, INT, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	DUPAGE	DPA	VOR/DME	L	290.61	292.61	14.82	14.82	2600	17500
2	JOLIET	JOT	VOR/DME	H	328.16	330.16		30.36	2600	17500
3	POLO	PLL	VOR/DME	L	085.00	088.00	38.87	38.87	2600	17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	HOLDING DME	ALTITUDES MIN	ALTITUDES MAX	TEMPLATES MIN	TEMPLATES MAX
1	NW		WP	330.93	150.93	R		4	3000	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (17-003098)	420428.36N/0884924.27W	1275	4D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

DUPAGE (FAC 1) AND JOLIET (FAC 2) USED TO ESTABLISH FIX COORDINATES.
PRECIPITIOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE (US)
EN ROUTE	V172	1, 2, 3				
IAP	RNAV (GPS) RWY 15			KARR	CHICAGO/AURORA	IL (US)
IAP	RNAV (GPS) RWY 9			KARR	CHICAGO/AURORA	IL (US)
IAP	RNAV (GPS) RWY 8			3CK	CHICAGO/LAKE IN THE HILLS	IL (US)
IAP	RNAV (GPS) RWY 1			KRFD	CHICAGO/ROCKFORD	IL (US)
IAP	RNAV (GPS) RWY 25			KRFD	CHICAGO/ROCKFORD	IL (US)
IAP	RNAV (GPS) RWY 10			KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 20L			KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 2R		1	KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS)-B			10C	GREENWOOD/WONDER LAKE	IL (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 9 DATE OF REVISION: 06/15/2023

REASON FOR REVISION:

DELETED KDPA RNAV (GPS) RWY 2L AND RNAV (GPS) RWY 20R FROM FIX USE.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A432 NAME: KELLY DEAN

APPROVED BY: DATE: 06/15/2023 OFFICE: AJV-A432 NAME: CASIMIR TABAKA

SIGNATURE: