

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 08/07/2025	APWS Task ID: 8E7D394BC7E3416CB2ED78AF99A3FA3D	APWS Project ID: DA70910A1A66422C8EA22DE3442C3465
Procedure: RNAV (GPS) Y RWY 22 AMDT 2		Enroute: NO	Specialist: Bristow, Travis		Agreement Number:
Airport ID: KAMA			Airport City: AMARILLO		State: TX
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE DATA USED FOR AIRPORT AND RUNWAYS. ADDED LP LINE OF MINIMA AND GPA/TCH CHANGED FROM 3.00/50 TO 3.07/50. BOTH IAF"s ILOZA AND JUNVE POSITIONS CHANGED AND NAMES RETAINED FOR AIR TRAFFIC FAMILARITY. FAF CHANGED FROM ELTIC TO CIXFE TO ALIGN WITH THE LDA PROCEDURE AT THE AIRPORT. HOLD IN-LIEU FIX CHANGE FROM ZUCTA TO ELTIC. MISSED APPROACH INSTRUCTIONS CHANGED FROM "CLIMBING LEFT TURN TO 5400 DIRECT CAUDE AND HOLD" TO "MISSED APPROACH INSTRUCTIONS: "CLIMB TO 4020 THEN CLIMBING LEFT TURN TO 5000 DIRECT CAUDE AND HOLD". CONTACT DAVID DANNER, AJV-A421, 405-905-5077. 6/6/25: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 5/14/25. 1. ADDITIONAL FLIGHT DATA: ELTIC TO RW22: 3.07/50 CHANGED TO CIXFE TO RW22: 3.07/50 - FAF FIX UPDATED TO CIXFE.					



RNAV (GPS) Y RWY 22

RICK HUSBAND AMARILLO INTL (AMA)

MISSED APPROACH: Climb to 4020 then climbing left turn to 5000 direct CAUDE and hold.

UNICOM
122.95

Tradewind

Amdt 2 FIG

CATEGORY	A	B	C	D	E
LP MDA		3900-3/4	294 (300-3/4)		
LNAV MDA		4020-3/4	414 (500-3/4)		
CIRCLING	4080-1	473 (500-1)	4240-1 3/4 633 (700-1 1/4)	4280-2 1/4 673 (700-2 1/4)	4460-3 853 (900-3)

RICK HUSBAND AMARILLO INTL (AMA)
RNAV (GPS) Y RWY 22

35°13'N-101°42'W



APP CRS	Rwy Idg	13502
233°	TDZE	3606
	Apt Elev	3607



OLD


RNAV (GPS) Y RWY 22


RICK HUSBAND AMARILLO INTL (AMA)

RNP APCH.			MALSR 	MISSED APPROACH: Climbing left turn to 5400 direct CAUDE and hold.	
For inop ALS, increase Cat C/D/E visibility to RVR 6000. ASR					
ATIS 118.85 350.3	AMARILLO APP CON★ 119.5 307.0	AMARILLO TOWER★ 118.3(CTAF) 257.9	GND CON 121.9 348.6	CLNC DEL 121.65 239.275	UNICOM 122.95




	5400 CAUDE		VGSI and descent angles not coincident (VGSI Angle 3.00/TCH 77).		5 NM Holding Pattern	
						
CATEGORY	A	B	C	D	E	
LNAV MDA	4020-1/2	414 (500-1/2)	4020-3/4 414 (500-3/4)	4020-1	414 (500-1)	
 CIRCLING	4080-1	473 (500-1)	4240-1 3/4 633 (700-1 3/4)	4280-2 1/4 673 (700-2 1/4)	4460-3 853 (900-3)	





KAMA
RICK HUSBAND AMARILLO INTL
AMARILLO, TX
RNAV (GPS) Y RWY 22 AMDT 2
CIRCLING
1:140,000




Circling CAT E TOWER (4148)
48-005684

Circling CAT D TOWER (3914)
48-000751

Circling CAT C TOWER (3882)
48-002514

Circling CAT A/B ELEVATOR (3773)
48-005288





KAMA
RICK HUSBAND AMARILLO INTL
AMARILLO, TX
RNAV (GPS) Y RWY 22 AMDT 2
LNAV FINAL & MISSED
1:100,000

LNAV KAMA:RW22:AER 7:1
Excluded Obs TERRAIN+AAO (3763)

LNAV CIXFE to KAMA:RW22:
AER TERRAIN+AAO (3741)

Missed Level Surface TOWER (3963)
48-008173

