

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 08/07/2025	APWS Task ID: 8FB4103F0B5B45368D2D9248471AC700	APWS Project ID: 2B53445AEEDB4F0BB0E22DCCE71947D2
Procedure: RNAV (GPS) RWY 14 AMDT 2		Enroute: NO	Specialist: Gorman, Barbara		Agreement Number:
Airport ID: KSBY			Airport City: SALISBURY		State: MD
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE DATA USED FOR AIRPORT AND RUNWAY. VORMON PROJECT: SBY VOR AND SWL VOR DECOMMISSIONING CONTACT: CASIMIR TABAKA: 405-954-7931 QUALITY 10 CHECKED					


[illegible]

WAAS CH 56320 W14A	APP CRS 139°	Rwy Idg TDZE 49 Apt Elev 53
--	------------------------	---

RNAV (GPS) RWY 14
SALISBURY-OCEAN CITY WICOMICO RGNL (SBY)

RNP APCH.		MISSED APPROACH: Climb to 2000 direct FRYER and hold.
T A Rwy 14 helicopter visibility reduction below ¾ SM NA. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16° C or above 54° C.		

ASOS 118.325	PATUXENT APP CON ★ 127.95 314.0	SALISBURY TOWER ★ 119.425 (CTAF) 0	GND CON 123.775	CLNC DEL 123.775	CLNC DEL 118.55 (when twr closed)	UNICOM 122.95
------------------------	---	---	---------------------------	----------------------------	--	-------------------------



4 NM Holding Pattern		HYDRS	EWWEL	FIKLU 2.7 NM to RW14	2000 ↑	FRYER ✦
3400 ← 319°	2100 → 139°	1700	1700	*1.1 NM to RW14	*LNAV only	
GP 3.00° TCH 45		1700	*940			
		6.1 NM	2.3 NM	1.6 NM	1.1 NM	
CATEGORY	A	B	C	D		
LPV DA	363-1 314 (400-1)					
LNAV/ VNAV DA	453-1½ 404 (400-1½)					
LNAV MDA	440-1 391 (400-1)			440-1⅛ 391 (400-1⅛)	440-1¼ 391 (400-1¼)	
CIRCLING	480-1 427 (500-1)	520-1 467 (500-1)	560-1½ 507 (600-1½)	700-2 647 (700-2)		

