

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 11/27/2025	APWS Task ID: 92A57BC02B844D34956921F5887B8A45	APWS Project ID: 286C9A7208CD43C180E63876C344D9B4
Procedure: RNAV (GPS) RWY 21 AMDT 1C		Enroute: NO	Specialist: Weston, Daniel		Agreement Number:
Airport ID: KMRN			Airport City: MORGANTON		State: NC
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE AIRNAV DATA USED. CLEARS NOTAM FDC 5/2950. CRC UPDATED FROM "C645AC3C" to "2A97914A". CONTACT RAKE MCGRAW AJV-A422 405-954-8711. 07/02/2025 QUALITY 14 CHECKED QUALITY 38 CHECKED					

FIPC BASIC FORM							
PROCEDURE: RNAV (GPS) RWY 21 AMDT 1C			AIRPORT NAME: FOOTHILLS RGNL		AIRPORT ID: KMRN	SPECIAL CONTROL NO: AG-07-075-25	
FAC ID: KMRN21.01		CITY: MORGANTON			ST: NC	ORIG CHART DATE: 11/27/2025	
DFL TYPE: PROC/S	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:		PTS TASK ID: 92A57BC02B844D34956921F5887B8A45		
PREFLIGHT NOTES							
REVIEWER:					DATE:		
COMMENTS:					CHECK ONE:		
					☐ FLT CK REQ ☐ NFCR ☐ REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 07/22/2025		CREW #: VN364	N #: N66	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: kevin riese @ 07/23/2025 07:08			PRINTED NAME: RIESE, KEVIN JOHN				NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: RNAV (GPS) RWY 21 AMDT 1C completed satisfactory.							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:

MORGANTON, NORTH CAROLINA

AL-5707 (FAA)

FIG Rework

WAAS CH 40322 W21A	APP CRS 211°	Rwy Ldg TDZE Apt Elev	5500 1270 1270
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 21

FOOTHILLS RGNL (MRN)

RNP APCH - GPS.


Baro-VNAV and VDP NA when using HKY altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C or above 54°C. Rwy 21 helicopter visibility reduction below $\frac{3}{4}$ SM NA. When local altimeter not received, use HKY altimeter setting and increase LPV DA to 1562 feet; LNAV/VNAV DA to 1642 feet; increase all MDAs 60 feet and visibility LNAV Cats C and D and Circling Cat D $\frac{1}{4}$ SM.

MISSED APPROACH: Climb to 2000 then climbing right turn to 4400 direct CIKIS and hold.

AWOS-3P
124.175

ATLANTA CENTER
125.15 263.0


UNICOM
122.7 (CTAF) 0




PROTOTYPE-NOT
FOR NAVIGATION

ELEV 1270

TDZE 1270



VGSI and RNAV glidepath not coincident
(VGSI Angle 3.50/TCH 48).



CATEGORY	A	B	C	D
LPV DA		1520-1	250 (300-1)	
LNAV/VNAV DA		1600-1	330 (400-1)	
LNAV MDA	1680-1	410 (500-1)	1680-1 $\frac{1}{8}$	410 (500-1 $\frac{1}{8}$)
CIRCLING	1720-1 450 (500-1)	1760-1 490 (500-1)	1800-1 $\frac{1}{2}$ 530 (600-1 $\frac{1}{2}$)	2140-2 $\frac{3}{4}$ 870 (900-2 $\frac{3}{4}$)

MIRL Rwy 3-21 0
REIL Rws 3 and 21 0

MORGANTON, NORTH CAROLINA
Amdt 1C FIG Rework

35°49'N-81°37'W

FOOTHILLS RGNL (MRN)
RNAV (GPS) RWY 21

MORGANTON, NORTH CAROLINA

AL-5707 (FAA)

25107

WAAS CH 40322 W21A	APP CRS 211°	Rwy Idg TDZE Apt Elev	5500 1270 1270
--	------------------------	-----------------------------	---

OLD

RNAV (GPS) RWY 21

FOOTHILLS RGNL (MRN)



⚠ Baro-VNAV NA when using Hickory altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C (2°F) or above 35°C (95°F). DME/DME RNP-0.3 NA. VDP NA with Hickory altimeter setting. When local altimeter not received use Hickory altimeter: increase LPV DA to 1562 feet, LNAV/VNAV DA to 1642 feet, and visibility LPV all Cats ¼ SM and LNAV/VNAV all Cats ⅓ SM; increase all MDA 60 feet and visibility LNAV Cats C and D and Circling Cat D ¼ SM.

MISSED APPROACH: Climb to 2000 then climbing right turn to 4400 direct CIKIS and hold.

AWOS-3P
124.175

ATLANTA CENTER
125.15 263.0

UNICOM
122.7 (CTAF) ①



ELEV 1270	TDZE 1270	2000	4400	CIKIS	VGSI and RNAV glidepath not coincident (VGSI Angle 3.50/TCH 48).	5 NM Holding Pattern
*LNAV only	JAGUP 1.9 NM to RW21	CICAC 3000	ZAGOK	CIKIS	031° → 4400	GP 3.00° TCH 45
1 NM to RW21	1920	3000	3700	211°	← 211°	
1 NM	0.9 NM	3.4 NM	2.9 NM	6.9 NM		
CATEGORY	A	B	C	D		
LPV DA	1520-¾	250 (300-¾)				
LNAV/VNAV DA	1600-1½	330 (400-1½)				
LNAV MDA	1680-1 410 (500-1)	1680-1½ 410 (500-1½)				
CIRCLING	1720-1 450 (500-1)	1760-1 490 (500-1)	1800-1½ 530 (600-1½)	2140-2¾ 870 (900-2¾)		

MORGANTON, NORTH CAROLINA
Amdt 1B 20MAY21

35°49'N-81°37'W

FOOTHILLS RGNL (MRN)

RNAV (GPS) RWY 21

SE-2, 15 MAY 2025 to 12 JUN 2025

