

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
EDGGE	ONE	EDGGE1.EDGGE	NONE		

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

TAKEOFF RWY 36: CLIMB ON HEADING 356.91 TO 6768, THEN LEFT TURN DIRECT EDGGE AT OR ABOVE 10400, THENCE...

...THEN ON FILED TRANSITION. MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
KRKWD	EDGGE1.KRKWD	EDGGE	JORKK	235.39	7.04	11000	11000	JORKK BETWEEN 11000 AND 12000
		JORKK	GOONE	170.64	8.22	11700	11700	GOONE AT/ABOVE 12000
		GOONE	KRKWD	124.72	11.01	12200	12200	
LOVELOCK	EDGGE1.LLC	EDGGE	NEPPO	330.01	10.52	11000	10900	NEPPO AT/ABOVE 14000
		NEPPO	MOWGL	329.71	13.06	11000	10900	
		MOWGL	TUBNG	322.14	12.09	11000	11000	
		TUBNG	HALLE	027.29	23.50	11000	11000	
		HALLE	LLC VORTAC	062.55	64.50	11000	11000	
SIGNA	EDGGE1.SIGNA	EDGGE	NEPPO	330.01	10.52	11000	10900	NEPPO AT/ABOVE 14000
		NEPPO	SIGNA	269.85	24.45	11200	11200	
WNDEL	EDGGE1.WNDEL	EDGGE	NEPPO	330.01	10.52	11000	10900	NEPPO AT/ABOVE 14000
		NEPPO	MOWGL	329.71	13.06	11000	11000	
		MOWGL	TUBNG	322.14	12.09	11000	11000	
		TUBNG	WNDEL	343.08	45.49	11000	11000	



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
EDGGE	ONE	EDGGE1.EDGGE	NONE		

PBN REQUIREMENT NOTES:

RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:

PROCEDURAL DATA NOTES:

TAKEOFF MINIMUMS:

RWY 18: NA--OBSTACLES

RWY 36: STANDARD WITH MINIMUM CLIMB OF 755 FT PER NM TO 7400.

TAKEOFF OBSTACLES NOTES:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:

RWY 36: 6427 FT MSL TREE (06-169728) 385434.91N/1195915.02W (CLIMB GRADIENT)

RWY 36: 8458 FT MSL TERRAIN 385948.00N/1200845.00W (CLIMB GRADIENT TERMINATION ALTITUDE)

OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: RWY 36: 11069 FT MSL AAO 385127.00N/1195400.00W

MSA:

TVL, 12,200

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

AIRPORT MV: TVL 16E/1985

CHART: TOP ALTITUDE: ASSIGNED BY ATC

DME/DME ASSESSMENT: UNSAT

CHART: POOKY

CHART: SPEED ICON: MAXIMUM SPEED 250 KIAS AT JORKK

CHART: RENO MOA

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
TVL	SOUTH LAKE TAHOE	CA

COMMUNICATIONS:

CHART: CLNC DEL, OAKLAND CENTER, CTAF.

FIXES AND/OR NAVAIDS:

POOKY

REMARKS:

APPROVAL LETTER FOR CLIMB GRADIENTS IN EXCESS OF 200 FT/NM APPLIED TO SUPPORT OPERATIONAL AND OBSTACLE CLEARANCE REQUIREMENTS.

BANK ANGLE EXCEPTION APPLIED AT TUBNG AND HALLE IAW AVS-1 MEMO DATED 1-31-23.

755 CLIMB GRADIENT USED TO MAINTAIN CURRENT PUBLISHED MINIMUMS ON ODP.

DO NOT CHART MOCA: FROM EDGGE TO JORKK, EDGGE TO NEPPO, JORKK TO GOONE, GOONE TO KRKWD, NEPPO TO MOWGL, MOWGL TO TUBNG, TUBNG TO HALLE, HALLE TO LLC VORTAC, NEPPO TO SIGNA, TUBNG TO WNDEL.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
EDGGE	ONE	EDGGE1.EDGGE	NONE		

<u>FLIGHT INSPECTED BY</u>	<u>SIGNATURE</u>	<u>OFFICE</u>	<u>DATE</u>
TROY E DEVINE	<i>Digitally signed by</i> CASIMIR L TABAKA Jan 26, 2026	AJF	01/22/2026

<u>DEVELOPED BY</u>	<u>SIGNATURE</u>	<u>OFFICE</u>	<u>DATE</u>
JACOB CLARK	<i>Digitally signed by</i> JACOB H CLARK Oct 16, 2025	AJV-A432	10/14/2025

<u>APPROVED BY</u>	<u>SIGNATURE</u>	<u>OFFICE</u>	<u>DATE</u>	<u>TITLE</u>
CASIMIR TABAKA	<i>Digitally signed by</i> CASIMIR L TABAKA Jan 26, 2026	AJV-A432		MANAGER

REQUIRED EFFECTIVE DATE
ROUTINE

COORDINATED WITH:

A4A ALPA AOPA APA HAI NBAA OTHER:CLNC DEL, ZOA, TVL ATCT, AMGR, CA AERO

CHANGES - REASONS:
ORIGINAL PROCEDURE.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>				
EDGGE	ONE	EDGGE1.EDGGE	NONE						
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW36 (AER)	385316.48N/1195949.54W	N	-	-	-	-			*DISP THLD (2033.1 FT)
6768 MSL	-	-	-	VA	012.91	-	AT/ABOVE 6768		MIN CG 755 FT/NM TO 7400.
EDGGE	390359.10N/1200445.02W	Y	FB	DF	-	-	AT/ABOVE 10400		LEFT TURN
EDGGE	390359.10N/1200445.02W	Y	-	IF	-	-			EDGGE1.KRKWD
JORKK	390143.79N/1201318.92W	Y	FB	TF	251.39	07.04	11100B12000	AT/BELOW 250K	
GOONE	385333.49N/1201431.92W	Y	FB	TF	186.64	08.22	AT/ABOVE 12000		
KRKWD	384501.19N/1200537.21W	Y	FB	TF	140.72	11.01			
EDGGE	390359.10N/1200445.02W	Y	-	IF	-	-			EDGGE1.LLC
NEPPO	391412.38N/1200801.48W	Y	FB	TF	346.01	10.52	AT/ABOVE 14000		
MOWGL	392652.21N/1201211.07W	Y	FB	TF	345.71	13.06			
TUBNG	393805.92N/1201800.76W	Y	FB	TF	338.14	12.09			
HALLE	395511.21N/1195703.90W	Y	FB	TF	043.29	23.50			
LLC VORTAC	400730.95N/1183439.34W	Y	FB	TF	078.55	64.50			
EDGGE	390359.10N/1200445.02W	Y	-	IF	-	-			EDGGE1.SIGNA
NEPPO	391412.38N/1200801.48W	Y	FB	TF	346.01	10.52	AT/ABOVE 14000		
SIGNA	392049.57N/1203820.84W	Y	FB	TF	285.85	24.45			
EDGGE	390359.10N/1200445.02W	Y	-	IF	-	-			EDGGE1.WNDEL
NEPPO	391412.38N/1200801.48W	Y	FB	TF	346.01	10.52	AT/ABOVE 14000		



<u>DP NAME</u>		<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>			
EDGGE		ONE	EDGGE1.EDGGE	NONE					
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
MOWGL	392652.21N/1201211.07W	Y	FB	TF	345.71	13.06			
TUBNG	393805.92N/1201800.76W	Y	FB	TF	338.14	12.09			
WNDEL	402336.82N/1201858.37W	Y	FB	TF	359.08	45.49			

