

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: Segment	Estimated Chart Date: 08/07/2025	APWS Task ID: 95FB81C4BB404FC6BDEA869CDF99A54E	APWS Project ID: BEB91ED63C324E3E97D8570012503258
Procedure: V305 ELD VOR_DME, AR TO ARG VORTAC, AR		Enroute: YES	Specialist: Garrity, Michael		Agreement Number:
Airport ID:			Airport City:		State:
Facility ID:	Facility Type:	Flight Inspection Remark Type: Hold FC Slot			
Procedure Comments: LIT VORTAC RELOCATION AIRSPACE DOCKET # 23-ASO-4 AIRWAY STARTING POINT: EL DORADO (ELD) VOR/DME, AR: 331522.15N/0924438.21W ESV(S): (7): EL DORADO (ELD) VDME (1); LITTLE ROCK (LIT) VTAC (4); WALNUT RIDGE (ARG) VTAC (2) CONTACT: ALLAN WILL, TEAM 2 SUBTEAM-C MANAGER, 405.954.6102					

QUALITY
13
CHECKED

ESV Details

Originating Office :AJV-5433		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:LITTLE ROCK		City:LITTLE ROCK		Ident:LIT		State:AR
Type/Class: H-VOR		Frequency: M115.1		Reference Number: 25038315		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 191353 - 038	198		47	20	148	
Requirement: BUNNS V305						
Signature:Garrity Michael		Routing Symbol:AJV-A423				Date:03/05/2025
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 038	198		47	20	148	APPROVE
Requirement/Remarks: BUNNS V305APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/05/2025	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 038	198		47	20	148	APPROVE
Requirement/Remarks: BUNNS V305APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/05/2025	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 038	198					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details

Originating Office :AJV-5433		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:LITTLE ROCK		City:LITTLE ROCK		Ident:LIT		State:AR
Type/Class: TACAN		Frequency: M1185		Reference Number: 25038316		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 191246 - 047	198		47	20	148	
Requirement: BUNNS V305						
Signature:Garrity Michael		Routing Symbol:AJV-A423				Date:03/05/2025
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 047	198		47	20	148	APPROVE
Requirement/Remarks: BUNNS V305APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/05/2025	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 047	198		47	20	148	APPROVE
Requirement/Remarks: BUNNS V305APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/05/2025	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 047	198					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details

Originating Office :AJV-E24		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:V305 COP to LIT		City:EL DORADO		Ident:ELD		State:AR
Type/Class: H-VOR		Frequency: M115.5		Reference Number: 23115431		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 840276 - 023	10		49	33	53	
Requirement: V305 COP to LIT (ReLo)						
Signature:Lewis Jerry		Routing Symbol:AJV-E24				Date:11/15/2023
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 840276 - 023	10		49	33	53	APPROVE
Requirement/Remarks: V305 COP to LIT (ReLo)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Bowers Michael		Routing Symbol:			Date:11/15/2023	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 840276 - 023	10		49	33	53	APPROVE
Requirement/Remarks: V305 COP to LIT (ReLo)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:11/15/2023	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 840276 - 023	10					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details

Originating Office :AJV-5433		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:UKORE DL V305		City:LITTLE ROCK		Ident:LIT		State:AR
Type/Class: H-VOR		Frequency: M115.1		Reference Number: 24058610		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 191353 - 031	39		43	40	148	
Requirement: UKORE NEW DL TURN FOR V305 BETWEEN NEW LIT LOCATION AND ARG						
Signature:Garrity Michael		Routing Symbol:AJV-A423				Date:05/09/2024
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 031	39		43	40	148	APPROVE
Requirement/Remarks: UKORE NEW DL TURN FOR V305 BETWEEN NEW LIT LOCATION AND ARGAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Bowers Michael		Routing Symbol:			Date:05/09/2024	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 031	39		43	40	148	APPROVE
Requirement/Remarks: UKORE NEW DL TURN FOR V305 BETWEEN NEW LIT LOCATION AND ARGAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:05/13/2024	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 031	39					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details

Originating Office :AJV-5433		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:UKORE DL V305		City:LITTLE ROCK		Ident:LIT		State:AR
Type/Class: TACAN		Frequency: M1185		Reference Number: 24058611		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 191246 - 041	39		43	40	148	
Requirement: UKORE NEW DL TURN FOR V305 BETWEEN NEW LIT LOCATION AND ARG						
Signature:Garrity Michael		Routing Symbol:AJV-A423				Date:05/09/2024
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 041	39		43	40	148	APPROVE
Requirement/Remarks: UKORE NEW DL TURN FOR V305 BETWEEN NEW LIT LOCATION AND ARGAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Bowers Michael		Routing Symbol:			Date:05/09/2024	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 041	39		43	40	148	APPROVE
Requirement/Remarks: UKORE NEW DL TURN FOR V305 BETWEEN NEW LIT LOCATION AND ARGAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:05/13/2024	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 041	39					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details

Originating Office :AJV-E24		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:V305 COP to ELD		City:LITTLE ROCK		Ident:LIT		State:AR
Type/Class: H-VOR		Frequency: M115.1		Reference Number: 23032230		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 191353 - 026	198		49	33	148	
Requirement: V305 COP to ELD (LIT ReLo)						
Signature:Lewis Jerry		Routing Symbol:AJV-E24				Date:03/27/2023
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 026	198		49	33	148	APPROVE
Requirement/Remarks: V305 COP to ELD (LIT ReLo)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Bowers Michael		Routing Symbol:			Date:03/28/2023	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 026	198		49	33	148	APPROVE
Requirement/Remarks: V305 COP to ELD (LIT ReLo)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/28/2023	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 026	198					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details


Originating Office :AJV-E24		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:V305 COP to ELD		City:LITTLE ROCK		Ident:LIT		State:AR
Type/Class: TACAN		Frequency: M1185		Reference Number: 23032231		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 191246 - 035	198		49	33	148	
Requirement: V305 COP to ELD (LIT ReLo)						
Signature:Lewis Jerry		Routing Symbol:AJV-E24				Date:03/27/2023
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 035	198		49	33	148	APPROVE
Requirement/Remarks: V305 COP to ELD (LIT ReLo)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/31/2023	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 035	198		49	33	148	APPROVE
Requirement/Remarks: V305 COP to ELD (LIT ReLo)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/31/2023	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 035	198					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details

Originating Office :AJV-E24		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:V305 UKORE		City:WALNUT RIDGE		Ident:ARG		State:AR
Type/Class: H-VOR		Frequency: M114.5		Reference Number: 23032226		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 697439 - 019	211		55	40	53	
Requirement: V305 UKORE (VORMON VH, COP+2NM)						
Signature:Lewis Jerry		Routing Symbol:AJV-E24				Date:03/27/2023
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 697439 - 019	211		55	40	53	APPROVE
Requirement/Remarks: V305 UKORE (VORMON VH, COP+2NM)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Bowers Michael		Routing Symbol:			Date:03/28/2023	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 697439 - 019	211		55	40	53	APPROVE
Requirement/Remarks: V305 UKORE (VORMON VH, COP+2NM)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/28/2023	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 697439 - 019	211					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details

Originating Office :AJV-E24		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:V305 UKORE		City:WALNUT RIDGE		Ident:ARG		State:AR
Type/Class: TACAN		Frequency: M1179		Reference Number: 23032228		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 698164 - 035	211		55	40	148	
Requirement: V305 UKORE						
Signature:Lewis Jerry		Routing Symbol:AJV-E24				Date:03/27/2023
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 698164 - 035	211		55	40	148	APPROVE
Requirement/Remarks: V305 UKOREAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Bowers Michael		Routing Symbol:			Date:03/28/2023	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 698164 - 035	211		55	40	148	APPROVE
Requirement/Remarks: V305 UKOREAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/28/2023	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 698164 - 035	211					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	





V305
ELD VDME, AR TO ARG VTAC, AR
1:500,000
2 OF 4

Magnetic disturbance of as much as
15° exists at 7000' elevation between
Rison and Bunn.

NOTICE
FOR REASONS OF NATIONAL SECURITY
PILOTS ARE REQUESTED TO AVOID FLIGHT
AT AND BELOW 5000' MSL

STC LITTLE ROCK APP WITHIN
20 NM ON 135.4, 353.1
SHERIDAN-GRANT COUNTY RGNL (9M8)
236 L 32-122.8

LIT TOWER (2237)
05-000779

