

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 04/17/2025	APWS Task ID: 9995F7DBE3DA49F3975C9289F90516DD	APWS Project ID: A05A45E2E80A4D63B1753980FA206EC2
Procedure: ILS OR LOC RWY 4 AMDT 3		Enroute: NO	Specialist: Bruce, Richard		Agreement Number:
Airport ID: KDQH			Airport City: DOUGLAS		State: GA
Facility ID: DQH	Facility Type: ILS	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: CANCELS FDC NOTAM 4/4015. ACTIVE DATA USED FOR KDQH AIRPORT AND RUNWAYS. ACTIVE DATA USED FOR I-DQH ILS. ACTIVE DATA USED FOR AYS VORTAC. CONTACT RAKE MCGRAW, AVV-A422, (405) 954-8711. QUALITY 41 CHECKED QUALITY 39 CHECKED					

FIPC BASIC FORM									
PROCEDURE: ILS OR LOC RWY 4 AMDT 3			AIRPORT NAME: DOUGLAS MUNI		AIRPORT ID: KDQH		SPECIAL CONTROL NO: AP-12-177-24		
FAC ID: DQH		CITY: DOUGLAS			ST: GA		ORIG CHART DATE: 04/17/2025		
DFL TYPE: PROC/A	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:		PTS TASK ID: 9995F7DBE3DA49F3975C9289F90516DD				
PREFLIGHT NOTES									
REVIEWER:					DATE:				
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT				
								YES	NO
					CPV COMPLETE?			X	
PROCEDURE RESULTS									
INSPECTION DATE: 01/24/2025		CREW #: VN258	N #: N87	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT			
FLIGHT INSPECTOR SIGNATURE: james hawley @ 01/24/2025 16:33			PRINTED NAME: HAWLEY, JAMES MICHAEL			NOTAM INITIATED?			
						☐ YES ☒ NO			
FLIGHT INSPECTOR REMARKS:									
IN-FLIGHT OBSTACLE REPORT									
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:		

LOC I-DQH <u>108.7</u>	APP CRS 043°	Rwy Idg 6000 TDZE 253 Apt Elev 257
----------------------------------	------------------------	---

ILS or LOC RWY 4
DOUGLAS MUNI (DQH)

RADAR required for procedure entry.



For inop ALS, increase S-LOC 4 Cat C and D visibility to 1 SM.

MALSR




MISSED APPROACH: Climb to 700 then climbing right turn to 3000 on heading 116° and AYS VORTAC R-320 to WERON/7 DME and hold.


AWOS-3
119.075

JACKSONVILLE CENTER
127.575 269.025

UNICOM
122.8 (CTAF) **L**



PROTOTYPE-NOT FOR NAVIGATION



LOC I-DQH 108.7	APP CRS 043°	Rwy Idg TDZE Apt Elev	6000 253 257
---------------------------	------------------------	-----------------------------	---



OLD

ILS or LOC RWY 4

DOUGLAS MUNI (DQH)

ADF required.	MALSR	MISSED APPROACH: Climb to 900 then climbing right turn to 2000 direct OWC NDB and hold.
▼ ▲ For inop MALSR, increase S-LOC 4 Cat C and D visibility to 1½ mile.	⬆ AS	

AWOS-3 119.075	JACKSONVILLE CENTER 127.575 269.025	UNICOM 122.8 (CTAF) 0
--------------------------	---	---------------------------------



CATEGORY	A	B	C	D
S-ILS 4		453-½	200 (200-½)	
S-LOC 4	720-½	467 (500-½)	720-1	467 (500-1)
CIRCLING	720-1 463 (500-1)	820-1 563 (600-1)	960-2 703 (800-2)	1160-3 903 (1000-3)
UByah FIX MINIMUMS (DUAL VOR RECEIVERS REQUIRED)				
S-LOC 4		580-½	327 (400-½)	
CIRCLING	720-1 463 (500-1)	820-1 563 (600-1)	960-2 703 (800-2)	1160-3 903 (1000-3)

