

RADIO FIX AND HOLDING DATA RECORD

NAME: CAMRI

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402828.59N/1115738.56W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-UUH	LOC/DME		163.95	174.95	17.91	20.22		9000	10000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-UUH	LOC/DME	R-164	21	9000	10000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH).

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

1. UPDATED DME ANT FROM DME ANT: I-UAT 404619.61N/1115946.36W (PAIRED DME SOURCE WITH I-UUH) TO DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH) IN REMARKS.
2. ADDED KSLC RNAV (RNP) Z RWY 34L TO FIX USE.
3. UPDATED KSLC RNAV (GPS) RWY 34L TO RNAV (GPS) Y RWY 34L IN FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: JOHN KEEFER

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A430

NAME: JOSEPH ZEDER

SIGNATURE:

Digitally signed by
ROBERT G HAMILTON

Jan 13, 2025

QUALITY
34
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: DUNLP

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 403137.73N/1115800.36W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-UUH	LOC/DME		163.95	174.95	14.75	17.06		8000	8700

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-UUH	LOC/DME	R-164	18	8000	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH)

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 8

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

1. UPDATED DME ANT FROM: I-UAT 404619.61N/1115946.36W (PAIRED DME SOURCE WITH I-UUH) TO DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH) IN REMARKS.
2. ADDED KSLC RNAV (RNP) Z RWY 34L TO FIX USE.
3. UPDATED KSLC RNAV (GPS) RWY 34L TO KSLC RNAV (GPS) Y RWY 34L IN FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: JOHN KEEFER

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A430

NAME: JOSEPH ZEDER

SIGNATURE:

Digitally signed by
ROBERT G HAMILTON
Jan 13, 2025

QUALITY
34
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: FALEM

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 404602.66N/1115940.52W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-UUH	LOC/DME		163.95	174.95	0.29	2.60		4460	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH)

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L	1		KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

1. REMOVED KSLC RNAV (GPS) RWY 34L FROM FIX USE.
2. UPDATED I-UAT DME ANT LOCATION FROM 404619.61N/1115946.36W TO I-UAT 404619.63N/1115946.36W IN REMARKS.
3. REMOVED KSLC ILS OR LOC RWY 34L (CAT II) IN FIX USE.
4. REMOVED KSLC ILS OR LOC RWY 34L (CAT III) IN FIX USE.
5. REMOVED KSLC ILS OR LOC RWY 34L (SA CAT I) IN FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: JOHN KEEFER

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A430

NAME: JOSEPH ZEDER

SIGNATURE:

Digitally signed by
ROBERT G HAMILTON
Jan 13, 2025

QUALITY
34
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: FLLAG

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 404048.90N/1115904.10W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-UUH	LOC/DME		163.95	174.95	5.53	7.84	47657	6100	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH)

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

1. FIXED MOVED FROM 404048.28N/1115904.04W TO 404048.90N/1115904.10W (62.86 FEET NORTH).
2. UPDATED FIX MAKE-UP DME/NM/FEET FROM 5.54/7.84/47718 TO 5.53/7.84/47657.
3. ADDED KSLC RNAV (RNP) Z RWY 34L TO FIX USE.
4. UPDATED KSLC RNAV (GPS) RWY 34L TO RNAV (GPS) Y RWY 34L IN FIX USE.
5. REMOVED USED RNP PFAF FORMULA TO CALCULATE FIX COORDINATES FROM REMARKS.
6. UPDATED DME ANT FROM: I-UAT 404619.61N/1115946.36W (PAIRED DME SOURCE WITH I-UUH) TO DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH) IN REMARKS.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: JOHN KEEFER

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A430

NAME: JOSEPH ZEDER

SIGNATURE:

Digitally signed by

ROBERT G HAMILTON

Jan 13, 2025

QUALITY
34
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: JUGOX

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 404454.21N/1115932.57W

TYPE: RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	SALT LAKE CITY	I-UUH	LOC/DME		163.95	174.95	1.43	3.74		4680	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH)

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L	1		KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

UPDATED I-UAT DME ANT LOCATION FROM I-UAT 404619.61N/1115946.36W TO I-UAT 404619.63N/1115946.36W IN REMARKS. NO CHANGES TO FIX MAKE-UP.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: JOHN KEEFER

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A430

NAME: JOSEPH ZEDER

SIGNATURE:

Digitally signed by

ROBERT G HAMILTON

Jan 13, 2025

QUALITY
16
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: PUTER

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402606.75N/1115722.23W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	SALT LAKE CITY	I-UUH	LOC/DME		163.95	174.95	20.28	22.59	10000	14000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-UUH	LOC/DME	R-164	23	10000	14000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH)

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 8

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

1. UPDATED DME ANT FROM: I-UAT 404619.61N/1115946.36W (PAIRED DME SOURCE WITH I-UUH) TO DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH), (NO CHANGES TO FACILITY MAKE-UP).
2. UPDATED KSLC RNAV (GPS) RWY 34L TO RNAV (GPS) Y RWY 34L IN FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: JOHN KEEFER

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A430

NAME: JOSEPH ZEDER

SIGNATURE:

Digitally signed by

ROBERT G HAMILTON

Jan 13, 2025

