

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name JJEDI (RNAV)	Number FOUR	STAR Computer Code JJEDI.JJEDI4	Superseded Number THREE	Dated 09/08/2022	Effective Date				
TRANSITION ROUTES:									
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
EEWOK	EEWOK.JJEDI4	EEWOK	EEWOK						
			LAYUH	278.06	50.95	14000	2900		
			FLKNN	266.97	28.66	14000	2000	AT/ABOVE 14000	
			CHWEE	266.60	15.45	8000	2000	AT/ABOVE 11000	
			JJEDI	266.60	04.00	8000	2000	AT/ABOVE 10000	
HOTHH	HOTHH.JJEDI4	HOTHH	HOTHH						
			LLNDO	280.15	47.56	14000	2000		
			XWNNG	279.70	32.05	14000	2000	AT/ABOVE 14000	
			BBFET	279.15	15.45	8000	2000	AT/ABOVE 11000	
			JJEDI	279.21	04.00	8000	2000	AT/ABOVE 10000	
LARZZ	LARZZ.JJEDI4	LARZZ	LARZZ						AT/ABOVE FL240
			NEWHP	323.91	16.67	14000	2300		
			DTSTR	323.74	28.55	14000	2300	AT/ABOVE 14000	
			WOKIE	323.58	15.45	8000	2000	AT/ABOVE 11000	
			JJEDI	323.39	03.99	8000	1900	AT/ABOVE 10000	
LAYUH	LAYUH.JJEDI4	LAYUH	LAYUH						
			FLKNN	266.97	28.66	14000	2000	AT/ABOVE 14000	
			CHWEE	266.60	15.45	8000	2000	AT/ABOVE 11000	
			JJEDI	266.60	04.00	8000	2000	AT/ABOVE 10000	
MELNM	MELNM.JJEDI4	MELNM	MELNM						
			LAYUH	229.99	55.97	14000	2100		
			FLKNN	266.97	28.66	14000	2000	AT/ABOVE 14000	
			CHWEE	266.60	15.45	8000	2000	AT/ABOVE 11000	
			JJEDI	266.60	04.00	8000	2000	AT/ABOVE 10000	
SKWKR	SKWKR.JJEDI4	SKWKR	SKWKR						
			LAYUH	255.56	53.66	14000	2400		
			FLKNN	266.97	28.66	14000	2000	AT/ABOVE 14000	

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name		Number		STAR Computer Code		Superseded Number			Dated	Effective Date
JJEDI (RNAV)		FOUR		JJEDI.JJEDI4		THREE			09/08/2022	
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes	
			CHWEE	266.60	15.45	8000	2000		AT/ABOVE 11000	
			JJEDI	266.60	04.00	8000	2000		AT/ABOVE 10000	
TYFTR	TYFTR.JJEDI4	TYFTR	TYFTR							
			NEWHP	286.81	55.63	14000	2300			
			DTSTR	323.74	28.55	14000	2300		AT/ABOVE 14000	
			WOKIE	323.58	15.45	8000	2000		AT/ABOVE 11000	
			JJEDI	323.39	03.99	8000	1900		AT/ABOVE 10000	

ARRIVAL ROUTE DESCRIPTION:

FROM JJEDI ON TRACK 320.01/8.74 TO CROSS DAFII AT 8000, THEN ON TRACK 319.89/5.90 TO GRHAM, THEN ON TRACK 004.00/5.91 TO POOBA, THEN ON TRACK 004.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY

NOTE: EXPECT "DESCEND VIA" CLEARANCE FROM CENTER; APPROACH WILL ASSIGN LANDING RUNWAY.

NOTE: SELECT RWY 27L.

NOTE: FOR USE WHEN LANDING WEST. WHEN LANDING EAST, FILE AND EXPECT THE SITTH (RNAV) ARRIVAL.

NOTE: MELNM TRANSITION, ATC ASSIGNED ONLY.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT LAYUH: HOLD E, LT, 266.97 INBOUND, 15 NM LEGS.

CHART HOLDING AT DTSTR: HOLD SE, RT, 323.63 INBOUND, 15 NM LEGS.

CHART HOLDING AT XWNNG: HOLD E, RT, 279.15 INBOUND, 15 NM LEGS.

CHART HOLDING AT NEWHP: HOLD SE, RT, 323.72 INBOUND, 15 NM LEGS.

CHART HOLDING AT LAIRI: HOLD S, RT, 013.00 INBOUND, 15 NM LEGS.

CHART HOLDING AT AADEN: HOLD S, RT, 345.00 INBOUND, 15 NM LEGS.

CHART LOST COMM FIXES: PRMAN, SLVAA, YOUYU, JIRRI, ZELOW.

COMMUNICATIONS:

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JJEDI (RNAV)	FOUR	JJEDI.JJEDI4	THREE	09/08/2022	

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
ATL	ATLANTA	GA

LOST COMMUNICATIONS PREFERENCES:

ASSIGNED RWY 28 OR RWY NOT ASSIGNED: CROSS JJEDI AT OR ABOVE 10000; CROSS DAFII AT 8000; CROSS POOBA AT 5000; AFTER POOBA DESCEND TO 3000 AND PROCEED DIRECT PRMAN; PROCEED ON THE ILS OR RNAV RWY 28 APPROACH.

ASSIGNED RWY 27L: CROSS JJEDI AT OR ABOVE 10000; CROSS DAFII AT 8000; CROSS POOBA AT 6000; AFTER POOBA PROCEED DIRECT SLVAA AND PROCEED ON THE ILS OR RNAV RWY 27L APPROACH.

ASSIGNED RWY 27R: CROSS JJEDI AT OR ABOVE 10000; CROSS DAFII AT 8000; CROSS POOBA AT 6000; AFTER POOBA PROCEED DIRECT YOUYU AND PROCEED ON THE ILS OR RNAV RWY 27R APPROACH.

ASSIGNED RWY 26L: CROSS JJEDI AT OR ABOVE 10000; CROSS DAFII AT 8000; CROSS POOBA AT 6000; AFTER POOBA PROCEED DIRECT JIRRI AND PROCEED ON THE ILS OR RNAV RWY 26L APPROACH.

ASSIGNED RWY 26R: CROSS JJEDI AT OR ABOVE 10000; CROSS DAFII AT 8000; CROSS POOBA AT 6000; AFTER POOBA PROCEED DIRECT ZELOW AND PROCEED ON THE ILS OR RNAV RWY 26R APPROACH.

REMARKS:

ABBREVIATED AMENDMENT.

THE ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.

LOWEST ASSIGNED ATC ALTITUDE AT POOBA, 5000.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)

MAG VAR: ATL 05W/2015

CHART AT POOBA TERMINUS: LDG ATL

SHOW LOST COMMUNICATIONS AS TEXT ONLY - DO NOT GRAPHICALLY DEPICT LOST COMMUNICATIONS.

FLIGHT INSPECTED BY:

ORGANIZATION: DATE:

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT: GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION VALIDATION.

Flight Inspected Signature:

Digitally signed by
CASIMIR L TABAKA
Jul 14, 2025

DEVELOPED BY:

GUY R COPELAND

AJV-A433

5/15/2025

Developed By Signature:

Digitally signed by
CASIMIR L TABAKA
Jul 14, 2025

APPROVED BY:

BEV BORDY

AJV-A430

Approved By Signature:

Digitally signed by
CASIMIR L TABAKA
Jul 14, 2025

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JJEDI (RNAV)	FOUR	JJEDI.JJEDI4	THREE	09/08/2022	

CHANGES:

1. CHANGED PROCEDURAL DATA NOTE FROM SELECT RWY 28 TO SELECT RWY 27L.
2. REMOVED ADDITIONAL FLIGHT DATA NOTE CHART: "ASSIGNED BY ATC ONLY" AFTER MELNM ENROUTE TRANSITION CODE AND REPLACED IT WITH PROCEDURAL DATA NOTE MELNM TRANSITION, ATC ASSIGNED ONLY.
3. REMOVED AIRPORT NAME FROM AIRPORTS SERVED AND ADDED AIRPORT ID; REMOVED K IDENT FROM 17.1 FORM.
4. CHANGED TURBOJET NOTE TO REFLECT JET.
5. REMOVED APPROACH CONTROL FROM COMMUNICATIONS.
6. ADDED CHART AT POOBA TERMINUS: LANDING ATL TO ADDITIONAL FLIGHT DATA.
7. MOVED RADAR REQUIRED FROM PROCEDURAL DATA NOTES TO EQUIPMENT REQUIREMENT NOTES.
8. ADDED REMARKS LOWEST ASSIGNED ATC ALTITUDE AT POOBA, 5000.
9. ADDED TO FIXES AND/ OR HOLDING PATTERNS: CHART LOST COMM FIXES: PRMAN, SLVAA, YOUYU, JIRRI, ZELOW.
10. UPDATED FORMATTING OF THE OF STAR NAME USED IN THE LANDING EAST PROCEUDRAL DATA NOTE, AND UPDATED THE "DESCEND VIA" PROCEDURAL DATA NOTE.


REASONS:

1. ATC REQUEST.
2. ATC ASSIGNED TRANSITIONS DOCUMENTED IN PROCEDURAL DATA NOTES AND FORMATTED IAW 8260.19J 4-5-12(D)3(B).
3. IAW CURRENT DOCUMENTATION STANDARDS.
4. DOCUMENTED IAW 8260.19J 4-5-12(d)3(a).
5. APPROACH CONTROL AND ATIS AUTOMATICALLY CHARTED AND DO NOT NEED TO BE DOCUMENTED IN THIS SECTION IAW 8260.19J 4-5-12(F).
6. TERMINUS INFO DOCUMENTED IAW 8260.19J 4-5-2(H)2.
7. RADAR REQUIRED DOCUMENTED IAW 8260.19J PARA 4-5-12(D)2(b).
8. WHEN NO ALTITUDE IS SPECIFIED AT THE TERMINUS FIX, THE LOWEST ASSIGNED ATC ALTITUDE MUST BE NOTED AS A REMARK.
9. IAFS CONNECT TO STATED APPROACHES IN LOST COMM; CHARTED FOR PILOT BENEFIT.
10. CURRENT DOCUMENTATION STANDARDS.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JJEDI (RNAV)	FOUR	JJEDI.JJEDI4	THREE	09/08/2022	
Graphic Depiction 1					



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name JJEDI (RNAV)	Number FOUR		STAR Computer Code JJEDI.JJEDI4		Superseded Number THREE		Dated 09/08/2022		Effective Date
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
EEWOK	331554.27N / 0815153.35W	Y		IF					EEWOK.JJEDI4
LAYUH	331822.97N / 0825235.46W	Y	FB	TF	273.06	50.95			
FLKNN	331417.68N / 0832625.72W	Y	FB	TF	261.97	28.66	AT/ABOVE 14000	AT 280K	
CHWEE	331200.65N / 0834438.88W	Y	FB	TF	261.60	15.45	AT/ABOVE 11000	AT 250K	
JJEDI	331125.42N / 0834921.76W	Y	FB	TF	261.60	04.00	AT/ABOVE 10000	AT 250K	
En Route Transition									
HOTHH	330325.84N / 0815146.87W	Y		IF					HOTHH.JJEDI4
LLNDO	330729.97N / 0824811.22W	Y	FB	TF	275.15	47.56			
XWNGG	331002.00N / 0832614.66W	Y	FB	TF	274.70	32.05	AT/ABOVE 14000	AT 280K	
BBFET	331107.85N / 0834436.60W	Y	FB	TF	274.15	15.45	AT/ABOVE 11000	AT 250K	
JJEDI	331125.42N / 0834921.76W	Y	FB	TF	274.21	04.00	AT/ABOVE 10000	AT 250K	
En Route Transition									
LARZZ	322247.07N / 0825841.17W	Y		IF			AT/ABOVE FL240		LARZZ.JJEDI4
NEWHP	323521.80N / 0831139.18W	Y	FB	TF	318.91	16.67			
DTSTR	325649.80N / 0833401.57W	Y	FB	TF	318.74	28.55	AT/ABOVE 14000	AT 280K	
WOKIE	330825.93N / 0834612.15W	Y	FB	TF	318.58	15.45	AT/ABOVE 11000	AT 250K	
JJEDI	331125.42N / 0834921.76W	Y	FB	TF	318.39	03.99	AT/ABOVE 10000	AT 250K	
En Route Transition									
LAYUH	331822.97N / 0825235.46W	Y		IF					LAYUH.JJEDI4
FLKNN	331417.68N / 0832625.72W	Y	FB	TF	261.97	28.66	AT/ABOVE 14000	AT 280K	
CHWEE	331200.65N / 0834438.88W	Y	FB	TF	261.60	15.45	AT/ABOVE 11000	AT 250K	
JJEDI	331125.42N / 0834921.76W	Y	FB	TF	261.60	04.00	AT/ABOVE 10000	AT 250K	
En Route Transition									
MELNM	335811.44N / 0820522.22W	Y		IF					MELNM.JJEDI4
LAYUH	331822.97N / 0825235.46W	Y	FB	TF	224.99	55.97			

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name JJEDI (RNAV)		Number FOUR		STAR Computer Code JJEDI.JJEDI4			Superseded Number THREE			Dated 09/08/2022	Effective Date
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS		
FLKNN	331417.68N / 0832625.72W	Y	FB	TF	261.97	28.66	AT/ABOVE 14000	AT 280K			
CHWEE	331200.65N / 0834438.88W	Y	FB	TF	261.60	15.45	AT/ABOVE 11000	AT 250K			
JJEDI	331125.42N / 0834921.76W	Y	FB	TF	261.60	04.00	AT/ABOVE 10000	AT 250K			
En Route Transition											
SKWKR	333631.60N / 0815212.64W	Y		IF						SKWKR.JJEDI4	
LAYUH	331822.97N / 0825235.46W	Y	FB	TF	250.56	53.66					
FLKNN	331417.68N / 0832625.72W	Y	FB	TF	261.97	28.66	AT/ABOVE 14000	AT 280K			
CHWEE	331200.65N / 0834438.88W	Y	FB	TF	261.60	15.45	AT/ABOVE 11000	AT 250K			
JJEDI	331125.42N / 0834921.76W	Y	FB	TF	261.60	04.00	AT/ABOVE 10000	AT 250K			
En Route Transition											
TYFTR	322413.44N / 0820712.00W	Y		IF						TYFTR.JJEDI4	
NEWHP	323521.80N / 0831139.18W	Y	FB	TF	281.81	55.63					
DTSTR	325649.80N / 0833401.57W	Y	FB	TF	318.74	28.55	AT/ABOVE 14000	AT 280K			
WOKIE	330825.93N / 0834612.15W	Y	FB	TF	318.58	15.45	AT/ABOVE 11000	AT 250K			
JJEDI	331125.42N / 0834921.76W	Y	FB	TF	318.39	03.99	AT/ABOVE 10000	AT 250K			
Common Route											
JJEDI	331125.42N / 0834921.76W	Y		IF			AT/ABOVE 10000	AT 250K		JJEDI.JJEDI4	
DAFII	331736.84N / 0835644.20W	Y	FB	TF	315.01	08.74	AT 8000				
GRHAM	332146.88N / 0840143.47W	Y	FB	TF	314.89	05.90					
POOBA	332741.92N / 0840150.89W	Y	FO	TF	359.00	05.91					
KATL				FM	359.00						