Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name		Number	STAR Computer Code	Superseded Number				Dated	Effective Date
	NINE DEKAL.DEKAL9 EIGHT			11/03/2022					
≣S:									
Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Al	titudes / Fixes
BORDO BORDO.DEKAL9	BORDO	BORDO							
	BORDO	MENDL	339.72 (ZBV R-160)	29.62	12000	1300			
	MENDL	ZBV VOR/DME	339.72 (ZBV R-160)	82.04	8000	1300			
	ZBV VOR/DME	DEKAL	299.71 (ZBV R-300)	20.24	3000	1300			
FREEPORT ZFP.DEKAL9	ZFP VOR/DME	ZFP VOR/DME							
	ZFP VOR/DME	ZBV VOR/DME	215.45 & 216.19 (ZFP R-215 & ZBV R-036)	60.25	8000	1500			
	ZBV VOR/DME	DEKAL	299.71 (ZBV R-300)	20.24	3000	1300			
NASSAU ZQA.DEKAL9	ZQA VOR/DME	ZQA VOR/DME							
	ZQA VOR/DME	RAJAY	298.40 (ZQA R-298)	43.50	8000	1400			
	RAJAY	ZBV VOR/DME	298.40 & 295.61 (ZBV R-116)	64.83	8000	1400			
	ZBV VOR/DME	DEKAL	299.71 (ZBV R-300)	20.24	3000	1300			
	Transition Computer Codes BORDO.DEKAL9	Transition From FIX/NAVAID BORDO.DEKAL9 BORDO BORDO MENDL ZBV VOR/DME ZFP.DEKAL9 ZFP VOR/DME ZFP VOR/DME ZBV VOR/DME ZQA VOR/DME ZQA VOR/DME	Transition From FIX/NAVAID BORDO.DEKAL9 BORDO B	NINE DEKAL.DEKAL9	NINE DEKAL.DEKAL9	NINE DEKAL.DEKAL9	NINE DEKALDEKAL9 EIGHT	NINE DEKAL.DEKAL9 EIGHT	NINE DEKAL.DEKAL9 EIGHT 11/03/2022

ARRIVAL ROUTE DESCRIPTION:

LANDING ALL AIRPORTS: FROM DEKAL ON FORT LAUDERDALE VOR/DME (FLL) R-120.67 TO FLL VOR/DME. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

EQUIPMENT REQUIREMENT NOTES:

NOTE: RADAR REQUIRED. NOTE: DME REQUIRED. PROCEDURAL DATA NOTES:

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT DEKAL: HOLD SE, LT, 300.67 INBOUND, 4 NM LEGS. CHART HOLDING AT MENDL: HOLD S, RT, 339.72 INBOUND, 10 NM LEGS. CHART HOLDING AT RAJAY: HOLD SE, RT, 298.40 INBOUND,12 NM LEGS. CHART HOLDING AT ZBV VOR/DME: HOLD SE, RT, 299.71 INBOUND.



Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

DEKAL	NINE	DEKAL.DEKAL9	EIGHT	11/03/2022	
Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date

COMMUNICATIONS:

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE	
FXE	FORT LAUDERDALE	FL	
FLL	FORT LAUDERDALE	FL	
OPF	MIAMI	FL	
HWO	HOLLYWOOD	FL	
PMP	POMPANO BEACH	FL	

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

TARGETS (IDENTIFIED) CONTROLLING OBSTS OVER WATER DOCUMENTED AS 295' SHIPS.
ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.

ORGANIZATION:

ADDITIONAL FLIGHT DATA:

FLIGHT INSPECTED BY:

CHART AT FLL VOR/DME TERMINUS: LDG FXE, FLL, OPF, HWO, PMP.

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF- 17) MEMO DATED 07/07/2021 SUBJECT: GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION.	ORGANIZATION.	DATE.	Flight Inspected Signature:	Digitally signed by ROBERT G HAMILTON Sep 09, 2024
DEVELOPED BY: ROBERT G. HAMILTON (TODD A. RUSSELL)	AJV-A433	7/1/2024	Developed By Signature:	Digitally signed by ROBERT G HAMILTON Sep 09, 2024
APPROVED BY: ROBERT G. HAMILTON	AJV-A433	12/26/2024	Approved By Signature:	Digitally signed by ROBERT G HAMILTON Sep 09, 2024

DATE:

CHANGES:

- 1. UPDATED ZBV VORTAC TO ZBV VOR/DME.
- 2. EQUIPMENT REQUIREMENT NOTES: MOVED "NOTE: RADAR REQUIRED" AND "NOTE: DME REQUIRED" FROM PROCEDURAL DATA NOTES.
- 3. COMMUNICATIONS: DELETED "CHART: MIA APP CON".
- 4. AIRPORTS SERVED: UPDATED AIRPORT ID'S.
- 5. ADDITIONAL FLIGHT DATA: UPDATED LOCATION ID'S.



Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
DEKAL	NINE	DEKAL.DEKAL9	EIGHT	11/03/2022	

REASONS:

- 1. ZBV VORTAC CONVERTED TO VOR/DME.
- 2. IAW 8260.19J, 4-5-12.D(2).
- 3. IAW 8260.19J, 4-5-12.F.
- 4-5. IAW 8260.19J, 4-5-12.G.

10/24/2024: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 09/09/2024.
FIXS AND/OR HOLDING PATTERNS: CHANGED "CHART HOLDING AT ZBV VORTAC..." TO " CHART HOLDING AT ZBV VOR/DME..."



Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name Number STAR Computer Code Superseded Number Dated Effective Date

DEKAL NINE DEKAL.DEKAL9 EIGHT 11/03/2022

