

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
WEGEM	ONE	WEGEM1.WEGEM	NONE		

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

TAKEOFF RWY 7: CLIMB ON HEADING 079.42 TO 6679, THEN CLIMBING LEFT TURN DIRECT WEGEM, THENCE...
TAKEOFF RWY 25: CLIMB ON HEADING 259.43 TO 6679, THEN CLIMBING RIGHT TURN DIRECT WEGEM, THENCE...

...CROSS WEGEM AT OR ABOVE MEA/MCA FOR ROUTE OF FLIGHT.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>

PBN REQUIREMENT NOTES:

RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:

PROCEDURAL DATA NOTES:

TAKEOFF MINIMUMS:

RWY 7: STANDARD WITH MINIMUM CLIMB OF 309 FT/NM TO 7800.
RWY 25: STANDARD WITH MINIMUM CLIMB OF 540 FT/NM TO 7600.

TAKEOFF OBSTACLES NOTES:

RWY 7: FENCES, TREES, TERRAIN BEGINNING 9 FT FROM DER, 74 FT LEFT OF CENTERLINE, UP TO 7 FT AGL/6150 FT MSL.
POLE 498 FT FROM DER, 534 FT LEFT OF CENTERLINE, 27 FT AGL/6166 FT MSL.
POLE 499 FT FROM DER, 247 FT RIGHT OF CENTERLINE, 38 FT AGL/6131 FT MSL.
POLE, TREES, TERRAIN BEGINNING 499 FT FROM DER, 225 FT LEFT OF CENTERLINE, UP TO 30 FT AGL/6167 FT MSL.
POLE 502 FT FROM DER, 557 FT RIGHT OF CENTERLINE, 34 FT AGL/6135 FT MSL.
ELECTRICAL SYSTEMS BEGINNING 1305 FT FROM DER, 559 FT LEFT OF CENTERLINE, UP TO 55 FT AGL/6171 FT MSL.

RWY 25: TERRAIN 3 FT FROM DER, 216 FT RIGHT OF CENTERLINE, 6183 FT MSL.
TREE, VEGETATION BEGINNING 30 FT FROM DER, 192 FT LEFT OF CENTERLINE, UP TO 6184 FT MSL.
TREES, BUILDING, TERRAIN, POLE BEGINNING 55 FT FROM DER, 91 FT LEFT OF CENTERLINE, UP TO 6210 FT MSL.
VEGETATION 210 FT FROM DER, 188 FT RIGHT OF CENTERLINE, 6186 FT MSL.
TREE, TERRAIN BEGINNING 392 FT FROM DER, 170 FT LEFT OF CENTERLINE, UP TO 6211 FT MSL.
TERRAIN 435 FT FROM DER, 113 FT RIGHT OF CENTERLINE, 6193 FT MSL.
TREE, BUILDING, TERRAIN BEGINNING 454 FT FROM DER, 34 FT LEFT OF CENTERLINE, UP TO 6214 FT MSL.
TERRAIN 565 FT FROM DER, 106 FT RIGHT OF CENTERLINE, 6198 FT MSL.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
WEGEM	ONE	WEGEM1.WEGEM	NONE		

TREES, BUILDINGS, TERRAIN, POLES BEGINNING 606 FT FROM DER, 84 FT LEFT OF CENTERLINE, UP TO 6224 FT MSL.
TERRAIN 751 FT FROM DER, 32 FT RIGHT OF CENTERLINE, 6203 FT MSL.
TREES, POLES, TERRAIN, BUILDING BEGINNING 863 FT FROM DER, 14 FT LEFT OF CENTERLINE, UP TO 6232 FT MSL.
TREES, POLES, BUILDINGS BEGINNING 1350 FT FROM DER, 252 FT LEFT OF CENTERLINE, UP TO 6251 FT MSL.
TREES BEGINNING 2336 FT FROM DER, 742 FT LEFT OF CENTERLINE, UP TO 6278 FT MSL.

CONTROLLING OBSTACLES:

RWY 7: 6764 FT MSL TREE 410048.26N/1093725.70W (CLIMB GRADIENT), 8180 FT MSL AAO 410728.06N/1094452.95W (CLIMB GRADIENT TERMINATION ALTITUDE).
RWY 25: 6904 FT MSL TOWER 405946.04N/1094334.10W (CLIMB GRADIENT), 8180 FT MSL AAO 410728.06N/1094452.95W (CLIMB GRADIENT TERMINATION ALTITUDE).
OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: RWY 7: 6980 FT MSL TREE 405751.00N/1093857.00W, RWY 25: 8741 FT MSL AAO 405700.00N/1094748.00W.

MSA:

40U, 14000

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

AIRPORT MV: 40U 10E/2025
DME/DME ASSESMENT: NOT CONDUCTED.

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
40U	MANILA	UT

COMMUNICATIONS:

CHART: AWOS, CTAF

FIXES AND/OR NAVAIDS:

REMARKS:

APPROVAL LETTER ON FILE FOR RWY 25 CG IN EXCESS OF 500 FT/NM.
50 FT VEGATATION HEIGHT USED. - PER FPT CHECKLIST.

Digitally signed by
CASIMIR L TABAKA

FLIGHT INSPECTED BY

RUSSELL ROSLEWSKI

SIGNATURE

Dec 23, 2025

OFFICE

AJF

DATE

12/22/2025

DEVELOPED BY

LEO PALMER

SIGNATURE

Digitally signed by
CASIMIR L TABAKA

Dec 23, 2025

OFFICE

AJV-A432

DATE

08/19/2025

APPROVED BY

CASIMIR TABAKA

SIGNATURE

Digitally signed by
CASIMIR L TABAKA

Dec 23, 2025

OFFICE

AJV-A432

DATE

02/12/2026

TITLE

MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:

A4A **ALPA** **AOPA** **APA** **HAI** **NBAA** **OTHER:**ZLC ARTCC, AMGR



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
WEGEM	ONE	WEGEM1.WEGEM	NONE		

CHANGES - REASONS:
ORIGINAL

12/19/25: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 8/19/25.
1. DEPARTURE ROUTE DESCRIPTION: CHANGED "...CROSS WEGAM" TO "...CROSS WEGEM"



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>				
WEGEM	ONE	WEGEM1.WEGEM	NONE						
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW07 (AER)	405910.76N/1094117.27W	N	-	-	-	-			
6679 MSL	-	-	-	VA	089.42	-	AT/ABOVE 6679		CG 309 FT PER NM TO 7800
WEGEM	412644.34N/1095924.49W	Y	FB	DF	-	-			LEFT TURN
RW25 (AER)	405911.28N/1094008.12W	N	-	-	-	-			
6679 MSL	-	-	-	VA	269.43	-	AT/ABOVE 6679		CG 540 FT PER NM TO 7600
WEGEM	412644.34N/1095924.49W	Y	FB	DF	-	-			RIGHT TURN

