

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| <u>DP NAME</u> | <u>NUMBER</u> | <u>DP COMPUTER CODE</u> | <u>SUPERSEDED NUMBER</u> | <u>DATED</u> | <u>ACTUAL EFFECTIVE DATE</u> |
|----------------|---------------|-------------------------|--------------------------|--------------|------------------------------|
| CARBON | TWO | CRBN2.NEDAE | ONE | 10/12/2017 | |

| <u>TYPE:</u> | <u>OBSTACLE</u> | <u>COPTER</u> | <u>SID</u> | <u>SPECIAL</u> | <u>RNAV</u> |
|--------------|-------------------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|
| | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

DP ROUTE DESCRIPTION:

TAKEOFF RWY 6: CLIMB ON HEADING 061.95 TO 7049, THEN CLIMB DIRECT TO YEGUS, THEN ON DEPICTED ROUTE TO NEDAE, THENCE...
... EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

| <u>TRANSITION NAME</u> | <u>TRANSITION COMPUTER CODE</u> | <u>FROM FIX/NAVAID</u> | <u>TO FIX/NAVAID</u> | <u>COURSE</u> | <u>DISTANCE</u> | <u>MEA</u> | <u>MOCA</u> | <u>CROSSING ALTITUDE/FIXES</u> |
|------------------------|---------------------------------|------------------------|----------------------|---------------|-----------------|------------|-------------|--------------------------------|
|------------------------|---------------------------------|------------------------|----------------------|---------------|-----------------|------------|-------------|--------------------------------|

PROCEDURAL DATA NOTES:

PBN REQUIREMENTS NOTES:

RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:

TAKEOFF MINIMUMS:

RWY 6: 600-3 OR STANDARD WITH MINIMUM CLIMB OF 490 FT/NM TO 7600.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 6: FENCE, LIGHT POLES, TERRAIN BEGINNING 47 FT FROM DER, 70 FT LEFT OF CENTERLINE, UP TO 12 FT AGL/6570 FT MSL. LIGHT POLES 49 FT FROM DER, 77 FT RIGHT OF CENTERLINE, 6553 FT MSL. TRAVERSE WAY, TERRAIN, FENCE BEGINNING 125 FT FROM DER, 2 FT RIGHT OF CENTERLINE, UP TO 6570 FT MSL. TRAVERSE WAY BEGINNING 339 FT FROM DER, 224 FT RIGHT OF CENTERLINE, UP TO 6574 FT MSL. TRAVERSE WAY, TERRAIN, FENCE BEGINNING 414 FT FROM DER, 1 FT RIGHT OF CENTERLINE, UP TO 6576 FT MSL. TRAVERSE WAY, TERRAIN BEGINNING 521 FT FROM DER, 107 FT LEFT OF CENTERLINE, UP TO 6575 FT MSL. TRAVERSE WAY, TERRAIN BEGINNING 547 FT FROM DER, 92 FT LEFT OF CENTERLINE, UP TO 6582 FT MSL. TRAVERSE WAY, TERRAIN, VEGETATION BEGINNING 697 FT FROM DER, 13 FT LEFT OF CENTERLINE, UP TO 6590 FT MSL. FENCE 861 FT FROM DER, 254 FT RIGHT OF CENTERLINE, 6 FT AGL/6577 FT MSL. FENCE 913 FT FROM DER, 225 FT RIGHT OF CENTERLINE, 8 FT AGL/6579 FT MSL. VEGETATION, TERRAIN BEGINNING 1356 FT FROM DER, 322 FT LEFT OF CENTERLINE, UP TO 6594 FT MSL. TERRAIN BEGINNING 1466 FT FROM DER, 558 FT LEFT OF CENTERLINE, UP TO 6597 FT MSL. VEGETATION, TERRAIN BEGINNING 1651 FT FROM DER, 439 FT LEFT OF CENTERLINE, UP TO 6598 FT MSL. TERRAIN, FENCE BEGINNING 1710 FT FROM DER, 535 FT LEFT OF CENTERLINE, UP TO 6601 FT MSL. VEGETATION, TERRAIN BEGINNING 1823 FT FROM DER, 155 FT LEFT OF CENTERLINE, UP TO 6602 FT MSL. VEGETATION, TERRAIN BEGINNING 1908 FT FROM DER, 639 FT LEFT OF CENTERLINE, UP TO 6608 FT MSL. VEGETATION, TERRAIN BEGINNING 2056 FT FROM DER, 680 FT LEFT OF CENTERLINE, UP TO 6610 FT MSL. VEGETATION, TERRAIN BEGINNING 2280 FT FROM DER, 584 FT LEFT OF CENTERLINE, UP TO 6611 FT MSL. TERRAIN BEGINNING 2365 FT FROM DER, 815 FT LEFT OF CENTERLINE, UP TO 6614 FT MSL. VEGETATION BEGINNING 2402 FT FROM DER, 935 FT LEFT OF CENTERLINE, UP TO 6618 FT MSL. TERRAIN, VEGETATION BEGINNING 2571 FT FROM DER, 959 FT LEFT OF CENTERLINE, UP TO 6622 FT MSL. VEGETATION, TERRAIN BEGINNING 2854 FT FROM DER, 539 FT LEFT OF CENTERLINE, UP TO 6625 FT MSL. VEGETATION BEGINNING 3034 FT FROM DER, 772 FT LEFT OF CENTERLINE, UP TO 6627 FT MSL. VEGETATION, TERRAIN BEGINNING 3114 FT FROM DER, 598 FT LEFT OF CENTERLINE, UP TO 6635 FT MSL. TERRAIN, VEGETATION BEGINNING 3208 FT FROM DER, 735 FT LEFT OF CENTERLINE, UP TO 6641 FT MSL. VEGETATION 3261 FT FROM DER, 1273 FT LEFT OF CENTERLINE, 6643 FT MSL. VEGETATION BEGINNING 3270 FT FROM DER, 546 FT LEFT OF CENTERLINE, UP TO 6646 FT MSL. VEGETATION, TERRAIN, FENCE BEGINNING 3380 FT FROM DER, 316 FT LEFT OF CENTERLINE, UP TO 6655 FT MSL. VEGETATION, TERRAIN BEGINNING 3517 FT FROM DER, 430 FT LEFT OF CENTERLINE, UP TO 6656 FT MSL. VEGETATION 3575 FT FROM DER, 804 FT LEFT OF CENTERLINE, 6657 FT MSL. VEGETATION, TERRAIN, FENCE BEGINNING 3598 FT FROM DER, 48 FT LEFT OF CENTERLINE, UP TO 6662 FT MSL. TERRAIN 3613 FT FROM DER, 360 FT RIGHT OF CENTERLINE, 6640 FT MSL. VEGETATION 3679 FT FROM DER, 290 FT RIGHT OF CENTERLINE, 6642 FT MSL. VEGETATION 3723 FT FROM DER, 573 FT RIGHT OF CENTERLINE, 6645 FT MSL. VEGETATION 3765 FT FROM DER, 160 FT RIGHT OF CENTERLINE, 6646 FT MSL. VEGETATION, TERRAIN BEGINNING 3772 FT FROM DER, 316 FT RIGHT OF CENTERLINE, UP TO 6649 FT MSL. VEGETATION, TERRAIN, FENCE BEGINNING 3793 FT FROM DER, 399 FT LEFT OF CENTERLINE, UP TO 6667 FT MSL. VEGETATION 3880 FT FROM DER, 648 FT RIGHT OF CENTERLINE, 6653 FT MSL. VEGETATION, TERRAIN BEGINNING 3883 FT FROM DER, 28 FT LEFT OF CENTERLINE, UP TO 6669 FT MSL. VEGETATION, TERRAIN BEGINNING 3897 FT FROM DER, 321 FT RIGHT OF CENTERLINE, UP TO 6654 FT MSL. VEGETATION 3959 FT FROM DER, 465 FT RIGHT OF CENTERLINE, 6657 FT MSL. FENCE, VEGETATION, TERRAIN BEGINNING 3968 FT FROM DER, 353 FT LEFT OF CENTERLINE, UP TO 3 FT AGL/6676 FT MSL. TERRAIN, VEGETATION BEGINNING 4026 FT



| <u>DP NAME</u> | <u>NUMBER</u> | <u>DP COMPUTER CODE</u> | <u>SUPERSEDED NUMBER</u> | <u>DATED</u> | <u>ACTUAL EFFECTIVE DATE</u> |
|----------------|---------------|-------------------------|--------------------------|--------------|------------------------------|
| CARBON | TWO | CRBN2.NEDAE | ONE | 10/12/2017 | |

FROM DER, 27 FT RIGHT OF CENTERLINE, UP TO 6659 FT MSL. TERRAIN, VEGETATION, TREE BEGINNING 4027 FT FROM DER, 182 FT LEFT OF CENTERLINE, UP TO 6680 FT MSL. VEGETATION, TERRAIN BEGINNING 4093 FT FROM DER, 575 FT RIGHT OF CENTERLINE, UP TO 6664 FT MSL. VEGETATION 4135 FT FROM DER, 1340 FT LEFT OF CENTERLINE, 6682 FT MSL. FENCE, TERRAIN, VEGETATION BEGINNING 4141 FT FROM DER, 10 FT LEFT OF CENTERLINE, UP TO 4 FT AGL/6690 FT MSL. VEGETATION 4147 FT FROM DER, 311 FT RIGHT OF CENTERLINE, 6668 FT MSL. VEGETATION, TERRAIN BEGINNING 4187 FT FROM DER, 88 FT RIGHT OF CENTERLINE, UP TO 6671 FT MSL. TERRAIN, VEGETATION BEGINNING 4235 FT FROM DER, 326 FT LEFT OF CENTERLINE, UP TO 6695 FT MSL. FENCE 4323 FT FROM DER, 1107 FT LEFT OF CENTERLINE, 3 FT AGL/6701 FT MSL. VEGETATION, TERRAIN BEGINNING 4355 FT FROM DER, 127 FT LEFT OF CENTERLINE, UP TO 6710 FT MSL. TERRAIN, VEGETATION BEGINNING 4391 FT FROM DER, 152 FT LEFT OF CENTERLINE, UP TO 6712 FT MSL. VEGETATION 4414 FT FROM DER, 489 FT RIGHT OF CENTERLINE, 6681 FT MSL. TERRAIN, VEGETATION BEGINNING 4445 FT FROM DER, 434 FT LEFT OF CENTERLINE, UP TO 6714 FT MSL. TERRAIN 4452 FT FROM DER, 305 FT RIGHT OF CENTERLINE, 6683 FT MSL. VEGETATION, TERRAIN BEGINNING 4461 FT FROM DER, 182 FT RIGHT OF CENTERLINE, UP TO 6684 FT MSL. TERRAIN 4495 FT FROM DER, 535 FT RIGHT OF CENTERLINE, 6685 FT MSL. FENCE VEGETATION, TERRAIN BEGINNING 4497 FT FROM DER, 5 FT LEFT OF CENTERLINE, UP TO 4 FT AGL/6718 FT MSL. TERRAIN, VEGETATION BEGINNING 4508 FT FROM DER, 79 FT RIGHT OF CENTERLINE, UP TO 6687 FT MSL. TERRAIN, VEGETATION BEGINNING 4537 FT FROM DER, 159 FT LEFT OF CENTERLINE, UP TO 6736 FT MSL. VEGETATION, TERRAIN BEGINNING 4615 FT FROM DER, 504 FT RIGHT OF CENTERLINE, UP TO 6692 FT MSL. TERRAIN, VEGETATION BEGINNING 4627 FT FROM DER, 252 FT LEFT OF CENTERLINE, UP TO 6745 FT MSL. TERRAIN 4676 FT FROM DER, 275 FT RIGHT OF CENTERLINE, 6696 FT MSL. VEGETATION, FENCE BEGINNING 4678 FT FROM DER, 983 FT LEFT OF CENTERLINE, UP TO 6750 FT MSL. TERRAIN 4696 FT FROM DER, 491 FT RIGHT OF CENTERLINE, 6697 FT MSL. VEGETATION, TERRAIN BEGINNING 4702 FT FROM DER, 358 FT RIGHT OF CENTERLINE, UP TO 6699 FT MSL. VEGETATION, TERRAIN BEGINNING 4728 FT FROM DER, 124 FT RIGHT OF CENTERLINE, UP TO 6701 FT MSL. TERRAIN BEGINNING 4734 FT FROM DER, 460 FT LEFT OF CENTERLINE, UP TO 6758 FT MSL. TERRAIN, FENCE BEGINNING 4741 FT FROM DER, 25 FT RIGHT OF CENTERLINE, UP TO 6703 FT MSL. TERRAIN, VEGETATION, FENCE BEGINNING 4756 FT FROM DER, 20 FT LEFT OF CENTERLINE, UP TO 6762 FT MSL. VEGETATION, FENCE BEGINNING 4822 FT FROM DER, 507 FT RIGHT OF CENTERLINE, UP TO 6706 FT MSL. TERRAIN 4883 FT FROM DER, 355 FT RIGHT OF CENTERLINE, 6709 FT MSL. VEGETATION, TERRAIN, FENCE BEGINNING 4897 FT FROM DER, 12 FT RIGHT OF CENTERLINE, UP TO 6716 FT MSL. VEGETATION, TERRAIN BEGINNING 5044 FT FROM DER, 432 FT RIGHT OF CENTERLINE, UP TO 6718 FT MSL. VEGETATION, TERRAIN BEGINNING 5082 FT FROM DER, 528 FT RIGHT OF CENTERLINE, UP TO 6722 FT MSL. TERRAIN, VEGETATION BEGINNING 5108 FT FROM DER, 425 FT RIGHT OF CENTERLINE, UP TO 6726 FT MSL. TERRAIN 5141 FT FROM DER, 70 FT RIGHT OF CENTERLINE, 6730 FT MSL. TERRAIN, VEGETATION BEGINNING 5149 FT FROM DER, 206 FT RIGHT OF CENTERLINE, UP TO 6731 FT MSL. VEGETATION, TERRAIN BEGINNING 5184 FT FROM DER, 225 FT RIGHT OF CENTERLINE, UP TO 6736 FT MSL. VEGETATION 5293 FT FROM DER, 635 FT RIGHT OF CENTERLINE, 6740 FT MSL. VEGETATION, TERRAIN BEGINNING 5304 FT FROM DER, 341 FT RIGHT OF CENTERLINE, UP TO 6745 FT MSL. TERRAIN, VEGETATION BEGINNING 5330 FT FROM DER, 139 FT LEFT OF CENTERLINE, UP TO 6770 FT MSL. TERRAIN BEGINNING 5332 FT FROM DER, 313 FT RIGHT OF CENTERLINE, UP TO 6750 FT MSL. TERRAIN, VEGETATION, TRAVERSE WAY BEGINNING 5358 FT FROM DER, 93 FT RIGHT OF CENTERLINE, UP TO 6754 FT MSL. VEGETATION, FENCE BEGINNING 5417 FT FROM DER, 227 FT LEFT OF CENTERLINE, UP TO 6772 FT MSL. VEGETATION, FENCE BEGINNING 5434 FT FROM DER, 169 FT RIGHT OF CENTERLINE, UP TO 6761 FT MSL. VEGETATION, TRAVERSE WAY, FENCE BEGINNING 5457 FT FROM DER, 426 FT RIGHT OF CENTERLINE, UP TO 6765 FT MSL. TERRAIN, VEGETATION BEGINNING 5468 FT FROM DER, 253 FT LEFT OF CENTERLINE, UP TO 6792 FT MSL. TERRAIN, VEGETATION, FENCE BEGINNING 5546 FT FROM DER, 97 FT LEFT OF CENTERLINE, UP TO 6799 FT MSL. TERRAIN 5546 FT FROM DER, 512 FT RIGHT OF CENTERLINE, 6771 FT MSL. TERRAIN, TRAVERSE WAY, VEGETATION, FENCE BEGINNING 5553 FT FROM DER, 17 FT RIGHT OF CENTERLINE, UP TO 6780 FT MSL. VEGETATION, TRAVERSE WAY, FENCE BEGINNING 5628 FT FROM DER, 38 FT RIGHT OF CENTERLINE, UP TO 6784 FT MSL. TERRAIN, TRAVERSE WAY, FENCE, VEGETATION BEGINNING 5679 FT FROM DER, 378 FT RIGHT OF CENTERLINE, UP TO 6799 FT MSL. TERRAIN, VEGETATION BEGINNING 5684 FT FROM DER, 313 FT LEFT OF CENTERLINE, UP TO 6805 FT MSL. VEGETATION, TERRAIN, FENCE BEGINNING 5730 FT FROM DER, 12 FT LEFT OF CENTERLINE, UP TO 6814 FT MSL. TERRAIN 5751 FT FROM DER, 158 FT RIGHT OF CENTERLINE, 6819 FT MSL. VEGETATION, TERRAIN, FENCE, TRAVERSE WAY BEGINNING 5761 FT FROM DER, 245 FT RIGHT OF CENTERLINE, UP TO 6828 FT MSL. TRAVERSE WAY, FENCE, VEGETATION, TERRAIN BEGINNING 5862 FT FROM DER, 106 FT RIGHT OF CENTERLINE, UP TO 6830 FT MSL. TERRAIN, VEGETATION BEGINNING 5936 FT FROM DER, 41 FT LEFT OF CENTERLINE, UP TO 6825 FT MSL. TERRAIN 5981 FT FROM DER, 451 FT LEFT OF CENTERLINE, 6826 FT MSL. TERRAIN, FENCE, VEGETATION BEGINNING 5981 FT FROM DER, 262 FT LEFT OF CENTERLINE, UP TO 6831 FT MSL. TRAVERSE WAY, VEGETATION BEGINNING 5988 FT FROM DER, 231 FT RIGHT OF CENTERLINE, UP TO 6832 FT MSL. TERRAIN, FENCE, TRAVERSE WAY BEGINNING 5994 FT FROM DER, 192 FT RIGHT OF CENTERLINE, UP TO 6842 FT MSL. VEGETATION, TERRAIN, TRAVERSE WAY, FENCE BEGINNING 6007 FT FROM DER, 66 FT RIGHT OF CENTERLINE, UP TO 6848 FT MSL. TRAVERSE WAY, TERRAIN, FENCE, VEGETATION BEGINNING 1 NM FROM DER, 64 FT LEFT OF CENTERLINE, UP TO 6915 FT MSL. TERRAIN, VEGETATION BEGINNING 1 NM FROM DER, 24 FT RIGHT OF CENTERLINE, UP TO 6943 FT MSL. TRAVERSE WAY, VEGETATION, TERRAIN BEGINNING 1.1 NM FROM DER, 23 FT RIGHT OF CENTERLINE, UP TO 6957 FT MSL. TERRAIN, VEGETATION BEGINNING 1.1 NM FROM DER, 11 FT LEFT OF CENTERLINE, UP TO 6944 FT MSL. VEGETATION, TERRAIN BEGINNING 1.2 NM FROM DER, 7 FT LEFT OF CENTERLINE, UP TO 6986 FT MSL. VEGETATION, TERRAIN TRAVERSE WAY, FENCE BEGINNING 1.2 NM FROM DER, 13 FT RIGHT OF CENTERLINE, UP TO 6988 FT MSL. FENCE, VEGETATION, TERRAIN BEGINNING 1.4 NM FROM DER, 58 FT LEFT OF CENTERLINE, UP TO 4 FT AGL/6997 FT MSL. FENCE, VEGETATION, TERRAIN, TREE BEGINNING 1.5 NM FROM DER, 11 FT LEFT OF CENTERLINE, UP TO 7013 FT MSL. FENCE, TREES, BUILDING BEGINNING 1.5 NM FROM DER, 3 FT RIGHT OF CENTERLINE, UP TO 7002 FT MSL. FENCE, TREES, TERRAIN, VEGETATION BEGINNING 1.6 NM FROM DER, 14 FT LEFT OF CENTERLINE, UP TO 7072 FT MSL. TERRAIN, VEGETATION, FENCE, TREE BEGINNING 1.7 NM FROM DER, 265 FT LEFT OF CENTERLINE, UP TO 7079 FT MSL. TREES, TERRAIN, BUILDING, VEGETATION, TRAVERSE WAY BEGINNING 1.8 NM FROM DER, 195 FT LEFT OF CENTERLINE, UP TO 7097 FT MSL. VEGETATION, TERRAIN, TRAVERSE WAY BEGINNING 1.9 NM FROM DER, 240 FT LEFT OF CENTERLINE, UP TO 7098 FT MSL. TRAVERSE WAYS, TERRAIN, VEGETATION, TREE BEGINNING 2 NM FROM DER, 23 FT LEFT OF CENTERLINE, UP TO 7117 FT MSL. TERRAIN, VEGETATION, BUILDING, TREE BEGINNING 2.3 NM FROM DER, 1041 FT LEFT OF CENTERLINE, UP TO 7123 FT MSL. VEGETATION 2.5 NM FROM DER, 3077 FT LEFT OF CENTERLINE, 6952 FT MSL.

CONTROLLING OBSTACLES:

RWY 6: 6937 FT MSL TERRAIN (56-053082) 410240.93N/1072729.10W (CLIMB GRADIENT), 8159 FT MSL AAO 410852.39N/1072322.68W (CLIMB-TO-ALTITUDE). 7242 FT MSL TREE 410351.00N/1072612.00W (CEILING). 7177 FT MSL TREE 410354.00N/1072600.00W (VISIBILITY)

RWY 6: OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: 10728 FEET MSL AAO 405000.00N/1072318.00W.

MSA:

MSA FROM ARP KDWX, 12200



| <u>DP NAME</u> | <u>NUMBER</u> | <u>DP COMPUTER CODE</u> | <u>SUPERSEDED NUMBER</u> | <u>DATED</u> | <u>ACTUAL EFFECTIVE DATE</u> |
|----------------|---------------|-------------------------|--------------------------|--------------|------------------------------|
| CARBON | TWO | CRBN2.NEDAE | ONE | 10/12/2017 | |

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

AIRPORT MV: DWX 9E/2020
DME/DME ASSESSMENT: NOT CONDUCTED.

AIRPORTS SERVED:

| <u>AIRPORT ID</u> | <u>CITY</u> | <u>STATE</u> |
|-------------------|-------------|--------------|
| KDWX | DIXON | WY |

COMMUNICATIONS:

CHART: AWOS, CTAF, ZDV

FIXES AND/OR NAVAIDS:

REMARKS:

FLIGHT INSPECTED BY

BRIAN HARRELSON

JASON KRETSCHMER

Jul 11, 2023

OFFICE

FPO

DATE

07/05/2023

DEVELOPED BY

RAYMOND JOHNSON

Digitally signed by

RAYMOND R JOHNSON

May 11, 2023

OFFICE

AJV-A421

DATE

11/29/2022

APPROVED BY

MARLON J. ROBINSON

Digitally signed by

JASON KRETSCHMER

May 16, 2023

OFFICE

AJV-A420

DATE

TITLE

MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:

A4A **ALPA** **AOPA** **APA** **HAI** **NBAA** **OTHER:** ZDV, AMGR

CHANGES - REASONS:

1. DP ROUTE DESCRIPTION: CHANGED FROM TAKEOFF RWY 6: CLIMB HEADING 061.95 TO 6973, THEN LEFT TURN DIRECT YEGUS THEN ON DEPICTED ROUTE TO NEDAE, THENCE... EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE TO TAKEOFF RWY 6: CLIMB ON HEADING 061.95 TO 7049, THEN CLIMB DIRECT TO YEGUS, THEN ON DEPICTED ROUTE TO NEDAE, THENCE... EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE - NEW EVALUATION, UPDATED LNAV ENGAGEMENT ALTITUDE.
2. UPDATED PROCEDURAL DATA NOTES FROM: NOTE: GPS REQUIRED AND RNAV 1 TO RNAV 1 - GPS AND MOVED TO PBN REQUIREMENTS NOTES SECTION - 8260.46J 2-1-1.F(5)A .
3. TAKEOFF MINIMUMS: CHANGED FROM RWY 6, 600-3 OR STANDARD WITH MINIMUM CLIMB OF 485 FT PER NM TO 7200 TO RWY 6: 600-3 OR STANDARD WITH MINIMUM CLIMB OF 490 FT/NM TO 7600 - NEW EVALUATION, NEW CONTOLLING OBSTACLE.
4. UPDATED TAKEOFF OBSTACLS NOTES - UPDATED SURVEY, NEW EVALUATION

QUALITY
20
CHECKED

| <u>DP NAME</u> | <u>NUMBER</u> | <u>DP COMPUTER CODE</u> | <u>SUPERSEDED NUMBER</u> | <u>DATED</u> | <u>ACTUAL EFFECTIVE DATE</u> |
|----------------|---------------|-------------------------|--------------------------|--------------|------------------------------|
| CARBON | TWO | CRBN2.NEDAE | ONE | 10/12/2017 | |

5. CHANGED CONTROLLING OBSTACLES FROM RWY 6: 6955 FEET MSL VEHICLE ON ROAD 410245.74N/1072726.30W (CG, CGTA). 7123 FEET MSL GRD 410347.80N/1072613.18W (CEILING). 7100 FEET MSL GRD 410350.01N/1072601.83W (VISIBILITY) TO RWY 6: 6937 FT MSL TERRAIN (56-053082) 410240.93N/1072729.10W (CLIMB GRADIENT), 8159 FT MSL AAO 410852.39N/1072322.68W (CLIMB-TO-ALTITUDE). 7123 FT MSL TERRAIN (56-035636) 410347.80N/1072613.18W (CEILING). 7034 FT MSL TREE (56-055029) 410351.53N/1072558.48W (VISIBILITY) - UPDATED FORMATTING, NEW CLIMB GRADIENT AND CLIMB-TO-ALTITUDE CONTROLLERS.
6. ADDED MSA FROM ARP KDWX 12200 - 8260.46J APPENDIX D SECTION 2.
7. REPLACED WP VOGIE WITH VANJO AND MOVED LOCATION 1.90 NM NW - 8260.58B, 1-2-5B(1)A.

05/10/23: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 01/18/23.
 1. EXCESSIVE TAKEOFF OBSTACLE NOTES REDUCED DOWN.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

| <u>DP NAME</u> | <u>NUMBER</u> | <u>DP COMPUTER CODE</u> | <u>SUPERSEDED NUMBER</u> | <u>DATED</u> | <u>ACTUAL EFFECTIVE DATE</u> | | | | |
|-------------------|------------------------|-------------------------|--------------------------|-----------------|------------------------------|------------------|-----------------|--------------|----------------------|
| CARBON | TWO | CRBN2.NEDAE | ONE | 10/12/2017 | | | | | |
| <u>FIX/NAVAID</u> | <u>LAT/LONG</u> | <u>C</u> | <u>FO/FB</u> | <u>LEG TYPE</u> | <u>TC</u> | <u>DIST (NM)</u> | <u>ALTITUDE</u> | <u>SPEED</u> | <u>REMARKS</u> |
| RW06 (AER) | 410203.51N/1073016.26W | N | - | - | - | - | | | |
| 7049 MSL | - | - | - | VA | - | - | AT/ABOVE 7049 | | CG 490 FT/NM TO 7600 |
| YEGUS | 410402.09N/1072406.08W | Y | FB | DF | - | - | | | LEFT TURN |
| WIBSO | 410758.03N/1071907.60W | Y | FB | TF | 043.71 | 5.44 | | | |
| VANJO | 411426.37N/1072207.77W | Y | FB | TF | 340.70 | 6.85 | | | |
| UCIGA | 411547.08N/1072808.96W | Y | FB | TF | 286.53 | 4.74 | | | |
| NEDAE | 411715.94N/1074043.76W | Y | FB | TF | 278.94 | 9.60 | | | |

QUALITY
20
CHECKED