

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CPTAN (RNAV)	FOUR	CPTAN.CPTAN4	THREE	01/25/2024	

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
BORRD	BORRD.CPTAN4	BORRD	BORRD						AT/ABOVE FL240
			FALTI	166.37	16.22	FL180	1600		AT/ABOVE FL180
			CAARL	160.78	11.67	6000	1600		AT/ABOVE 14000
			CPTAN	160.82	15.20	6000	1300		BETWEEN 10000 AND 11000
KENLL	KENLL.CPTAN4	KENLL	KENLL						
			JOEYY	166.05	39.69	FL180	1600		
			ROTOW	166.20	20.00	FL180	1600		
			STEPP	166.26	23.22	FL180	1600		AT/ABOVE FL250
			BORRD	166.33	22.41	FL180	1600		AT/ABOVE FL240
			FALTI	166.37	16.22	FL180	1600		AT/ABOVE FL180
			CAARL	160.78	11.67	6000	1600		AT/ABOVE 14000
			CPTAN	160.82	15.20	6000	1300		BETWEEN 10000 AND 11000
ROKKT	ROKKT.CPTAN4	ROKKT	ROKKT						
			DEBRL	188.27	79.65	10000	1700		
			EBAYY	166.23	99.68	10000	1700		
			CPTAN	150.98	34.41	6000	1300		BETWEEN 10000 AND 11000
WAMBI	WAMBI.CPTAN4	WAMBI	WAMBI						
			CPTAN	207.94	108.06	6000	1300		BETWEEN 10000 AND 11000

ARRIVAL ROUTE DESCRIPTION:

DJT: FROM CPTAN ON TRACK 162.56/7.82 TO CROSS SNKLR AT OR ABOVE 6000.

LANDING DJT RWY 10L, 14: FROM SNKLR ON TRACK 162.09/12.05 TO CROSS FRWAY AT 4000, THEN ON TRACK 223.68/8.01 TO JUUNO, THEN ON TRACK 224.00/3.01 TO CROSS SANZZ AT 4000 AND AT 210 KIAS, THEN ON TRACK 271.41/5.00 TO CROSS DLMAN AT 4000, THEN ON TRACK 271.41. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING DJT RWY 28R: FROM SNKLR ON TRACK 162.09/12.05 TO CROSS FRWAY AT 4000, THEN ON TRACK 175.90/9.07 TO CROSS HETMO AT 4000 AND AT 210 KIAS, THEN ON TRACK 176.57/2.62 TO TROLN, THEN ON TRACK 099.00/3.04 TO CROSS WTCAP AT 4000, THEN ON TRACK 099.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING DJT RWY 32: FROM SNKLR ON TRACK 162.09/12.05 TO CROSS FRWAY AT 4000, THEN ON TRACK 175.90/9.07 TO CROSS HETMO AT 4000 AND AT 210 KIAS, THEN ON TRACK 175.35/9.65 TO EHMON, THEN ON TRACK 141.33/4.38 TO CROSS KIDGE AT 4000, THEN ON TRACK 141.33. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CPTAN (RNAV)	FOUR	CPTAN.CPTAN4	THREE	01/25/2024	

LANDING 06FA: FROM CPTAN ON TRACK 162.56/7.82 TO CROSS SNKLR AT OR ABOVE 6000, THEN ON TRACK 180.00/11.40 TO CROSS AMILA AT 4000, THEN ON HEADING 270.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING BCT: FROM CPTAN ON TRACK 162.56/7.82 TO CROSS SNKLR AT OR ABOVE 6000, THEN ON TRACK 177.58/14.71 TO CROSS KLUBZ AT 5000, THEN ON TRACK 223.66/3.54 TO JUUNO, THEN ON TRACK 203.82/4.37 TO HUSPU, THEN ON TRACK 182.59/9.90 TO JESNA, THEN ON TRACK 209.47/2.92 TO CROSS WHILE AT 5000, THEN ON HEADING 210.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING FXE/PMP: FROM CPTAN ON TRACK 162.56/7.82 TO CROSS SNKLR AT OR ABOVE 6000, THEN ON TRACK 177.58/14.71 TO CROSS KLUBZ AT 5000, THEN ON TRACK 223.66/3.54 TO JUUNO, THEN ON TRACK 203.82/4.37 TO HUSPU, THEN ON TRACK 182.59/9.90 TO JESNA, THEN ON TRACK 168.10/11.49 TO CROSS SPNER AT 5000, THEN ON TRACK 192.11/7.68 TO CROSS IMAPY AT 4000, THEN ON TRACK 192.11. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS
WAMBI TRANSITION: RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY
NOTE: DO NOT FILE ROKKT TRANSITION - TO BE ASSIGNED BY ATC.
NOTE: WAMBI TRANSITION, GPS REQUIRED.
NOTE: WAMBI TRANSITION FOR FXE/PMP ARRIVALS ONLY.
NOTE: BORRD TRANSITION FOR MCO, ORL, SFB, ISM, LEE DEPARTURES ONLY.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT BORRD: HOLD N, LT, 166.33 INBOUND, 10 NM LEGS.
CHART HOLDING AT CPTAN: HOLD N, LT, 160.78 INBOUND, 10 NM LEGS.
CHART HOLDING AT FALT: HOLD N, LT, 166.37 INBOUND, 10 NM LEGS.
CHART HOLDING AT JOEYY: HOLD N, RT, 166.05 INBOUND, 10 NM LEGS.
CHART: GLYPH, WILBA, CUPED, RUMDE

COMMUNICATIONS:

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
BCT	BOCA RATON	FL
FXE	FORT LAUDERDALE	FL
DJT	WEST PALM BEACH	FL
PMP	POMPANO BEACH	FL
06FA	JUPITER	FL

LOST COMMUNICATIONS PREFERENCES:

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CPTAN (RNAV)	FOUR	CPTAN.CPTAN4	THREE	01/25/2024	

REMARKS:

ABBREVIATED AMDT.
THE ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.
295 FT SHIPS USED TO EVALUATE WATER.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)
MAG VAR : DJT 06W/2010
CHART AT DLMAN TERMINUS: DJT LDG RWY 10L, 14.
CHART AT WTCAP TERMINUS: DJT LDG RWY 28R.
CHART AT KIDGE TERMINUS: DJT LDG RWY 32.
CHART AT AMILA TERMINUS: LDG 06FA.
CHART AT WHILE TERMINUS: LDG BCT.
CHART AT IMAPY TERMINUS: LDG FXE/PMP.

FLIGHT INSPECTED BY:

ORGANIZATION: **DATE:**

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT, GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION.

Flight Inspected Signature:

Digitally signed by
TARA N MARTINELLI
Apr 28, 2026

DEVELOPED BY:

THOMAS KUKLISH

AJV-A432

04/13/2026

Developed By Signature:

Digitally signed by
TARA N MARTINELLI
Apr 28, 2026

APPROVED BY:

TARA MARTINELLI

AJV-A432

Approved By Signature:

Digitally signed by
TARA N MARTINELLI
Apr 28, 2026

CHANGES:

1. REMOVED ALL PBI IDENTIFIERS AND REPLACED WITH DJT.
2. COMMUNICATIONS: REMOVED CHART: PALM BEACH APP CON.
3. PBN REQUIREMENT NOTES: CHANGED GPS ONLY TO RNAV 1 - GPS FOR WAMBI TRANSITION.
4. PROCEDURAL DATA NOTES: ADDED NOTE: WAMBI TRANSITION, GPS REQUIRED.

REASONS:

1. AIRPORT NAME CHANGE FROM PBI TO DJT.
2. APP CON NOW AUTOMATICALLY CHARTED PER FAAO 8260.19K, PARA 4-5-12F CRITERIA.
3. REQUIRED DOCUMENTATION PER FAAO 8260.19K, PARA 4-5-12D CRITERIA.
4. REQUIRED DOCUMENTATION PER FAAO 8260.19K, PARA 4-5-12J CRITERIA.

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name CPTAN (RNAV)	Number FOUR		STAR Computer Code CPTAN.CPTAN4		Superseded Number THREE		Dated 01/25/2024	Effective Date	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
BORRD	275505.88N / 0802653.15W	Y		IF			AT/ABOVE FL240	AT 280K	BORRD.CPTAN4
FALTI	273946.37N / 0802044.84W	Y	FB	TF	160.37	16.22	AT/ABOVE FL180		
CAARL	272910.78N / 0801509.24W	Y	FB	TF	154.78	11.67	AT/ABOVE 14000		
CPTAN	271522.91N / 0800753.90W	Y	FB	TF	154.82	15.20	10000B11000	AT 250K	
En Route Transition									
KENLL	293428.35N / 0810725.26W	Y		IF					KENLL.CPTAN4
JOEYY	285703.01N / 0805159.06W	Y	FB	TF	160.05	39.69			
ROTOW	283810.82N / 0804417.05W	Y	FB	TF	160.20	20.00			
STEPP	281615.75N / 0803524.09W	Y	FB	TF	160.26	23.22	AT/ABOVE FL250		
BORRD	275505.88N / 0802653.15W	Y	FB	TF	160.33	22.41	AT/ABOVE FL240	AT 280K	
FALTI	273946.37N / 0802044.84W	Y	FB	TF	160.37	16.22	AT/ABOVE FL180		
CAARL	272910.78N / 0801509.24W	Y	FB	TF	154.78	11.67	AT/ABOVE 14000		
CPTAN	271522.91N / 0800753.90W	Y	FB	TF	154.82	15.20	10000B11000	AT 250K	
En Route Transition									
ROKKT	303735.44N / 0810426.47W	Y		IF					ROKKT.CPTAN4
DEBRL	291748.73N / 0810802.88W	Y	FB	TF	182.27	79.65			
EBAYY	274340.20N / 0803003.59W	Y	FB	TF	160.23	99.68			
CPTAN	271522.91N / 0800753.90W	Y	FB	TF	144.98	34.41	10000B11000	AT 250K	
En Route Transition									
WAMBI	285600.80N / 0792235.72W	Y		IF					WAMBI.CPTAN4
CPTAN	271522.91N / 0800753.90W	Y	FB	TF	201.94	108.06	10000B11000	AT 250K	
Common Route									
CPTAN	271522.91N / 0800753.90W	Y		IF			10000B11000	AT 250K	CPTAN.CPTAN4
SNKLR	270810.96N / 0800424.56W	Y	FB	TF	156.56	07.82	AT/ABOVE 6000		

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name CPTAN (RNAV)		Number FOUR		STAR Computer Code CPTAN.CPTAN4		Superseded Number THREE		Dated 01/25/2024	Effective Date
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
Common Route									
CPTAN	271522.91N / 0800753.90W	Y		IF			10000B11000	AT 250K	CPTAN.CPTAN4
SNKLR	270810.96N / 0800424.56W	Y	FB	TF	156.56	07.82	AT/ABOVE 6000		
AMILA	265648.90N / 0800304.61W	Y	FO	TF	174.00	11.40	AT 4000		
06FA				VM	264.00				
Common Route									
CPTAN	271522.91N / 0800753.90W	Y		IF			10000B11000	AT 250K	CPTAN.CPTAN4
SNKLR	270810.96N / 0800424.56W	Y	FB	TF	156.56	07.82	AT/ABOVE 6000		
KLUBZ	265335.21N / 0800200.01W	Y	FB	TF	171.58	14.71	AT 5000		
JUUNO	265046.47N / 0800425.15W	Y	FB	TF	217.66	03.54			
HUSPU	264636.21N / 0800554.80W	Y	FB	TF	197.82	04.37			
JESNA	263641.54N / 0800515.39W	Y	FB	TF	176.59	09.90			
WHILE	263400.39N / 0800633.18W	Y	FO	TF	203.47	02.92	AT 5000		
KBCT				VM	204.00				
Common Route									
CPTAN	271522.91N / 0800753.90W	Y		IF			10000B11000	AT 250K	CPTAN.CPTAN4
SNKLR	270810.96N / 0800424.56W	Y	FB	TF	156.56	07.82	AT/ABOVE 6000		
KLUBZ	265335.21N / 0800200.01W	Y	FB	TF	171.58	14.71	AT 5000		
JUUNO	265046.47N / 0800425.15W	Y	FB	TF	217.66	03.54			
HUSPU	264636.21N / 0800554.80W	Y	FB	TF	197.82	04.37			
JESNA	263641.54N / 0800515.39W	Y	FB	TF	176.59	09.90			
SPNER	262543.72N / 0800119.40W	Y	FB	TF	162.10	11.49	AT 5000		
IMAPY	261804.11N / 0800213.95W	Y	FO	TF	186.11	07.68	AT 4000		
KFXE,KPMP				FM	186.11				
Runway Transition									
SNKLR	270810.96N / 0800424.56W	Y		IF			AT/ABOVE 6000		
FRWAY	265708.04N / 0795856.71W	Y	FB	TF	156.09	12.05	AT 4000		

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name CPTAN (RNAV)		Number FOUR		STAR Computer Code CPTAN.CPTAN4			Superseded Number THREE		Dated 01/25/2024	Effective Date
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>	
JUUNO	265046.47N / 0800425.15W	Y	FB	TF	217.68	08.01				
SANZZ	264823.51N / 0800629.59W	Y	FB	TF	218.00	03.01	AT 4000	AT 210K		
DLMAN	264759.30N / 0801203.78W	Y	FO	TF	265.41	05.00	AT 4000			
KDJT:RWY 10L,RWY 14				FM	265.41					
Runway Transition										
SNKLR	270810.96N / 0800424.56W	Y		IF			AT/ABOVE 6000			
FRWAY	265708.04N / 0795856.71W	Y	FB	TF	156.09	12.05	AT 4000			
HETMO	264810.68N / 0795710.08W	Y	FB	TF	169.90	09.07	AT 4000	AT 210K		
TROLN	264535.18N / 0795641.32W	Y	FB	TF	170.57	02.62				
WTCAP	264525.57N / 0795317.99W	Y	FO	TF	093.00	03.04	AT 4000			
KDJT:RWY 28R				FM	093.00					
Runway Transition										
SNKLR	270810.96N / 0800424.56W	Y		IF			AT/ABOVE 6000			
FRWAY	265708.04N / 0795856.71W	Y	FB	TF	156.09	12.05	AT 4000			
HETMO	264810.68N / 0795710.08W	Y	FB	TF	169.90	09.07	AT 4000	AT 210K		
EHMON	263840.12N / 0795510.74W	Y	FB	TF	169.35	09.65				
KIDGE	263532.51N / 0795144.49W	Y	FO	TF	135.33	04.38	AT 4000			
KDJT:RWY 32				FM	135.33					