

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 06/12/2025	APWS Task ID: A132E610D0BD482BA2DC9198E1C5F97F	APWS Project ID: C2C1A18BB5C94820963AE949586B7E18
Procedure: RNAV (GPS) RWY 15 AMDT 1D		Enroute: NO	Specialist: Johnson, Timothy		Agreement Number:
Airport ID: KLCH			Airport City: LAKE CHARLES		State: LA
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE DATA USED. ABBREVIATED AMENDMENT. CLEARs T-NOTAM 5/0913. CRC REMAINDER CHANGE. CONTACT: DAVID DANNER (405) 954-5077. QUALITY 38 CHECKED QUALITY 34 CHECKED					

[illegible]

WAAS CH 65629 W15A	APP CRS 152°	Rwy Idg 6500 TDZE 11 Apt Elev 15
--	------------------------	---

RNAV (GPS) RWY 15
LAKE CHARLES RGNL (LCH)


RNP APCH - GPS.

For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -3°C or above 43°C.
For inop ALS, increase LNAV/VNAV all Cats visibility to RVR 4500 and LNAV Cats C and D visibility to 1 3/8 SM.
* RVR 1800 authorized with use of FD or AP or HUD to DA.




MISSED APPROACH:
Climb to 1900 direct
SOTLE and hold.

ATIS 118.75	LAKE CHARLES APP CON ★ 119.35 353.75	LAKE CHARLES TOWER ★ 120.7 (CTAF) 0 257.8	GND CON 121.8	CLNC DEL 126.25	UNICOM 122.95
-----------------------	--	---	-------------------------	---------------------------	-------------------------



ELEV 15	TDZE 11
----------------	----------------



REIL Rwy 5 and 23
MIRL Rwy 5-23
HIRL Rwy 15-33

4 NM Holding Pattern		VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 70).		1900	SOTLE
GP 3.00° TCH 55		6 NM		3.2 NM	1.3
CATEGORY	A	B	C	D	
LPV DA *	211/24		200 (200-½)		
LNAV/ VNAV DA	300/24		289 (300-½)		
LNAV MDA	500/24 489 (500-½)		500/50		489 (500-1)
CIRCLING	500-1 485 (500-1)		580-1½		680-2
			565 (600-1½)		665 (700-2)

LAKE CHARLES, LOUISIANA

AL-5083 (FAA)

23110

WAAS CH 65629 W15A	APP CRS 152°	Rwy Idg TDZE 12 Apt Elev 15
--	------------------------	---

RNAV (GPS) RWY 15
LAKE CHARLES RGNL (LCH)


RNP APCH.

For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -3°C (27°F) or above 43°C (109°F). For inop MALSR, increase LNAV-VNAV all Cats visibility to ¾ and LNAV Cats C and D to 1 ¾ mile. **RVR 1800 authorized with use of FD or AP or HUD to DA.




MISSED APPROACH:
Climb to 1900 direct
SOTLE and hold.

ATIS 118.75	LAKE CHARLES APP CON ★ 119.35 353.75	LAKE CHARLES TOWER ★ 120.7 (CTAF) 0 257.8	GND CON 121.8	CLNC DEL 126.25	UNICOM 122.95
-----------------------	--	---	-------------------------	---------------------------	-------------------------



ELEV 15	D	TDZE 12
---------	---	---------



REIL Rwy 5 and 23
MIRL Rwy 5-23
HIRL Rwy 15-33

4 NM Holding Pattern		VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 70).		1900	SOTLE
1700		ZUKLA		FIDGA	
GP 3.00° TCH 55		1500		1500	
6 NM		3.2 NM		1.3	
CATEGORY	A	B	C	D	
LPV DA	212/24		200 (200-½)		
LNAV/VNAV DA	301/24		289 (300-½)		
LNAV MDA	500/24		500/50		488 (500-1)
CIRCLING	500-1		580-1½		680-2¼
			565 (600-1½)		665 (700-2¼)

LAKE CHARLES, LOUISIANA
Amdt 1C 08OCT20

30°08'N-93°13'W


LAKE CHARLES RGNL (LCH)
RNAV (GPS) RWY 15

SC-4, 31 OCT 2024 to 28 NOV 2024


SC-4, 31 OCT 2024 to 28 NOV 2024

P-NOTAM 0/6069 CIRCLING OBSTACLES

AIRPORT ID:	KLCH	REF #	SEGMENT	OBSTRUCTION	ELEV
AIRPORT NAME	LAKE CHARLES	12	LNAV	TOWER	148
CITY	LAKE CHARLES	11	CIRC CAT A	BLDG	130
STATE	LA	16	CIRC CAT B	TOWER	180
PROCEDURE ID:	RNAV (GPS) RWY 23	17	CIRC CAT C	TOWER	262
AMDT #:	23	18	CIRC CAT D	TOWER	365
DATE DRAWN:	7/7/2017				
SCALE:	1:100,000				




NM
FT
10 20 30 40 50 60 70
60000 120000 180000 240000 300000 360000 420000
fpobjb | lch_rnav15 (PROD) | 5 Jan 2012 11:59:38 | 1" = 60000.0 feet (MAP)



Airport ID:	KLCH	FM 9	SEGMENT	OBSTRUCTION	ELEV
Apt Name:	LAKE CHARLES RGNL	No			
City:	LAKE CHARLES	1	STRAIGHT-IN FROM 062/30 CW 114/30 TO 062/11 CW 114/11	TOWER	1349
State:	LA				
Proc ID:	RNAV (GPS) RWY 15	3	STRAIGHT-IN FROM 204/30 CW 242/30 TO 204/15 CW 242/15	TOWER	1549
Amdt #:	AMDT 1				
Scale:	1:500,000	5	STRAIGHT-IN 062/11 CW 114/11	TOWER	586
		5	STRAIGHT-IN 114/30 CW 204/30	TOWER	586
		5	STRAIGHT-IN 204/15 CW 242/15	TOWER	586
		3	STRAIGHT-IN FROM 242/30 CW 062/30 TO 242/15 CW 062/15	TOWER	1549
		7	STRAIGHT-IN 242/15 CW 062/15	TOWER	673

NM 7 14 21 28 35 42 49
 FT 42000 84000 126000 168000 210000 252000 294000
 fpobjb | lch_rnav15 (PROD) | 4 Jan 2012 14:38:53 | 1" = 41666.7 feet (MAP)




Airport ID:	KLCH	FM 9	SEGMENT	OBSTRUCTION	ELEV
Apt Name:	LAKE CHARLES RGNL	No			
City:	LAKE CHARLES	9	INTERMEDIATE	TOWER	595
State:	LA	12	LNAV FINAL	TOWER	238
Proc ID:	RNAV (GPS) RWY 15	9	HOLD-IN-LIEU	TOWER	595
Amdt #:	AMDT 1	14	MISSED LVL SURFACE	T-L TOWER	255
Scale:	1:500,000	#	MISSED HOLDING	TOWER	355

NM 1 2 3 4 5 6 7 8 9 10
 FT 8000 16000 24000 32000 40000 48000 56000 64000

fpobjb | lch_rnav15 (PROD) | 18 Oct 2011 08:49:19 | 1" = 8350.0 feet (MAP)


Airport ID:	KLCH	FM 9	SEGMENT	OBSTRUCTION	ELEV
Apt Name:	LAKE CHARLES RGNL	No			
City:	LAKE CHARLES		LPV FINAL	ASC	
State:	LA	16	CIRCLING CAT A/B	TOWER	140
Proc ID:	RNAV (GPS) RWY 15	17	CIRCLING CAT C	TOWER	180
Amdt #:	AMDT 1	18	CIRCLING CAT D	TOWER	262
Scale:	1:100,000				



NM 1 2 3 4 5 6 7 8 9 10
FT 8000 16000 24000 32000 40000 48000 56000 64000

fpobjb | lch_rnav15 (PROD) | 22 Nov 2011 11:42:14 | 1" = 8350.0 feet (MAP)

Airport ID:	KLCH	FM 9	SEGMENT	OBSTRUCTION	ELEV
Apt Name:	LAKE CHARLES RGNL	No			
City:	LAKE CHARLES	11	LNAV/VNAV FINAL	TREE	119
State:	LA				
Proc ID:	RNAV (GPS) RWY 15				
Amdt #:	AMDT 1				
Scale:	1:100,000				



NM 1 2 3 4 5 6 7 8 9 10
FT 8000 16000 24000 32000 40000 48000 56000 64000

fpobjb | Ich_rnav15 (PROD) | 22 Nov 2011 11:41:19 | 1" = 8350.0 feet (MAP)

Airport ID:	KLCH	FM 9	SEGMENT	OBSTRUCTION	ELEV
Apt Name:	LAKE CHARLES RGNL	No			
City:	LAKE CHARLES	12	LNAV FINAL	TOWER	238
State:	LA				
Proc ID:	RNAV (GPS) RWY 15				
Amdt #:	AMDT 1				
Scale:	1:100,000				

