

# RADIO FIX AND HOLDING DATA RECORD

NAME: EKKHO

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 411327.17N/1120435.59W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

HOLDING:

HOLDING TYPE OF ACTION:

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I - II)			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17			KSLC	SALT LAKE CITY	UT (US)
STAR	SKEES (RNAV)			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 02/20/2025

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: WESTLEY OWENS

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A431

NAME: ERIC N SUSKI

SIGNATURE:



SPECIAL IAP	RNAV VISUAL RWY 31			KPVU	PROVO	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 10	8		UT51	PROVO	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 27	8		3UT6	RIVERTON	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 31	8		3UT6	RIVERTON	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 34	8		UT08	SALT LAKE CITY	UT (US)
DP	PROVO	5		KPVU	PROVO	UT (US)
DP	FAIRFIELD			KSLC	SALT LAKE CITY	UT (US)
DP	SALT LAKE	1		KSLC	SALT LAKE CITY	UT (US)
DP	TEXTUAL DEPARTURE			KSLC	SALT LAKE CITY	UT (US)
DP	SOUTH VALLEY (RNAV)	3		U42	SALT LAKE CITY	UT (US)
DP	TEXTUAL DEPARTURE	2		U42	SALT LAKE CITY	UT (US)
DP	SPANISH FORK (OBSTACLE)	7		KSPK	SPANISH FORK	UT (US)
EN ROUTE	J11					(US)
EN ROUTE	J116					(US)
EN ROUTE	J12					(US)
EN ROUTE	J202					(US)
EN ROUTE	J9					(US)
EN ROUTE	V134					(US)
EN ROUTE	V200					(US)
EN ROUTE	V21					(US)
EN ROUTE	V235					(US)
IAP	RNAV (GPS) RWY 17			U14	NEPHI	UT (US)
IAP	RNAV (GPS) RWY 35			U14	NEPHI	UT (US)
IAP	ILS OR LOC RWY 13	5		KPVU	PROVO	UT (US)
IAP	RNAV (GPS) RWY 13	3		KPVU	PROVO	UT (US)
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17	1	1	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34L			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II-III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I-II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II-III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II-III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)			KSLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L	3		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17	1	3	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 35			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 35			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L	3		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17	1	3	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 34	6		SVR	SALT LAKE CITY	UT (US)
STAR	BEARR			KSLC	SALT LAKE CITY	UT (US)
STAR	BRIGHAM CITY			KSLC	SALT LAKE CITY	UT (US)
STAR	CARTR (RNAV)	4		KSLC	SALT LAKE CITY	UT (US)
STAR	JAMMN			KSLC	SALT LAKE CITY	UT (US)
STAR	PITTT (RNAV)			KSLC	SALT LAKE CITY	UT (US)
STAR	SKEES (RNAV)	4		KSLC	SALT LAKE CITY	UT (US)
STAR	SPANE			KSLC	SALT LAKE CITY	UT (US)
STAR	YUTES (RNAV)	4		KSLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** SECTIONAL, DP, STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 39

**DATE OF REVISION:** 03/19/2026

**REASON FOR REVISION:**

CHANGED PAT 4 230 AAO COORDINATES FROM "401656.65N/1115631.75W" TO "401630.00N/1115627.00W", ELEVATION FROM 7855 TO 7887 AND ACCURACY CODE FROM 2A TO 4B IN HOLDING PATTERNS.  
 CHANGED PAT 4 PRECIPITOUS TERRAIN ADDITIONS FROM 118 TO 220.  
 ADDED STAR PITTT (RNAV) FOR KSLC AIRPORT TO FIX USE.

**INITIATED BY:**                      **DATE:**                      **ORGANIZATION:**                      **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**                      AJV-A432                      **NAME:** SILVIA YOUNG

**APPROVED BY:**                      **DATE:** 02/12/2026                      **OFFICE:** AJV-A432                      **NAME:** CASIMIR TABAKA

**SIGNATURE:**

# RADIO FIX AND HOLDING DATA RECORD

**NAME:** IRRON **STATE:** UT **COUNTRY:** US **ICAO REGION CODE:** K2

**LATITUDE/LONGITUDE:** 410839.00N/1120058.35W **TYPE:** WP, RADAR, DME

**AIRSPACE DOCKET:** **FIX TYPE OF ACTION:** MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	SALT LAKE CITY	I-MOY	LOC/DME		343.96	354.96	22.42	22.42		11000	17500

**EXPANDED SERVICE VOLUME (ESV):**

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-MOY	LOC/DME	R-344	23	11000	17500

**HOLDING:** **HOLDING TYPE OF ACTION:** NO CHANGE

**REMARKS:**

I-MOY DME ANT: 404618.72N/1115818.13W

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** STAR, IAP

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 10 **DATE OF REVISION:** 02/20/2025

**REASON FOR REVISION:**

1. LATITUDE/LONGITUDE: CHANGED FROM "410838.97N/1120058.75W" TO "410839.00N/1120058.35" - MOVED 30 FEET EAST.
2. FIX MAKE-UP FACILITIES: FAC 1 MAG COURSE CHANGED FROM "343.95" TO "343.96" AND TRUE COURSE CHANGED FROM "354.95" TO "354.96" - UPDATED TO COMMISSIONED LOCALIZER COURSE.
3. REMARKS: CHANGED "I-MOY DME ANT: 404618.71N/1115818.11W" TO "404618.71N/1115818.13W".
4. FIX USE: CHANGED KSLC IAP FROM "RNAV (GPS) RWY 16L" TO "RNAV (GPS) Y RWY 16L".
5. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 16L" AND ALL ASSOCIATIONS.
6. FIX USE: DELETED KSLC STAR "SKEES (RNAV)" AND ALL ASSOCIATIONS - PER ATC REQUEST.
7. FIX USE: CONSOLIDATED KSLC IAP LINES "ILS RWY 16L (CAT II) AND ILS RWY16L (CAT III)".

**INITIATED BY:** **DATE:** **ORGANIZATION:** **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:** AJV-A431 **NAME:** WESTLEY OWENS

**APPROVED BY:** **DATE:** 02/20/2025 **OFFICE:** AJV-A431 **NAME:** ERIC N SUSKI

**SIGNATURE:**

# RADIO FIX AND HOLDING DATA RECORD

NAME: LGOON STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 405830.35N/1115947.17W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-MOY	LOC/DME		343.96	354.96	12.24	12.24		7500	8700

## EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-MOY	LOC/DME	R-344	12	7500	8700

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

## REMARKS:

I-MOY DME ANT: 404618.72N/1115818.13W.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 02/20/2025

## REASON FOR REVISION:

1. LATITUDE/LONGITUDE: CHANGED FROM "405815.22N/1115945.57W" TO "405830.35N/1115947.17W" - FIX MOVED .25 NM NORTH.
2. FIX MAKEUP: FAC 1 (I-MOY) MAG/TRUE BRG CHANGED FROM "343.95/354.95" TO "343.96/354.96".
3. FIX MAKEUP: FAC 1 (I-MOY) DME/DISTANCE CHANGED FROM "11.99/11.98" TO "12.24/12.24".
4. REMARKS: DELETED "FIX ESTABLISHED AT ILS GSIP USING RNP PFAF FORMULA".
5. REMARKS: CHANGED "I-MOY DME ANT: 404618.71N/1115818.11W" TO "I-MOY DME ANT: 404618.72N/1115818.13W"
6. FIX USE: KSLC IAP: CHANGED FROM "RNAV (GPS) RWY 16L" TO "RNAV (GPS) Y RWY 16L".
7. FIX USE: KSLC IAP: ADDED "RNAV (RNP) Z RWY 16L AND ALL ASSOCIATIONS.
8. FIX USE: CONSOLIDATED KSLC IAPS "ILS RWY 16L (CAT II) AND ILS RWY 16L (CAT III)".

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: WESTLEY OWENS

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI

SIGNATURE:



IAP	ILS RWY 16L (CAT II-III)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II-III)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I - II)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II-III)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II-III)	1	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1	KSLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35	3	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R	2	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 35	5	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 35	2	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV(GPS) RWY 16R		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R	2	SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17		KTVY	TOOELE	UT (US)
STAR	TAYTR (RNAV)		KPVU	PROVO	UT (US)
STAR	BEARR		KSLC	SALT LAKE CITY	UT (US)
STAR	BRIGHAM CITY		KSLC	SALT LAKE CITY	UT (US)
STAR	JAMMN		KSLC	SALT LAKE CITY	UT (US)
STAR	SPANE		KSLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** SECTIONAL, DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, SPECIAL IAP, CONTROLLER LOW

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 36                      **DATE OF REVISION:** 03/19/2026

**REASON FOR REVISION:**  
 ADDED STAR TAYTR(RNAV) FOR KPVU AIRPORT TO FIX USE.

**INITIATED BY:**                      **DATE:**                      **ORGANIZATION:**                      **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**                      AJV-A432                      **NAME:** SILVIA YOUNG

**APPROVED BY:**                      **DATE:** 02/12/2026                      **OFFICE:** AJV-A432                      **NAME:** CASIMIR TABAKA

**SIGNATURE:**

# RADIO FIX AND HOLDING DATA RECORD

NAME: TOOME STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 410313.01N/1120020.18W TYPE: RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	SALT LAKE CITY	I-MOY	LOC/DME		343.96	354.96	16.96	16.96		8000	9000

## EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-MOY	LOC/DME	R-344	17	8700	9000

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

## REMARKS:

I-MOY MRA BASED ON MVAC AND FLOOR OF CONTROLLED AIRSPACE BY ATC REQUEST.  
I-MOY DME ANT: 404618.72N/1115818.13W

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4 DATE OF REVISION: 02/20/2025

## REASON FOR REVISION:

1. LATITUDE/LONGITUDE: CHANGED FROM "440239.16N/1120016.46W" TO "410313.01N/1120020.18W" - FIX MOVED .57 NM NORTH.
2. FIX MAKE-UP FACILITIES: FAC 1 (I-MOY) CHANGED DME/DISTANCE FROM "16.40/16.40" TO "16.96/16.96"; CHANGED MAG/TRUE COURSE FROM "343.95/354.95" TO "343.96/354.96".
3. REMARKS: DELETED "FIX ESTABLISHED AT ILS GSIP USING RNP PFAF FORMULA".
4. REMARKS: DELETED "STEPDOWN FIX REQUIRED BY ATC FOR SEPARATION".
5. REMARKS: CHANGED "I-MOY DME ANT 404618.71N/1115818.11W" TO "404618.72N/1115818.13W".
6. FIX USE: CONSOLIDATED KSLC IAPS "ILS RWY 16L (CAT II) AND ILS RWY 16L (CAT III)".

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: WESTLEY OWENS

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI

SIGNATURE:



EN ROUTE	V32		(US)
EN ROUTE	V484		(US)
IAP	RNAV (GPS)-A	KHCR	UT (US)
IAP	ILS OR LOC RWY 3	KOGD	OGDEN UT (US)
IAP	RNAV (GPS) RWY 3	KOGD	OGDEN UT (US)
IAP	ILS OR LOC RWY 16L	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 16R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 17	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 34L	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 34R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16L (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16R (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16R (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 17 (SA CAT I - SA CAT II)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34L (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34L (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34R (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34R (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	LDA RWY 35	KSLC	SALT LAKE CITY UT (US)
IAP	RNAV (GPS) RWY 34R	KSLC	SALT LAKE CITY UT (US)
IAP	RNAV (RNP) Z RWY 34R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 17	KTVY	TOOELE UT (US)
STAR	BEARR	KSLC	SALT LAKE CITY UT (US)
STAR	BONNEVILLE	KSLC	SALT LAKE CITY UT (US)
STAR	BRIGHAM CITY	KSLC	SALT LAKE CITY UT (US)
STAR	DELTA (RNAV)	KSLC	SALT LAKE CITY UT (US)
STAR	JAMMN	KSLC	SALT LAKE CITY UT (US)
STAR	LEEHY (RNAV)	KSLC	SALT LAKE CITY UT (US)
STAR	WAATS (RNAV)	KSLC	SALT LAKE CITY UT (US)

**REQUIRED CHARTING:** DP, STAR, IAP, AREA, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 24                      **DATE OF REVISION:** 05/14/2026

**REASON FOR REVISION:**  
1. ADDED SLC RNAV (RNP) Z RWY 34R TO FIX USE.

**INITIATED BY:**                      **DATE:**                      **ORGANIZATION:**                      **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**                      AJV-A422                      **NAME:** BRITNEY ARMENTROUT

**APPROVED BY:**                      **DATE:** 04/09/2026                      **OFFICE:** AJV-A422                      **NAME:** RAKE MCGRAW

**SIGNATURE:**

# RADIO FIX AND HOLDING DATA RECORD

NAME: WEBER STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 411513.95N/1120144.88W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	SALT LAKE CITY	I-MOY	LOC/DME		343.96	354.96	29.02	29.02	11000	17500

## EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-MOY	LOC/DME	R-344	33	11000	17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

## REMARKS:

I-MOY DME ANT: 404618.72N/1115818.13W.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I - II)			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17			KSLC	SALT LAKE CITY	UT (US)
STAR	CARTR (RNAV)			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 02/20/2025

## REASON FOR REVISION:

1. LATITUDE/LONGITUDE: CHANGED FROM "411911.85N/1120213.36W" TO "411513.95N/1120144.88W" - FIX MOVED 3.98 NM SOUTH/FIX NAME RETAINED AT ATC REQUEST.
2. FIX MAKE-UP FACILITIES: FAC 1 MAG/TRUE BRG CHANGED FROM "343.95/354.95" TO "343.96/354.96".
3. FIX MAKE-UP FACILITIES: FAC 1 DME/DISTANCE FROM NM CHANGED FROM "33.00" TO "29.02".
4. FIX MAKE-UP FACILITIES: FAC 1 MRA CHANGED FROM "12000" TO "11000".
5. REMARKS: CHANGED "I-MOY DME ANT: 404618.71N/1115818.11W" TO "404618.72N/1115818.13W".
6. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 17" AND ALL ASSOCIATIONS.
7. FIX USE: ADDED ALPHABETICAL IDENTIFIER "Y" TO RNAV (GPS) RWY 17 AT KSLC.
8. FIX USE: ADDED KSLC IAP "RNAV (GPS) Y RWY 16L" AND ALL ASSOCIATIONS.
9. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 16L" AND ALL ASSOCIATIONS.
10. FIX USE: ADDED KSLC IAP "RNAV (GPS) Y RWY 16R" AND ALL ASSOCIATIONS.
11. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 16R" AND ALL ASSOCIATIONS.
12. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 17" AND ALL ASSOCIATIONS.
13. FIX USE: ADDED KSLC IAP "ILS OR LOC RWY 16R" AND ALL ASSOCIATIONS.
14. FIX USE: ADDED KSLC IAP "ILS RWY 16R (CAT II - III)" AND ALL ASSOCIATIONS.
15. FIX USE: ADDED KSLC IAP "ILS RWY 16R (SA CAT I)" AND ALL ASSOCIATIONS.
16. FIX USE: ADDED KSLC IAP "ILS RWY 16L (CAT II - III)" AND ALL ASSOCIATIONS.
17. FIX USE: ADDED KSLC STAR "CARTR (RNAV)" AND ALL ASSOCIATIONS.
18. FIX USE: REMOVED KSLC STAR "NORDK (RNAV)" AND ALL ASSOCIATIONS.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: WESTLEY OWENS

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI

SIGNATURE:

# RADIO FIX AND HOLDING DATA RECORD

NAME: YYIPP

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 405349.09N/1115914.40W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	MRA	MAA
								NM FEET		
1	SALT LAKE CITY	I-MOY	LOC/DME		343.96	354.96	7.54	7.53 45778	6000	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

**REMARKS:**

I-MOY DME ANT: 404618.72N/1115818.13W.

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 02/20/2025

**REASON FOR REVISION:**

1. LATITUDE/LONGITUDE: CHANGED FROM "405344.95N/1115914.02W" TO "405349.09N/1115914.40W" - FIX MOVED 419 FT NORTH.
2. FIX MAKE-UP FACILITIES: FAC 1 (I-MOY) CHANGED FROM MAG/TRUE BRG "343.95/354.95" TO "343.96/354.96".
3. FIX MAKE-UP FACILITIES: FAC 1 (I-MOY) DME/DISTANCE TO FIX(NM) CHANGED FROM "7.47/7.47" TO "7.54/7.53".
4. FIX MAKE-UP FACILITIES: FAC 1 (I-MOY) DISTANCE TO FIX (FT) CHANGED FROM "45360" TO "45778".
5. FIX USE: CHANGED KSLC IAP FROM "RNAV (GPS) RWY 16L" TO "RNAV (GPS) Y RWY 16L" AND ALL ASSOCIATIONS.
6. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 16L" AND ALL ASSOCIATIONS.
7. REMARKS: CHANGED "I-MOY DME ANT: 404618.71N/1115818.11W" TO "404618.72N/1115818.13W".

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: WESTLEY OWENS

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A431

NAME: ERIC N SUSKI

SIGNATURE:

# RADIO FIX AND HOLDING DATA RECORD

NAME: ZILOD STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 401108.26N/1115423.31W TYPE: DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: ESTABLISH

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	WASATCH	TCH	VORTAC	VH	159.03	175.03	40.00	40.00	13500	17500

HOLDING: HOLDING TYPE OF ACTION: ESTABLISH

**PATTERNS:**

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	S	TCH	VORTAC	159.03	339.03	R	1	13500 17500	12 18

**CONTROLLING OBSTRUCTIONS:**

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	395242.00N/1114530.00W	11093	4B
1	310	AAO	394921.00N/1114539.00W	12117	4B

**PRECIPITOUS TERRAIN ADDITIONS:**

PAT	SPEED	ADDITION
1	310	380
1	230	380

**PROCEDURES REQUIRING CLIMB-IN-HOLD:**

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	ILS OR LOC RWY 17 (ALT MISSED)	KSLC	SALT LAKE CITY	UT (US)
1	ILS OR LOC RWY 16L (ALT MISSED)	KSLC	SALT LAKE CITY	UT (US)
1	ILS RWY 17 (SA CAT I-II)(ALT MISSED)	KSLC	SALT LAKE CITY	UT (US)
1	ILS RWY 16L (CAT II-III) (ALT MISSED)	KSLC	SALT LAKE CITY	UT (US)

**REMARKS:**

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L (ALT MISSED)	1	1	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17 (ALT MISSED)	1	1	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II-III) (ALT MISSED)	1	1	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I-II)(ALT MISSED)	1	1	KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG DATE OF REVISION: 02/20/2025

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: PARNELL PRASSADA

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI

SIGNATURE: