

RADIO FIX AND HOLDING DATA RECORD

NAME: FONTS

STATE: CA

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 391950.09N/1214157.70W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	MARYSVILLE	I-MYV	LOC		320.77	336.77				2000	4600
2	MARYSVILLE	MYV	VOR/DME	VL			15.10	15.10		2000	4600

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

MARYSVILLE (FAC 1) AND MARYSVILLE (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RNAV (GPS) RWY 14			MYV	MARYSVILLE	CA (US)
IAP	ILS OR LOC RWY 14	1, 2		MYV	MARYSVILLE	CA (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX MAKE-UP FACILITIES: MARYSVILLE VOR/DME CLASS CHANGED FROM "T" TO "VL".

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A33

NAME: RODNEY SMITH

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A33

NAME: KYLE THOMPSON

SIGNATURE:

Digitally signed by

ALLAN WILL

Apr 27, 2026



RADIO FIX AND HOLDING DATA RECORD

NAME: GRIDD **STATE:** CA **COUNTRY:** US **ICAO REGION CODE:** K2

LATITUDE/LONGITUDE: 391938.69N/1215007.50W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	SACRAMENTO	SAC	VORTAC	VH	329.00	346.00	54.61	54.61	4000	17500
2	RED BLUFF	RBL	VORTAC	VH	140.00	158.00	49.84	49.84	3000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
SAC	VORTAC	R-329	55	4000	17500
RBL	VORTAC	R-140	50	2500	14900

FIX RESTRICTIONS:

MRA V23 4000
MCA T261 2600 SOUTHBOUND

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH DME	HOLDING ALTITUDES MIN	HOLDING ALTITUDES MAX	TEMPLATES MIN	TEMPLATES MAX
1	SE		WP	142.00	322.00	R	4	4000	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (06-020287)	391220.00N/1214914.00W	2353	5E
1	310	TOWER (06-020287)	391220.00N/1214914.00W	2353	5E

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

RED BLUFF (FAC 2) USED TO ESTABLISH FIX COORDINATES.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	T261					(US)
EN ROUTE	V23	1, 2				(US)
IAP	RNAV (GPS) RWY 31R			CIC	CHICO	CA (US)
IAP	RNAV (GPS) RWY 14			MYV	MARYSVILLE	CA (US)
IAP	RNAV (GPS) RWY 32		1	MYV	MARYSVILLE	CA (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 13

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

- FIX MAKE-UP FACILITIES: SACRAMENTO (SAC) VORTAC CLASS CHANGED FROM "H" TO "VH". DME AND DIST FROM FAC CHANGED FROM "54.62 NM" TO "54.61 NM".
- FIX MAKE-UP FACILITIES: RED BLUFF (RBL) VORTAC CLASS CHANGED FROM "H" TO "VH".
- EXPANDED SERVICE VOLUME (ESV): RBL VORTAC MAX ALTITUDE CHANGED FROM "17500" TO "14900".
- HOLDING RESTRICTION: ADDED "HOLDING LIMITED TO ESTABLISHED PATTERNS."

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A33

NAME: RODNEY SMITH

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A33

NAME: KYLE THOMPSON

SIGNATURE:

Digitally signed by

ALLAN WILL

Apr 27, 2026



INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A33

NAME: RODNEY SMITH

APPROVED BY:

DATE: 05/07/2026

OFFICE: AJV-A33

NAME: KYLE THOMPSON

SIGNATURE:

Digitally signed by

ALLAN WILL

May 06, 2026

