

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 03/19/2026	APWS Task ID: A7C7D0AA46E945E1B756ACB5CA6D5A45	APWS Project ID: 99E6A77E15D345C8895ED223A7DBFB2C
Procedure: RNAV (GPS) RWY 12 AMDT 2A		Enroute: NO	Specialist: Kenney, Taylor		Agreement Number:
Airport ID: KVIS			Airport City: VISALIA		State: CA
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			

Procedure Comments:
ACTIVE AIRPORT AND RUNWAY DATA USED.

CANCELS NOTAM: !FDC 5/8481

CRC REMAINDER CHANGED FROM 1C626091 TO 831936F3.

POC: KYLE THOMPSON, AJV-A33, 405-954-2135



FIPC BASIC FORM

PROCEDURE: RNAV (GPS) RWY 12 AMDT 2A		AIRPORT NAME: VISALIA MUNI		AIRPORT ID: KVIS	SPECIAL CONTROL NO: SG-12-197-25
FAC ID: KVIS12.02		CITY: VISALIA		ST: CA	ORIG CHART DATE: 03/19/2026
DFL TYPE: PROC/S	THIRD PARTY: <input type="checkbox"/> YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:	PTS TASK ID: A7C7D0AA46E945E1B756ACB5CA6D5A45	

PREFLIGHT NOTES

REVIEWER:	DATE:
COMMENTS:	CHECK ONE: <input type="checkbox"/> FLT CK REQ <input type="checkbox"/> NFCR <input type="checkbox"/> REJECT
	YES NO
	CPV COMPLETE? <input checked="" type="checkbox"/> X

PROCEDURE RESULTS

INSPECTION DATE: 01/27/2026	CREW #: VN569	N #: N72	INSTRUMENT PROCEDURE STATUS: <input checked="" type="checkbox"/> SAT <input type="checkbox"/> SAT W/CHANGES <input type="checkbox"/> UNSAT	ARINC CODING: <input checked="" type="checkbox"/> SAT <input type="checkbox"/> SAT/GOLD <input type="checkbox"/> UNSAT
FLIGHT INSPECTOR SIGNATURE: wendi s gima @ 01/27/2026 19:56		PRINTED NAME: GIMA, WENDI SUEMI		NOTAM INITIATED? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

FLIGHT INSPECTOR REMARKS:
 VISALIA MUNI, VISALIA, CALIFORNIA, RNAV (GPS) RWY 12 AMDT 2A, SAT.
 CRC remainder changed. Runway and procedure survey, SAT. Checked new controlling obstacle for CAT A circle mins, SAT.
 Periodic requirements met.


IN-FLIGHT OBSTACLE REPORT

OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:
--------------------------	---------------------------------	-----------------------------	-----------------------------------	-----------------------------------



WAAS CH 82423 W12A	APP CRS 121°	Rwy Ldg TDZE Apt Elev	5635 293 295
--	------------------------	-----------------------------	---

EXISTING RNAV (GPS) RWY 12
VISALIA MUNI (VIS)

RNP APCH.		MISSED APPROACH: Climb to 2900 direct PANES and hold.	
<p>▼ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C or above 54°C.</p>			
AWOS-3PT 119.925	FRESNO APP CON 118.5	CLNC DEL 118.5	UNICOM 123.05 (CTAF) 0



ELEV 295	D	TDZE 293
----------	----------	----------



CATEGORY	A	B	C	D
LPV DA		543-3/4	250 (300-3/4)	
LNAV/VNAV DA		697-1 1/8	404 (500-1 1/8)	
LNAV MDA	680-1	387 (400-1)	680-1 1/8	387 (400-1 1/8)
CIRCLING	720-1 425 (500-1)	760-1 465 (500-1)	760-1 1/2 465 (500-1 1/2)	940-2 645 (700-2)

SW-2, 02 OCT 2025 to 30 OCT 2025

SW-2, 02 OCT 2025 to 30 OCT 2025