

# RADIO FIX AND HOLDING DATA RECORD

NAME: FAIRFIELD VORTAC

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 401629.62N/1115625.91W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	FAIRFIELD	FFU	VORTAC	VH						45000

## FIX RESTRICTIONS:

MCA V200 12500 EASTBOUND  
MCA V200 10700 NORTHWEST BOUND  
MCA V134 10800 EASTBOUND  
MCA V235 12500 NORTHEAST BOUND

## HOLDING:

HOLDING TYPE OF ACTION: MODIFY

## PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	S	FFU	VORTAC	160.00	340.00	R	1	10000 45000	9 29
2	S	FFU	VORTAC	188.00	008.00	R	1	10700 45000	9 29
3	S		WP	160.00	340.00	R	7	10000 14000	10 11
4	S		WP	160.00	340.00	R	7	11000 17500	10 17
5	S	FFU	VORTAC	160.00	340.00	R	1	9000 14000	9 10
6	S		WP	160.16	340.16	R	7	9000 12000	10 10
7	S	FFU	VORTAC	160.00	340.00	R	1	11500 14000	9 18
8	S		WP	160.00	340.00	R	4	9100 10000	4 4

## CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	401630.00N/1115627.00W	7888	4B
2	230	AAO	401630.00N/1115627.00W	7878	4E
2	310	AAO	402342.00N/1113945.00W	10286	4E
3	230	AAO	401630.00N/1115627.00W	7888	4B
4	230	AAO	401656.65N/1115631.75W	7855	2A
5	230	AAO	401524.00N/1115536.00W	7840	2C
6	230	AAO	401630.00N/1115627.00W	7878	4E
7	230	AAO	401628.78N/1115625.96W	7898	4E
7	310	AAO	395627.00N/1114351.00W	10065	4E
8	175	TOWER (49-000246)	401643.63N/1115603.31W	7843	4D

## PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	230	190
2	230	240
2	310	380
3	230	220
4	230	118
5	230	132
6	230	143
7	230	180
7	310	380

## HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN(S)

## PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
2	TEXTUAL DEPARTURE	U42	SALT LAKE CITY	UT (US)
3	RNAV (GPS) RWY 13	KPVU	PROVO	UT (US)
3	RNAV (GPS) Y RWY 16L	KSLC	SALT LAKE CITY	UT (US)
5	ILS OR LOC RWY 13	KPVU	PROVO	UT (US)
7	SPANISH FORK (OBSTACLE)	KSPK	SPANISH FORK	UT (US)

## REMARKS:

CHART PAT 1 ENRT LOW AND ENRT HIGH  
PRIOR COORDINATION REQUIRED WITH CONTROLLING AGENCY FOR HOLDING WITHIN R-6412 B & D.  
FFU VORTAC MAGVAR: 16E/1965.  
HOLDING PAT 2 310K OBSTACLE LOCATED 12,128' INTO THE SECONDARY AREA.  
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	COPTER RNAV (GPS) 05		8	2UT4	HEBER CITY	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 16		8	UT37	MT. PLEASANT	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 34		8	UT11	MURRAY	UT (US)
SPECIAL IAP	RNAV VISUAL RWY 31			KPVU	PROVO	UT (US)

SPECIAL IAP	COPTER RNAV (GPS) 10	8	UT51	PROVO	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 27	8	3UT6	RIVERTON	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 31	8	3UT6	RIVERTON	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 34	8	UT08	SALT LAKE CITY	UT (US)
DP	PROVO	5	KPVU	PROVO	UT (US)
DP	FAIRFIELD		KSLC	SALT LAKE CITY	UT (US)
DP	SALT LAKE	1	KSLC	SALT LAKE CITY	UT (US)
DP	TEXTUAL DEPARTURE		KSLC	SALT LAKE CITY	UT (US)
DP	SOUTH VALLEY (RNAV)	3	U42	SALT LAKE CITY	UT (US)
DP	TEXTUAL DEPARTURE	2	U42	SALT LAKE CITY	UT (US)
DP	SPANISH FORK (OBSTACLE)	7	KSPK	SPANISH FORK	UT (US)
EN ROUTE	J11				(US)
EN ROUTE	J116				(US)
EN ROUTE	J12				(US)
EN ROUTE	J202				(US)
EN ROUTE	J9				(US)
EN ROUTE	V134				(US)
EN ROUTE	V200				(US)
EN ROUTE	V21				(US)
EN ROUTE	V235				(US)
IAP	RNAV (GPS) RWY 17		U14	NEPHI	UT (US)
IAP	RNAV (GPS) RWY 35		U14	NEPHI	UT (US)
IAP	ILS OR LOC RWY 13	5	KPVU	PROVO	UT (US)
IAP	RNAV (GPS) RWY 13	3	KPVU	PROVO	UT (US)
IAP	ILS OR LOC RWY 16L	1	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17	1	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34L		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II-III)	1	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I-II)	1	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II-III)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II-III)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)		KSLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L	3	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17	3	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 35		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L	3	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17	3	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 34	6	U42	SALT LAKE CITY	UT (US)
STAR	BEARR		KSLC	SALT LAKE CITY	UT (US)
STAR	BRIGHAM CITY		KSLC	SALT LAKE CITY	UT (US)
STAR	CARTR (RNAV)	4	KSLC	SALT LAKE CITY	UT (US)
STAR	JAMMN		KSLC	SALT LAKE CITY	UT (US)
STAR	SKEES (RNAV)	4	KSLC	SALT LAKE CITY	UT (US)
STAR	SPANE		KSLC	SALT LAKE CITY	UT (US)
STAR	YUTES (RNAV)	4	KSLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** SECTIONAL, DP, STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 37

**DATE OF REVISION:** 02/20/2025

**REASON FOR REVISION:**

- HOLDING: UPDATED PATTERN 1 AND 3 CONTROLLING OBSTRUCTIONS AND ASSOCIATED INFORMATION; REVISED OBSTACLE IS 7888 FT AAO.
- HOLDING: UPDATED PAT 1 MINIMUM HOLDING ALTITUDE FROM 9000 TO 10000.
- HOLDING: CHANGED PAT 4 INBOUND COURSE FROM 343 TO 340.
- HOLDING: REMOVED CLIMB-IN-HOLD FROM YUTES (RNAV) AND CARTR (RNAV) STAR.
- REMARKS: DELETED "HOLDING PAT 3 PRECIPITOUS ADJUSTMENT OF 117 (116.4) WAS DERIVED FROM AFS-APPROVED SOFTWARE OBTAINED FROM WFPT IN ORDER TO RETAIN THE 9000 MINIMUM PATTERN ALTITUDE."
- ADDED ALPHABETICAL IDENTIFIER Y TO RNAV (GPS) RWY 16L, RNAV (GPS) RWY 17/35, AND RNAV (GPS) RWY 34L AT KSLC.
- FIX USE: ADDED RNAV (RNP) Z RWY 17, RNAV (RNP) Z RWY 16L, CARTR (RNAV) STAR, YUTES (RNAV) STAR, AND PITTT (RNAV) STAR AT KSLC.
- FIX USE: DELETED DELTA (RNAV) STAR, LEEHY (RNAV) STAR, NORDK (RNAV) STAR, PITT (RNAV) STAR, QWENN (RNAV) STAR, AND WAATS (RNAV) STAR AT KSLC.
- FIX USE: DELETED RNAV (GPS) RWY 16R AT KSLC.
- FIX USE: COMBINED ILS SPECIAL AUTHORIZATION (SA) CATEGORY NOTATIONS FOR ILS RWY 16L, ILS RWY 17, AND ILS RWY 34L/R AT KSLC.

**INITIATED BY:**                      **DATE:**                      **ORGANIZATION:**                      **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**                      AJV-A431                      **NAME:** PARNELL PRASSADA

**APPROVED BY:**                      **DATE:** 02/20/2025                      **OFFICE:** AJV-A431                      **NAME:** ERIC N SUSKI

**SIGNATURE:**

# RADIO FIX AND HOLDING DATA RECORD

NAME: GOSHU STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 400116.46N/1111519.36W TYPE: WP, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	FAIRFIELD	FFU	VORTAC	H	099.53	115.53	35.00	35.00	15000	45000

HOLDING: HOLDING TYPE OF ACTION: MODIFY

**PATTERNS:**

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	E	FFU	VORTAC	099.53	279.53	R	12	15000	45000	20	30

**CONTROLLING OBSTRUCTIONS:**

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	265	AAO	400251.00N/1105906.00W	10535	4B

**PRECIPITOUS TERRAIN ADDITIONS:**

PAT	SPEED	ADDITION
1	265	380

**HOLDING RESTRICTIONS:**

HOLDING LIMITED TO ESTABLISHED PATTERNS.

**REMARKS:**

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
STAR	JAZZZ (RNAV)			KSLC	SALT LAKE CITY	UT (US)
STAR	PITTT (RNAV)			KSLC	SALT LAKE CITY	UT (US)
STAR	SPANЕ	1	1	KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 02/20/2025

**REASON FOR REVISION:**

- FIX MAKE-UP FACILITIES: ADDED DISTANCE FROM FACILITY (35 NM) TO FFU.
- HOLDING PATTERN: UPDATED PATTERN 1 (FFU) MINIMUM/MAXIMUM TEMPLATE TO 20/30.
- HOLDING PATTERN: PATTERN 2 DELETED; SPANE STAR ASSIGNED PATTERN 1.
- HOLDING: UPDATED CONTROLLING OBSTRUCTIONS AND ASSOCIATED INFORMATION. ADDED "N40° 02' 51.0000", W110° 59' 06.0000" AND "4B" AND "380" TO PRECIPITOUS TERRAIN ADJUSTMENT.
- FIX USE: DELETED LEEHY (RNAV) STAR AT KSLC.
- FIX USE: ADDED PITTT (RNAV) AND JAZZZ (RNAV) STAR AT KSLC.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: PARNELL PRASSADA

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI

SIGNATURE:



# RADIO FIX AND HOLDING DATA RECORD

**NAME:** LAWVA

**STATE:** UT

**COUNTRY:** US

**ICAO REGION CODE:** K2

**LATITUDE/LONGITUDE:** 404940.43N/1120603.40W

**TYPE:** WP

**AIRSPACE DOCKET:**

**FIX TYPE OF ACTION:** ESTABLISH

**HOLDING:**

**HOLDING TYPE OF ACTION:**

**FIX USE:**

**USE TYPE**  
IAP  
STAR  
STAR

**USE TITLE**  
RNAV (RNP) Z RWY 16R  
PITTT (RNAV)  
YUTES (RNAV)

**FAC**

**PAT**

**AIRPORT IDENT**  
KSLC  
KSLC  
KSLC

**CITY**

SALT LAKE CITY  
SALT LAKE CITY  
SALT LAKE CITY

**STATE**

UT (US)  
UT (US)  
UT (US)

**REQUIRED CHARTING:** STAR, IAP

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** ORIG

**DATE OF REVISION:** 02/20/2025

**INITIATED BY:**

**DATE:**

**ORGANIZATION:**

**NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**

AJV-A433

**NAME:** GUY COPELAND

**APPROVED BY:**

**DATE:** 12/26/2024

**OFFICE:** AJV-A430

**NAME:** BEV L BORDY

**SIGNATURE:**

# RADIO FIX AND HOLDING DATA RECORD

**NAME:** MYTON VOR/DME      **STATE:** UT      **COUNTRY:** US      **ICAO REGION CODE:** K2

**LATITUDE/LONGITUDE:** 400856.74N/1100737.30W      **TYPE:**

**AIRSPACE DOCKET:**      **FIX TYPE OF ACTION:** NO CHANGE

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	MYTON	MTU	VOR/DME	VH						45000

**FIX RESTRICTIONS:**  
HOLDING LIMITED TO ESTABLISHED PATTERNS.

**HOLDING:**      **HOLDING TYPE OF ACTION:** MODIFY

**PATTERNS:**

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	HOLDING DME	ALTITUDES MIN	ALTITUDES MAX	TEMPLATES MIN	TEMPLATES MAX
1	S	MTU	VOR/DME	160.13	340.13	R	1		8500	17500	9	16
2	E	MTU	VOR/DME	088.75	268.75	R	1		8000	17500	8	16
3	E		WP	081.86	261.86	R		12	24000	35000	20	26
4	NE	MTU	VOR/DME	033.00	213.00	R	1		7900	15000	14	19
5	N		WP	017.15	197.15	R		4	7300	7300	4	4

**CONTROLLING OBSTRUCTIONS:**

PAT	AIR SPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	395609.00N/1101027.00W	7156	4E
1	310	AAO	395624.40N/1101440.24W	7511	4E
2	230	TOWER (45-0301)	401020.00N/1101347.00W	6029	4D
4	310	AAO	402357.00N/1100851.00W	6746	4E
5	175	AAO	400548.00N/1101212.00W	5951	5E

**PRECIPITIOUS TERRAIN ADDITIONS:**

PAT	SPEED	ADDITION
1	310	79
4	310	130

**PROCEDURES REQUIRING CLIMB-IN-HOLD:**

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	VOR-A	74V	ROOSEVELT	UT (US)
4	TAKE-OFF MINIMUMS	U69	DUCHESNE	UT (US)
4	TAKE-OFF MINIMUMS	74V	ROOSEVELT	UT (US)

**REMARKS:**

PRECIPITIOUS TERRAIN EVALUATION COMPLETED.  
ASSIGNED FACILITY MAGVAR: 14 DEGREES EAST (1980).

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL DP	HAGUT (RNAV)			74V	ROOSEVELT	UT (US)
SPECIAL IAP	RNAV VISUAL RWY 22			KHCR	HEBER	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 28		5	74V	ROOSEVELT	UT (US)
DP	GRAND MESA			KGJT	GRAND JUNCTION	CO (US)
DP	TAKE-OFF MINIMUMS		4	U69	DUCHESNE	UT (US)
DP	TAKE-OFF MINIMUMS		4	74V	ROOSEVELT	UT (US)
DP	SALT LAKE			KSLC	SALT LAKE CITY	UT (US)
EN ROUTE	J148					(US)
EN ROUTE	J157					(US)
EN ROUTE	J24					(US)
EN ROUTE	J240					(US)
EN ROUTE	T298					(US)
EN ROUTE	V200					(US)
EN ROUTE	V208					(US)
EN ROUTE	V484					(US)
EN ROUTE	V626					(US)
IAP	VOR/DME-A		2	U69	DUCHESNE	UT (US)
IAP	VOR-A		1	74V	ROOSEVELT	UT (US)
IAP	VOR RWY 35			KVEL	VERNAL	UT (US)
STAR	JAZZZ (RNAV)		3	KSLC	SALT LAKE CITY	UT (US)
STAR	PITTT (RNAV)		3	KSLC	SALT LAKE CITY	UT (US)
STAR	SPAN E			KSLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** SECTIONAL, DP, STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 22

**DATE OF REVISION:** 12/26/2024

**REASON FOR REVISION:**

CHANGED PAT 3 INBOUND CRS FROM 258.47 TO 261.86.  
FIX USE: ADDED JAZZZ (RNAV) AND PITTT (RNAV), REMOVED LEEHY (RNAV) AT KSLC.

<b>INITIATED BY:</b>	<b>DATE:</b>	<b>ORGANIZATION:</b>	<b>NAME:</b>
<b>OFFICE OF PRIMARY RESPONSIBILITY:</b>		AJV-A433	<b>NAME:</b> GUY COPELAND
<b>APPROVED BY:</b>	<b>DATE:</b> 12/26/2024	<b>OFFICE:</b> AJV-A430	<b>NAME:</b> BEV L BORDY
	<b>SIGNATURE:</b>		

# RADIO FIX AND HOLDING DATA RECORD

**NAME:** RACER **STATE:** CO **COUNTRY:** US **ICAO REGION CODE:** K2

**LATITUDE/LONGITUDE:** 400629.17N/1085258.43W **TYPE:** WP, INT, DME

**AIRSPACE DOCKET:** **FIX TYPE OF ACTION:** NO CHANGE

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	GRAND JUNCTION	JNC	VOR/DME	VH	341.22	356.22	63.00	63.00	12000	45000
2	MEEKER	EKR	VOR/DME	VH	264.47	273.47	44.18	44.18	10500	45000

**EXPANDED SERVICE VOLUME (ESV):**

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
JNC	VOR/DME	R-341	63	12000	22000
EKR	VOR/DME	R-264	45	10000	23000

**FIX RESTRICTIONS:**

MRA V200 12000

**HOLDING:**

**HOLDING TYPE OF ACTION:** NO CHANGE

**PATTERNS:**

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	HOLDING ALTITUDES DME	MIN	MAX	MIN	MAX
1	E	EKR	VOR/DME	264.47	264.47	L	1 1/2	15000	15000	32000	17	25
2	E		WP	082.47	262.47	L		24000	24000	45000	29	30

**CONTROLLING OBSTRUCTIONS:**

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	265	AAO	395521.00N/1083724.00W	8911	4B

**PRECIPITOUS TERRAIN ADDITIONS:**

PAT	SPEED	ADDITION
1	265	270

**REASON FOR NONSTANDARD HOLDING:**

PAT 1 ATC REQUEST FOR TRAFFIC  
PAT 2 ATC REQUEST FOR TRAFFIC

**HOLDING RESTRICTIONS:**

HOLDING LIMITED TO ESTABLISHED PATTERNS.

**REMARKS:**

GRAND JUNCTION (FAC 1) AND MEEKER (FAC 2) USED TO ESTABLISH FIX COORDINATES.  
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	T317					(US)
EN ROUTE	V187	1, 2				(US)
EN ROUTE	V200	1, 2				(US)
IAP	RNAV (GPS) RWY 3			KEEO	MEEKER	CO (US)
STAR	JAZZZ (RNAV)		2	KSLC	SALT LAKE CITY	UT (US)
STAR	PITTT (RNAV)		2	KSLC	SALT LAKE CITY	UT (US)
STAR	SPANE	1, 2	1	KSLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 10

**DATE OF REVISION:** 02/20/2025

**REASON FOR REVISION:**

FIX USE: ADDED JAZZZ (RNAV) AND PITTT (RNAV), REMOVED LEEHY (RNAV) AT KSLC.

**INITIATED BY:**

**DATE:**

**ORGANIZATION:**

**NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**

AJV-A433

**NAME:** GUY COPELAND

**APPROVED BY:**

**DATE:** 12/26/2024

**OFFICE:** AJV-A430

**NAME:** BEV L BORDY

**SIGNATURE:**



# RADIO FIX AND HOLDING DATA RECORD

NAME: THISL STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 400811.12N/1111251.06W TYPE: WP, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	MRA	MAA
								NM FEET		
1	MYTON	MTU	VOR/DME	VH	255.48	269.48	50.03	50.03	15000	45000

**EXPANDED SERVICE VOLUME (ESV):**

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
MTU	VOR/DME	R-255	50	15000	19900

HOLDING: HOLDING TYPE OF ACTION: MODIFY

**PATTERNS:**

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH DME	HOLDING ALTITUDES	TEMPLATES
								MIN MAX	MIN MAX
1	E	MTU	VOR/DME	075.48	255.48	L	11	15000 36000	18 27

**CONTROLLING OBSTRUCTIONS:**

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	265	AAO	400251.00N/1105906.00W	10535	4B

**PRECIPITOUS TERRAIN ADDITIONS:**

PAT	SPEED	ADDITION
1	265	380

**REASON FOR NONSTANDARD HOLDING:**

PAT 1 ATC REQUEST FOR TRAFFIC.

**HOLDING RESTRICTIONS:**

HOLDING LIMITED TO ESTABLISHED PATTERNS.

**REMARKS:**

PRECIPITOUS TERRAIN EVALUATION COMPLETE.  
KSLC MAG VAR: 11E

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
STAR	JAZZZ (RNAV)			KSLC	SALT LAKE CITY	UT (US)
STAR	PITTT (RNAV)			KSLC	SALT LAKE CITY	UT (US)
STAR	SPANÉ		1	KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6 DATE OF REVISION: 12/26/2024

**REASON FOR REVISION:**

HOLDING PATTERN ASSOCIATION 2, WP, 12/26/2024 DELETED.  
FIX USE: ADDED JAZZZ (RNAV) AND PITTT (RNAV), REMOVED LEEHY (RNAV) AT KSLC.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A430 NAME: GUY COPELAND

APPROVED BY: DATE: 12/26/2024 OFFICE: AJV-A433 NAME: BEV L BORDY

SIGNATURE: