

|                                                                                                                                                                                                                                                                                                     |                              |                                               |                                      |                                                   |                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------|--------------------------------------|---------------------------------------------------|------------------------------------------------------|
| Flight Procedures Cover Page                                                                                                                                                                                                                                                                        | Task Action:<br>FLIGHT CHECK | Task Type:<br>IAP                             | Estimated Chart Date:<br>10/29/2026  | APWS Task ID:<br>AD513156A6E44D988526AE9CC09A2F51 | APWS Project ID:<br>CFFDC84428324A5EA08A8C73B536DEFD |
| Procedure:<br>RNAV (GPS) RWY 5 AMDT 2A                                                                                                                                                                                                                                                              |                              | Enroute:<br>NO                                | Specialist:<br>Heiderstadt, Nicholas |                                                   | Agreement Number:                                    |
| Airport ID:<br>KSBY                                                                                                                                                                                                                                                                                 |                              |                                               | Airport City:<br>SALISBURY           |                                                   | State:<br>MD                                         |
| Facility ID:                                                                                                                                                                                                                                                                                        | Facility Type:               | Flight Inspection Remark Type:<br>New FC Slot |                                      |                                                   |                                                      |
| <div>Procedure Comments:<br/>PENDING DATA USED<br/>CLEARs FDC NOTAM 6/4499<br/>CONTACT ROBERT HAMILTON 405-954-4608</div> <div>2 KMZ FILES:<br/>1) KSBY_RNAV_(GPS)_RWY_05_AMDT_2A - PROCEDURE<br/>2) KSBY_RNAV_(GPS)_RWY_05_AMDT_2A_LPV MA OBSTACLE - MISSED ADJUSTMENT OBSTACLE FOR LPV APCH</div> |                              |                                               |                                      |                                                   |                                                      |

QUALITY  
23  
CHECKED

QUALITY  
39  
CHECKED

|                                        |                        |                                                 |
|----------------------------------------|------------------------|-------------------------------------------------|
| WAAS<br>CH <b>62820</b><br><b>W05A</b> | APP CRS<br><b>049°</b> | Rwy Ldg<br>TDZE <b>47</b><br>Apt Elev <b>53</b> |
|----------------------------------------|------------------------|-------------------------------------------------|

RNAV (GPS) RWY 5



SALISBURY-OCEAN CITY WICOMICO RGNL (SBY)

RNP APCH - GPS.

For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -9°C or above 54°C. Rwy 5 helicopter visibility reduction below ¾ SM NA.

MISSED APPROACH: Climb to 2000 direct OKKOE and hold.

|                        |                                          |                                           |                           |                         |
|------------------------|------------------------------------------|-------------------------------------------|---------------------------|-------------------------|
| ASOS<br><b>118.325</b> | PATUXENT APP CON★<br><b>127.95 314.0</b> | SALISBURY TOWER★<br><b>119.425 (CTAF)</b> | GND CON<br><b>123.775</b> | UNICOM<br><b>122.95</b> |
|------------------------|------------------------------------------|-------------------------------------------|---------------------------|-------------------------|



| CATEGORY     | A                    | B                    | C                            | D                    |
|--------------|----------------------|----------------------|------------------------------|----------------------|
| LPV DA       |                      | 345-7/8              | 298 (300-7/8)                |                      |
| LNAV/VNAV DA |                      | 460-1 1/8            | 413 (500-1 1/8)              |                      |
| LNAV MDA     | 440-1                | 393 (400-1)          | 440-1 1/8                    | 393 (400-1 1/8)      |
| CIRCLING     | 480-1<br>427 (500-1) | 520-1<br>467 (500-1) | 560-1 1/2<br>507 (600-1 1/2) | 700-2<br>647 (700-2) |

ELEV 53 D TDZE 47

REIL Rwy 5, 14 and 23 1  
MIRL Rwy 5-23 1  
HIRL Rwy 14-32 1


NE-3, 16 APR 2026 to 14 MAY 2026

NE-3, 16 APR 2026 to 14 MAY 2026

|                        |                        |                                                             |
|------------------------|------------------------|-------------------------------------------------------------|
| WAAS<br>CH XXXX<br>XXX | APP CRS<br><b>049°</b> | Rwy Idg <b>5000</b><br>TDZE <b>47</b><br>APT Elev <b>54</b> |
|------------------------|------------------------|-------------------------------------------------------------|

|                                                                                                                                                             |                                                             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| RNP APCH - GPS.                                                                                                                                             | MISSED APPROACH:<br><br>CLIMB TO 2000 DIRECT OKKOE AND HOLD |
| FOR UNCOMPENSATED BARO-VNAV SYSTEMS,<br>LNAV/VNAV NA BELOW -9°C OR ABOVE 54°C.<br><br>RWY 5 HELICOPTER VISIBILITY REDUCTION<br>BELOW 3/4 SM NOT AUTHORIZED. |                                                             |

PROTOTYPE-NOT FOR NAVIGATION



|                                                                               |               |                                    |        |                            |                   |      |
|-------------------------------------------------------------------------------|---------------|------------------------------------|--------|----------------------------|-------------------|------|
| 4 NM<br>Holding Pattern                                                       |               | FEYKO                              | EDITH  | ZAGID<br>2.5 NM to<br>RW05 | 1.1 NM to<br>RW05 | RW05 |
| <div><div>6000</div><div>2000</div></div> <div>← 229°</div> <div>049° →</div> |               | 049°<br>(037°T)<br><div>2000</div> |        | 880                        |                   |      |
| GS 3.00°<br>TCH 45                                                            |               |                                    |        |                            |                   |      |
|                                                                               |               | 8.0 NM                             | 3.5 NM | 1.4 NM                     | 1.1 NM            |      |
| CATEGORY                                                                      | A             |                                    |        |                            |                   |      |
| LPV                                                                           | 345-7/8 298   |                                    |        |                            |                   |      |
| LNAV/VNAV                                                                     | 460-1 1/8 413 |                                    |        |                            |                   |      |
| LNAV                                                                          | 440-1 393     |                                    |        | 440-1 1/8 393              |                   |      |
| CIRCLING                                                                      | 481-1 427     | 551-1 497                          |        | 561-1 1/2 507              | 701-2 647         |      |