


Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 11/27/2025	APWS Task ID: AE3BDC3E2C584C43B892A7378E1BD62C	APWS Project ID: 66DDE2BE01B34060810E8758A7D2F186
Procedure: RNAV (GPS) RWY 18 AMDT 1A		Enroute: NO	Specialist: Swinson, Robert		Agreement Number:
Airport ID: KLEB			Airport City: LEBANON		State: NH
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE AIRNAV DATA USED FOR KLEB AIRPORT AND RUNWAYS. ADDED CHART NOTE: CIRCLING NA SOUTH OF RWY 7-25. ADDED CHART NOTE: CIRCLING RWY 7 NA AT NIGHT. CANCELS FDC NOTAM 5/6212. CONTACT CASMIR TABAKA 1-405-954-7931. QUALITY 9 CHECKED BEGUE QUALITY 35 CHECKED					


WAAS CH 93710 W18A	APP CRS 184°	Rwy Ldg TDZE Apt Elev	5400 573 603
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 18
LEBANON MUNI (LEB)


RNP APCH - GPS.		MISSED APPROACH: Climb to 2050 then climbing right turn to 4700 direct JIKOR and hold. Continue climb in hold to 4700.		
▼ Rwy 18 helicopter visibility reduction below ¾ SM NA. ▲ Circling NA south of Rwy 7-25. ⊠ -20°C Circling Rwy 7 NA at night.				
ATIS 118.65	BOSTON CENTER 134.7 269.475	LEBANON TOWER ★ 125.95 (CTAF) 0 235.775	GND CON 121.6	UNICOM 122.95



5 NM Holding Pattern JIKOR				
YASUP 2900 WONGI 3.8 NM to RWY18 RWY18				
6000 4700 (348°T) 004° (168°T) 184° (168°T) GP 3.10° TCH 42 2900 1840 6.2 NM 3.2 NM 3.8 NM				
CATEGORY	A	B	C	D
LPV DA	933-1 360 (400-1)			
LNAV MDA	1700-1¼ 1127 (1100-1¼)	1700-1½ 1127 (1100-1½)	1700-3 1127 (1100-3)	
CIRCLING	1700-1¼ 1097 (1100-1¼)	1720-1½ 1117 (1200-1½)	1820-3 1217 (1300-3)	2020-3 1417 (1500-3)



RNP APCH.		MISSED APPROACH: Climb to 2050 then climbing right turn to 4700 direct JIKOR and hold, continue climb in hold to 4700.		
Rwy 18 helicopter visibility reduction below ¾ SM NA.				
-20°C				
ATIS 118.65	BOSTON CENTER 134.7 269.475	LEBANON TOWER ★ 125.95 (CTAF) 0 235.775	GND CON 121.6	UNICOM 122.95



5 NM Holding Pattern		JIKOR	YASUP	WONGI	RW18
6000 4700		2900	3.8 NM to RW18		
GP 3.10° TCH 42		*1840			
6.2 NM		3.2 NM	3.8 NM		
CATEGORY	A	B	C	D	
LPV DA	933-1 360 (400-1)				
LNVA MDA	1700-1¼ 1127 (1100-1¼)	1700-1½ 1127 (1100-1½)	1700-3 1127 (1100-3)		
CIRCLING	1700-1¼ 1097 (1100-1¼)	1720-1½ 1117 (1200-1½)	1820-3 1217 (1300-3)	2020-3 1417 (1500-3)	

