

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 06/12/2025	APWS Task ID: B06B2C24A0F14B97A4D64EE2664F02C0	APWS Project ID: DF10734473B14C35A63F5EC8E0DD8E66
Procedure: ILS OR LOC RWY 2 AMDT 20B		Enroute: NO	Specialist: Johnson, Timothy		Agreement Number:
Airport ID: KMSY			Airport City: NEW ORLEANS		State: LA
Facility ID: JFI	Facility Type: ILS	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE DATA USED. CIRCLING CAT B NEW CONTROLLING OBSTACLE: 222 MSL STACK (22-068030) (1A) 295742.31N/0901605.76W. RAISES CIRCLING CAT B MDA TO 540/HAA 537. LOC STEPDOWN NEW CONTROLLING OBSTACLE: 137 MSL TRAVERSE WAY (22-068210) (AC 4D) 295807.27N/0901509.33W. RAISES YERUB FIX MINIMUMS S-LOC 2 MDA TO 440/HAT 438. CLEARs T-NOTAM 4/4114. CONTACT: DAVID DANNER (405) 954-5077. QUALITY 9 CHECKED BEGUE QUALITY 19 CHECKED					

ILS or LOC RWY 2

LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)

MISSED APPROACH: Climb to 1500 then climbing right turn to 3000 on RQR VOR/DME R-082 to SNAKI INT/RQR 36.6 DME and hold.

ELEV 4 TDZE 2

RLS Rwy 2
TDZ/CL Rwy 11
HIRL All Runways

FAF to MAP 6.1 NM

Knots	60	90	120	150	180
Min:Sec	6:06	4:04	3:03	2:26	2:02

CATEGORY	A	B	C	D
S-ILS 2		415/60	413 (500-1¼)	
S-LOC 2	480/55	478 (500-1)	480-1⅝	478 (500-1⅝)
CIRCLING	520-1	516 (600-1)	580-1½ 576 (600-½)	580-2 576 (600-2)
YERUB FIX MINIMUMS				
S-LOC 2	420/55	418 (500-1)	420/60	418 (500-1¼)
CIRCLING	520-1	516 (600-1)	580-1½ 576 (600-½)	580-2 576 (600-2)

SC-4, 31 OCT 2024 to 28 NOV 2024

SC-4, 31 OCT 2024 to 28 NOV 2024

KMSY


LOUIS ARMSTRONG NEW ORLEANS INTL


NEW ORLEANS, LOUISIANA

LOC RWY 2

NEW STEP DOWN FIX CONTROLLING OBSTACLE

100K





KMSY
LOUIS ARMSTRONG NEW ORLEANS INTL
NEW ORLEANS, LOUISIANA
ILS OR LOC RWY 2
CIRCLE
100K

Circling CAT A CONTROL_TOWER (218)
22-002221

Circling CAT B STACK (222)
22-068030

Circling CAT C/D CRANE (272)
22-027930