

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: Textual DP	Estimated Chart Date: 01/22/2026	APWS Task ID: B0B8134EEDB844C8972F7219A96C3821	APWS Project ID: 74FCADBFDCCC430EA6B0F53997CBF814
Procedure: TAKEOFF MINIMUMS AND OBSTACLE DP AMDT 3		Enroute: NO	Specialist: Raimi, Kamarudini		Agreement Number:
Airport ID: O69			Airport City: PETALUMA		State: CA
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			

**Procedure Comments:**

ACTIVE DATA USED FOR O69 AIRPORT AND RUNWAYS.

CANCELED T-NOTAM 4/7730 - TAKEOFF MINIMUMS: RWY 29, 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 290 FEET PER NM TO 400.

PROCEDURE CHANGED FROM TEXTUAL TO GRAPHIC.

RWY 11, 29: USE SCAGGS ISLAND DEPARTURE.

CONTACT ROBERT HAMILTON: AJV-A433, 405-954-4608.



## FIPC BASIC FORM

<b>PROCEDURE:</b> TAKEOFF MINIMUMS AND OBSTACLE DP AMDT 3		<b>AIRPORT NAME:</b> PETALUMA MUNI		<b>AIRPORT ID:</b> KO69	<b>SPECIAL CONTROL NO:</b> SP-08-114-25
<b>FAC ID:</b> KO69		<b>CITY:</b> PETALUMA		<b>ST:</b> CA	<b>ORIG CHART DATE:</b> 01/22/2026
<b>DFL TYPE:</b> PROC/T	<b>THIRD PARTY:</b> <input type="checkbox"/> YES	<b>EST. TIME ON SITE:</b> 0.4	<b>REIMB. NUMBER:</b>	<b>PTS TASK ID:</b> B0B8134EEDB844C8972F7219A96C3821	

### PREFLIGHT NOTES

<b>REVIEWER:</b> troy e devine	<b>DATE:</b> 09/03/2025
<b>COMMENTS:</b>	<b>CHECK ONE:</b> <input type="checkbox"/> FLT CK REQ <input checked="" type="checkbox"/> NFCR <input type="checkbox"/> REJECT
	<b>YES</b> <b>NO</b>
	<b>CPV COMPLETE?</b> <input checked="" type="checkbox"/> X <input type="checkbox"/>

### PROCEDURE RESULTS

<b>INSPECTION DATE:</b> 09/03/2025	<b>CREW #:</b> VN502	<b>N #:</b> N68	<b>INSTRUMENT PROCEDURE STATUS:</b> <input checked="" type="checkbox"/> SAT <input type="checkbox"/> SAT W/CHANGES <input type="checkbox"/> UNSAT	<b>ARINC CODING:</b> <input type="checkbox"/> SAT <input type="checkbox"/> SAT/GOLD <input type="checkbox"/> UNSAT
<b>FLIGHT INSPECTOR SIGNATURE:</b> troy e devine @ 09/03/2025 19:04		<b>PRINTED NAME:</b> DEVINE, TROY ELLEN		<b>NOTAM INITIATED?</b> <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

**FLIGHT INSPECTOR REMARKS:**  
SP-08-114-25/ 08-115-25 Combined package SGD Departure - SAT

### IN-FLIGHT OBSTACLE REPORT

<b>OBSTRUCTION ID #:</b>	<b>COORDINATES OR LOCATION:</b>	<b>GNSS ALTITUDE (MSL):</b>	<b>BAROMETRIC ALTITUDE (MSL):</b>	<b>HEIGHT ABOVE GROUND LEVEL:</b>
--------------------------	---------------------------------	-----------------------------	-----------------------------------	-----------------------------------



# TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



25107

## PETALUMA, CA

### PETALUMA MUNI (O69)

#### TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2 13NOV14 (22307) (FAA)

##### TAKEOFF MINIMUMS:

- Rwy 11**, std. w/min. climb of 235' per NM to 1500.
- Rwy 29**, 300-1¼ or std. w/min. climb of 276' per NM to 400.

##### DEPARTURE PROCEDURE:

- Rwy 11**, climb heading 108° to 1500 then continue climb direct SGD VORTAC.
  - Rwy 29**, climb heading 289° to 1500 then climbing left turn to 3000 direct SGD VORTAC.
- All aircraft continue climb to MEA for route of flight.

##### TAKEOFF OBSTACLE NOTES:

- Rwy 11**, tree 1095' from DER, 779' right of centerline, 55' AGL/116' MSL.
- Sign 69' from DER, 141' right of centerline, 9' AGL/80' MSL.
- Vertical structure 8' from DER, 248' left of centerline, 10' AGL/81' MSL.
- Trees 172' from DER, beginning 399' left of centerline, up to 46' AGL/117' MSL.
- Trees 40' from DER, beginning 465' left of centerline, up to 40' AGL/111' MSL.
- Rwy 29**, trees 1091' from DER, beginning 151' right of centerline, up to 91' AGL/172' MSL.
- Vertical structure 194' from DER, 248' right of centerline, up to 19' AGL/98' MSL.
- Trees 121' from DER, beginning 282' right of centerline, up to 51' AGL/132' MSL.
- Trees and buildings 88' from DER, beginning 292' left of centerline, up to 40' AGL/121' MSL.
- Trees 1363' from DER, 462' left of centerline, up to 96' AGL/177' MSL.
- Pole 1262' from DER, 90' left of centerline, 41' MSL/ 122' AGL.
- Poles 2508' from DER, beginning 87' left of centerline, up to 94' AGL/175' MSL.

## PLACERVILLE, CA

### PLACERVILLE (PVF)

#### TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 3 15NOV12 (12320) (FAA)

##### TAKEOFF MINIMUMS:

- Rwy 5**, NA-obstacles.

##### DEPARTURE PROCEDURE:

- Rwy 23**, climb to 5000 on HNW R-226 then climbing right turn on HNW R-276 to HNW VOR/DME. Aircraft departing HNW VOR/DME R-180 CW R-303 climb on course; all others climb in HNW VOR/DME holding pattern (hold SW, right turns, 048° inbound) to cross HNW VOR/DME at or above MEA/MCA for direction of flight before proceeding on course.

##### TAKEOFF OBSTACLE NOTES:

- Rwy 23**, hangar 20' from DER, 340' right of centerline, 27' AGL/2586' MSL.

## PORTERVILLE, CA

### PORTERVILLE MUNI (PTV)

#### TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2A 06DEC18 (18340) (FAA)

##### TAKEOFF MINIMUMS:

- Rwy 12**, std. w/min. climb of 220' per NM to 600.

##### DEPARTURE PROCEDURE:

- Rwy 12**, climbing right turn thence . . .
  - Rwy 30**, climbing left turn thence . . .
- ...climb direct TTE VOR/DME. Aircraft departing TTE VOR/DME R-146 CW R-330 climb on course. All other aircraft climb in TTE VOR/DME holding pattern (hold northwest, right turn, 143° inbound) to cross TTE R-331 CW R-060, 8600; R-061 CW R -145, 7000.

##### TAKEOFF OBSTACLE NOTES:

- Rwy 12**, tree 618' from DER, 241' right of centerline, 460' MSL.
- Trees beginning 776' from DER, 193' left of centerline, up to 467' MSL.
- Pole 906' from DER, 588' left of centerline, 43' AGL/491' MSL.
- Rwy 30**, fence 176' from DER, 499' right of centerline, 6' AGL/436' MSL.

## RED BLUFF, CA

### RED BLUFF MUNI (RBL)

#### TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 4 10FEB11 (11041) (FAA)

##### DEPARTURE PROCEDURE:

- Rwy 15**, climb direct RBL VORTAC, thence...
  - Rwy 33**, climbing right turn direct RBL VORTAC, thence...
- ...continue climb in RBL holding pattern (S, right turns, 341° inbound) to cross RBL VORTAC at or above MEA for route of flight.

##### TAKEOFF OBSTACLE NOTES:

- Rwy 15**, WSK 5' from DER, 258' right of centerline, 18' AGL/361' MSL.
- Tree 2065' from DER, 879' left of centerline, 100' AGL/449' MSL.
- Rwy 33**, trees beginning 468' from DER, 563' left of centerline, up to 54' AGL/387' MSL.
- Trees beginning 587' from DER, 493' right of centerline, up to 73' AGL/393' MSL.

15 MAY 2025 to 12 JUN 2025

15 MAY 2025 to 12 JUN 2025



# TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



25107

SW-2