

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 07/09/2026	APWS Task ID: B1A7F9A7F9664376A8BF9345A6F32BFE	APWS Project ID: 180C812A8D224CFBB8FFB4AFC987C54C
Procedure: RNAV (GPS) Y RWY 28L AMDT 0B		Enroute: NO	Specialist: Gonzales, Emmanuel		Agreement Number:
Airport ID: KORD			Airport City: CHICAGO		State: IL
Facility ID:	Facility Type:	Flight Inspection Remark Type: Hold FC Slot			

Procedure Comments:

ACTIVE DATA USED FOR KORD ARPT AND RWY.

CANCEL NOTAM 4/4035 UPON PUBLICATION.

CONTACT: RAKE MCGRAW, 405-954-8711.

02/17/2026: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 09/29/2025.

8260-2: CHICAGO HEIGHTS VORTAC

1. CHICAGO HEIGHTS VORTAC MOVED FROM IL_KORD_RNAV GPS Y RWY 28L_ORIGB_8260-2 FILE TO IL_KORD_RNAV GPS Y RWY 28L_ORIGB_8260-2_NON NFDC FILE.

QUALITY
9
CHECKED
BEGUE

QUALITY
8
CHECKED

CHICAGO, ILLINOIS

AL-166 (FAA)

25163

WAAS CH 93839 W28E	APP CRS 275°	Rwy Ldg TDZE Apt Elev	7500 667 680
--	------------------------	-----------------------------	---

OLD


RNAV (GPS) Y RWY 28L

CHICAGO O'HARE INTL (ORD)

RNP APCH. ALSIF-2

Simultaneous approach authorized. LNAV procedure NA during simultaneous operations. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -19°C or above 54°C. Use of FD or AP required during simultaneous operations. MISSED APPROACH: Climb to 1200 then climbing left turn to 4000 direct CGT VORTAC and hold.

D-ATIS 135.4 282.225	CHICAGO APP CON 119.0 292.125	O'HARE TOWER 133.0 348.0	GND CON (TWR NORTH) 124.125 (TWR SOUTH) 118.05 (ALL TWRS) 226.675	(TWR CENTER) (OBND) 121.75 (IBND) 121.9	CLNC DEL 121.6	CPDLC
--	---	------------------------------------	--	---	--------------------------	-------



EC-3, 07 AUG 2025 to 04 SEP 2025

EC-3, 07 AUG 2025 to 04 SEP 2025

1200	4000	CGT	SYNTH				ELEV 680	TDZE 667
* LNAV only			XOGDY	WODRO	VIOLS	UCXOR	TAGPE	9000
* 1.1 NM to (CFDZQ)			YOYUK	4000	5000	6000	7000	8000
2200			2200	4000	5000	6000	7000	8000
1.1			3.6 NM	6.4 NM	3.1 NM	3.1 NM	3.1 NM	3.1 NM
GP 3.00°	TCH 55							
CATEGORY	A	B		C		D		
LPV DA	917/24		250 (300-1/2)					
LNAV/VNAV DA	1090/40		423 (500-3/4)					
LNAV MDA	1060/24	393 (400-1/2)		1060/35	393 (400-5/8)			
HIRL all Rwys TDZ/CL all Rwys except 4L								

CHICAGO, ILLINOIS
Orig-A 13SEP18

41°59'N-87°54'W

CHICAGO O'HARE INTL (ORD)

RNAV (GPS) Y RWY 28L

APP CRS 275°	Rwy Ldg TDZE Apt Elev	7500 667 680
------------------------	-----------------------------	---

RNAV (GPS) Y RWY 28L

CHICAGO O'HARE INTL (ORD)

RNP APCH - GPS.			ALSIF-2	MISSED APPROACH: Climb to 1200 then climbing left turn to 4000 direct CGT VORTAC and hold.
D-ATIS 135.4 282.225	CHICAGO APP CON 119.0 292.125	O'HARE TOWER 133.0 348.0	124.125 (TWR NORTH) 118.05 (TWR SOUTH) 226.675 (ALL TWRs)	GND CON (TWR CENTER) 121.75 (OBND) 121.9 (IBND)

