

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 04/17/2025	APWS Task ID: B4C4AF1954A745FBB105CC2B317B6305	APWS Project ID: FD414DE2861F4585B3B18E8E2170E19C
Procedure: ILS OR LOC RWY 2 AMDT 8A		Enroute: NO	Specialist: Taylor, Jantzen		Agreement Number:
Airport ID: KGPI			Airport City: KALISPELL		State: MT
Facility ID: GPI	Facility Type: ILS	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: P-NOTAM COCTACT RAKE MCGRAW: 405.954.8711 QUALITY 41 CHECKED QUALITY 10 CHECKED					

FIPC BASIC FORM								
PROCEDURE: ILS OR LOC RWY 2 AMDT 8A			AIRPORT NAME: GLACIER PARK INTL		AIRPORT ID: KGPI	SPECIAL CONTROL NO: SP-11-244-24		
FAC ID: GPI		CITY: KALISPELL			ST: MT	ORIG CHART DATE: 04/17/2025		
DFL TYPE: PROC/AR	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.5	REIMB. NUMBER:		PTS TASK ID: B4C4AF1954A745FBB105CC2B317B6305			
PREFLIGHT NOTES								
REVIEWER:					DATE:			
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT			
							YES	NO
					CPV COMPLETE?		X	
PROCEDURE RESULTS								
INSPECTION DATE: 02/05/2025	CREW #: VN569	N #: N72	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT			ARINC CODING: ☐ SAT ☐ SAT/GOLD ☐ UNSAT		
FLIGHT INSPECTOR SIGNATURE: wendi s gima @ 02/05/2025 19:03			PRINTED NAME: GIMA, WENDI SUEMI				NOTAM INITIATED? ☐ YES ☒ NO	
FLIGHT INSPECTOR REMARKS: GLACIER PARK INTL (GPI) KALISPELL, MONTANA, ILS OR LOC RWY 2 AMDT 8A, Sat. Changed CAT C circle mins (new obstacle), circling obstacles checked, SAT.								
IN-FLIGHT OBSTACLE REPORT								
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:			

LOC I-GPI	APP CRS	Rwy Idg	9007
111.5	020°	TDZE	2966
		Apt Elev	2977


Active Procedure

ILS or LOC RWY 2


GLACIER PARK INTL (GPI)


DME required. RNAV 1-GPS or RADAR required for procedure entry.	MALSR	MISSED APPROACH: Climb to 4100 then climbing left turn to 12000 on heading 190° and FCA VOR/DME R-238 to KILLY/15.7 DME and hold, continue climb-in-hold to 12000.
Inop table does not apply to S-LOC 2 Cats C/D.	A5	
-15°C		

ATIS 132.625	SALT LAKE CENTER 127.075 244.875	GLACIER TOWER★ 124.55 (CTAF)	GND CON 121.6	UNICOM 122.95
------------------------	--	--	-------------------------	-------------------------



7 NM Holding Pattern	GOGGS	JOLEK INT	HOTRU INT	WALNU INT	FCA R-238	KILLY
14000 9000	200° 020°	020° 7300	5800	4100 12000	hdg 190°	* LOC only
GS 3.00° TCH 51	6 NM	6.3 NM	4.3 NM	4.5 NM		
CATEGORY	A	B	C	D		
S-ILS 2	3166-1/2 200 (200-1/2)					
S-LOC 2	4440-3/4 1474 (1500-3/4)	4440-1 1474 (1500-1)	4440-3 1474 (1500-3)			
CIRCLING	4440-1 1/4 1463 (1500-1 1/4)	4440-1 1/2 1463 (1500-1 1/2)	4440-3 1463 (1500-3)			
WALNU FIX MINIMUMS (DUAL VOR RECEIVERS REQUIRED)						
S-LOC 2	3520-1/2 543 (600-1)	554 (600-1/2)	3520-1 1/8 663 (700-1 1/4)	554 (600-1 1/8)		
CIRCLING	3520-1 543 (600-1)	3580-1 603 (700-1)	3640-1 3/4 663 (700-1 1/4)	3760-2 1/2 783 (800-2 1/2)		





GLACIER PARK INTL (KGPI)
KALISPELL, MT
ILS OR LOC RWY 2, AMDT 8A
CIRCLING
100K