

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 10/05/2023	APWS Task ID: C151BA6B06FE4386B220F20F1E1C5AF2	APWS Project ID: FDD7ED8556184952AC8DEA4EC1FD00FB
Procedure: RNAV (GPS) RWY 31 AMDT 1G		Enroute: NO	Specialist: Lindsey, John		Agreement Number:
Airport ID: KADM			Airport City: ARDMORE		State: OK
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE AIRPORT DATA USED THIS CANCELS FDC 3/6392 CONTACT JOHN BORDY 405-819-1550 QUALITY 10 CHECKED QUALITY 30 CHECKED					

FIPC BASIC FORM							
PROCEDURE: RNAV (GPS) RWY 31 AMDT 1G			AIRPORT NAME: ARDMORE MUNI		AIRPORT ID: KADM	SPECIAL CONTROL NO: OG-08-235-23	
FAC ID: KADM31.01		CITY: ARDMORE			ST: OK	ORIG CHART DATE: 11/30/2023	
DFL TYPE: PROC/S	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:		PTS TASK ID: C151BA6B06FE4386B220F20F1E1C5AF2		
PREFLIGHT NOTES							
REVIEWER: colton crowder					DATE: 09/05/2023		
COMMENTS: FLIGHT CHECK NOT REQUIRED. MINOR AMDT TO CORRECT DISTANCE FOR FEEDER. TABLETOP REVIEW COMPLETE/SAT.					CHECK ONE:		
					☐ FLT CK REQ ☒ NFCR ☐ REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 09/05/2023		CREW #: VN477	N #:	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: colton crowder @ 09/05/2023 09:26			PRINTED NAME: CROWDER, COLTON MAX				NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS:							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:


WAAS CH 69625 W31A	APP CRS 309°	Rwy Idg 9002 TDZE 733 Apt Elev 777
--	------------------------	---

RNAV (GPS) RWY 31

ARDMORE MUNI (ADM)

RNP APCH - GPS.		MALS	MISSED APPROACH: Climb to 3600 direct RRDEE and hold.
Inop table does not apply to LPV all Cats. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C or above 54°C. For inop ALS, increase LNAV/VNAV all Cats and LNAV Cats C and D visibility to 1 3/8 SM.			

ATIS 125.6	FORT WORTH CENTER 124.75 323.0	ARDMORE TOWER ★ 118.5 (CTAF) 0 257.7	GND CON 121.8	UNICOM 122.95
----------------------	--	--	-------------------------	-------------------------



CATEGORY		A	B	C	D
LPV DA		991-3/4		258 (300-3/4)	
LNAV/VNAV DA		1241-1 1/4		508 (500-1 1/4)	
LNAV MDA		1180-3/4	447 (500-3/4)	1180-1	447 (500-1)
CIRCLING		1380-1 603 (700-1)	1440-1 663 (700-1)	1460-2 683 (700-2)	1700-3 923 (1000-3)

ARDMORE, OKLAHOMA

AL-22 (FAA)

23110

WAAS CH 69625 W31A	APP CRS 309°	Rwy Idg TDZE Apt Elev	9002 733 777
--	------------------------	-----------------------------	---

OLD

RNAV (GPS) RWY 31

ARDMORE MUNI (ADM)

RNP APCH - GPS.



Inop table does not apply to LPV all Cats. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C or above 54°C. For inop ALS, increase LNAV/VNAV all Cats and LNAV Cats C and D visibility to 1 3/8 SM.



MAIS




MISSED APPROACH:
Climb to 3600 direct
RRDEE and hold.

ATIS 125.6	FORT WORTH CENTER 124.75 323.0	ARDMORE TOWER ★ 118.5 (CTAF) 0 257.7	GND CON 121.8	UNICOM 122.95
----------------------	--	--	-------------------------	-------------------------

MISSED APCH FIX

ARDMORE
ADM3600
098°
(17.3)ELEV 777 **D** TDZE 733

HIRL Rwy 13-31 **0**
MIRL Rwy 17-35 **0**



CATEGORY	A	B	C	D
LPV DA	991-3/4	258 (300-3/4)		
LNAV/VNAV DA	1241-1 1/4	508 (500-1 1/4)		
LNAV MDA	1180-3/4	447 (500-3/4)	1180-1	447 (500-1)
CIRCLING	1380-1 603 (700-1)	1440-1 663 (700-1)	1460-2 683 (700-2)	1700-3 923 (1000-3)

ARDMORE, OKLAHOMA
Amdt 1F 20APR23

34°18'N-97°01'W

ARDMORE MUNI (ADM)

RNAV (GPS) RWY 31

SC-1, 20 APR 2023 to 18 MAY 2023