

RADIO FIX AND HOLDING DATA RECORD

NAME: FOSTY STATE: RI COUNTRY: US ICAO REGION CODE: K6
 LATITUDE/LONGITUDE: 415035.46N/0713831.34W TYPE: WP, INT, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	NORTH KINGSTOWN	I-OQU	LOC/DME		340.01	325.01	18.59	18.58	2200	4500
2	NORWICH	ORW	VOR/DME	L	056.92	042.92	23.53	23.53	2500	17500
3	PUTNAM	PUT	VOR/DME	H	140.57	126.57	11.28	11.28	3000	17500
4	PROVIDENCE	PVD	VOR/DME	H	320.85	306.85	11.90	11.90	2500	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-OQU	LOC/DME	R-340	19	2200	4500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	SW	ORW	VOR/DME	056.92	056.92	L	1		2500	17500	5	17
2	SW		WP	237.00	057.00	L		4	2500	17500	5	17
3	NW	PUT	VOR/DME	140.57	140.57	L	1		2500	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (44-000083)	415032.57N/0714011.29W	1069	2C
2	200	TOWER (44-000083)	415032.57N/0714011.29W	1069	2C
3	200	TOWER (44-000083)	415032.57N/0714011.29W	1069	2C

REASON FOR NONSTANDARD HOLDING:

PAT 1 AIRWAY SEPARATION
 PAT 2 AIRWAY SEPARATION
 PAT 3 AIRWAY SEPARATION

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

NORWICH (FAC 2) AND PUTNAM (FAC 3) USED TO ESTABLISH FIX COORDINATES.
 SECTIONAL ADDED PER ATC REQUEST
 PRECIPITOUS TERRAIN EVALUATION COMPLETED.
 I-OQU DME ANTENNA COORDINATES: 413520.11N/0712419.72W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	T224					(US)
EN ROUTE	T393					(US)
EN ROUTE	V146	2, 3, 4				(US)
EN ROUTE	V3	2, 3	1			(US)
IAP	LOC RWY 16	1, 4		OQU	NORTH KINGSTOWN	RI (US)
IAP	RNAV (GPS) RWY 16			OQU	NORTH KINGSTOWN	RI (US)
IAP	RNAV (GPS) RWY 34		2	OQU	NORTH KINGSTOWN	RI (US)
IAP	RNAV (GPS) RWY 5		2	SFZ	PAWTUCKET	RI (US)
IAP	LOC RWY 5	2, 3	1, 3	SFZ	PAWTUCKET	RI (US)
IAP	VOR-A	2, 3	1	SFZ	PAWTUCKET	RI (US)
IAP	RNAV (GPS) RWY 16			PVD	PROVIDENCE	RI (US)
IAP	RNAV (GPS) RWY 34		2	PVD	PROVIDENCE	RI (US)
IAP	RNAV (GPS) RWY 5		2	PVD	PROVIDENCE	RI (US)
IAP	RNAV (GPS) Y RWY 23		2	PVD	PROVIDENCE	RI (US)
IAP	RNAV (RNP) Z RWY 23		2	PVD	PROVIDENCE	RI (US)
IAP	ILS OR LOC RWY 23	2, 3	1	PVD	PROVIDENCE	RI (US)
IAP	ILS OR LOC RWY 34	2, 3	1	PVD	PROVIDENCE	RI (US)
IAP	ILS OR LOC RWY 5	2, 4	1	PVD	PROVIDENCE	RI (US)
IAP	ILS RWY 23 (SA CAT I & II)	2, 3	1	PVD	PROVIDENCE	RI (US)
IAP	ILS RWY 5 (CAT II & III)	2, 4	1	PVD	PROVIDENCE	RI (US)
STAR	WOONS	2, 3, 4		BOS	BOSTON	MA (US)
STAR	OOSH (RNAV)			BOS	BOSTON	MA (US)
STAR	SCOGS (RNAV)			PWM	PORTLAND	ME (US)

REQUIRED CHARTING: SECTIONAL, STAR, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

QUALITY
42
CHECKED

RECORD REVISION NUMBER: 30

DATE OF REVISION: 10/29/2026

REASON FOR REVISION:

1. FIX USE: REMOVED IAP VOR RWY 5 AT PVD.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: BRANDON BURCHELL

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: CASEY HILL

Digitally signed by

SIGNATURE:

CASEY D HILL

Jul 08, 2026

QUALITY
42
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: HODVU

STATE: RI

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 414045.56N/0712735.67W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	PROVIDENCE	PVD	VOR/DME	H	220.75	206.75	3.02	3.02		660	17500

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	VOR RWY 5	1		PVD	PROVIDENCE	RI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 12/07/2017

REASON FOR REVISION:

1. UPDATED FIX COORDINATES FROM 414112.28N/0712713.14W TO 414045.56N/0712735.67W. FIX MOVED 3199 FT SOUTHWEST.
2. UPDATED FAC 1 MAG/TRUE BRG FROM 219.59/205.59 TO 220.75/206.75.
3. INCREASED FAC 1 DME AND DIST FROM FAC FROM 2.50 TO 3.02.
4. INCREASED FAC 1 MRA FROM 620 TO 660.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 07/14/2017

OFFICE: AJV-5422

NAME: DUSTIN DAVIDSON

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: CASEY HILL

Digitally signed by

SIGNATURE:

CASEY D HILL

Jul 08, 2026

DISTRIBUTION:

NFDC

FPO: EST

ARTCC: ZBW

ATC FACILITY: PVD APP CON, PVD TOWER

OTHER:

QUALITY
42
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: LAFAY

STATE: RI

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 412745.22N/0714316.43W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	PROVIDENCE	PVD	VOR/DME	H	234.00	220.00	20.46	20.46		2000	17500
2	NORWICH	ORW	VOR/DME	DH	128.08	114.08	13.74	13.74		2000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	SW	PVD	VOR/DME	234.00	054.00	R	1		2100	14000	5	11
2	SW		WP	235.00	055.00	R		5	2100	10000	5	10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (44-000122)	412941.77N/0714704.70W	1049	4D
2	200	TOWER (44-000122)	412941.77N/0714704.70W	1049	4D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

PROVIDENCE (FAC 1) AND NORWICH (FAC 2) USED TO ESTABLISH FIX COORDINATES.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	T287					(US)
EN ROUTE	T300					(US)
EN ROUTE	V139	1, 2	1			(US)
IAP	RNAV (GPS) RWY 23			GON	GROTON (NEW LONDON)	CT (US)
IAP	RNAV (GPS) RWY 14			EWB	NEW BEDFORD	MA (US)
IAP	ILS OR LOC RWY 5	1, 2		PVD	PROVIDENCE	RI (US)
IAP	ILS RWY 5 (CAT II & III)	1, 2		PVD	PROVIDENCE	RI (US)
IAP	RNAV (GPS) RWY 5			PVD	PROVIDENCE	RI (US)
IAP	RNAV (GPS) RWY 7		2	WST	WESTERLY	RI (US)
STAR	WIPOR (RNAV)			EWB	NEW BEDFORD	MA (US)
STAR	WIPOR (RNAV)			PYM	PLYMOUTH	MA (US)
STAR	WIPOR (RNAV)			TAN	TAUNTON	MA (US)
STAR	WIPOR (RNAV)			UUU	NEWPORT	RI (US)
STAR	WIPOR (RNAV)			OQU	NORTH KINGSTOWN	RI (US)
STAR	WIPOR (RNAV)			PVD	PROVIDENCE	RI (US)

REQUIRED CHARTING: STAR, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 17

DATE OF REVISION: 10/29/2026

REASON FOR REVISION:

1. FIX USE: REMOVED IAP VOR RWY 5 AT PVD.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: BRANDON BURCHELL

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: CASEY HILL

Digitally signed by

SIGNATURE:

CASEY D HILL

Jul 08, 2026

RADIO FIX AND HOLDING DATA RECORD

NAME: PROVIDENCE VOR/DME STATE: RI COUNTRY: US ICAO REGION CODE: K6
 LATITUDE/LONGITUDE: 414327.64N/0712546.70W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	PROVIDENCE	PVD	VOR/DME	H						45000

HOLDING: HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	S	PVD	VOR/DME	181.00	001.00	R	1	1900 5000	4 5
2	N	PVD	VOR/DME	008.18	188.18	R	1	2100 6000	4 5
3	SW	PVD	VOR/DME	234.00	054.00	R	1	2000 17500	4 16
4	N		WP	344.96	164.96	R		4 3000 5000	5 6
5	NE		WP	056.00	236.00	R		7 17000 24000	17 20

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	414039.00N/0712942.00W	542	4E
2	200	TOWER (44-000125)	414812.03N/0713325.98W	1049	4D
3	200	AAO	413712.00N/0713424.00W	719	4B
4	200	TOWER (44-000125)	414812.03N/0713325.98W	1049	4D
5	265	TOWER (25-000325)	415213.00N/0711743.00W	1148	4D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
 ASSIGNED FACILITY MAGVAR: 14W (1965).

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	BRADLEY			BDL	WINDSOR LOCKS	CT (US)
DP	HANSCOM			BED	BEDFORD	MA (US)
DP	BEVERLY			BVY	BEVERLY	MA (US)
DP	LOGAN			BOS	BOSTON	MA (US)
DP	LAWRENCE			LWM	LAWRENCE	MA (US)
DP	NORWOOD			OWD	NORWOOD	MA (US)
EN ROUTE	T255					(US)
EN ROUTE	T287					(US)
EN ROUTE	T393					(US)
EN ROUTE	V139		3			(US)
EN ROUTE	V146					(US)
EN ROUTE	V167					(US)
EN ROUTE	V405					(US)
IAP	VOR RWY 23			GON	GROTON (NEW LONDON)	CT (US)
IAP	RNAV (GPS) RWY 23			GON	GROTON/NEW LONDON	CT (US)
IAP	ILS OR LOC RWY 15R			BOS	BOSTON	MA (US)
IAP	ILS OR LOC RWY 22L			BOS	BOSTON	MA (US)
IAP	COPTER ILS Y OR LOC Y RWY 32			FMH	FALMOUTH	MA (US)
IAP	ILS Z OR LOC Z RWY 32			FMH	FALMOUTH	MA (US)
IAP	ILS OR LOC RWY 5			EWB	NEW BEDFORD	MA (US)
IAP	LOC BC RWY 23			EWB	NEW BEDFORD	MA (US)
IAP	RNAV (GPS) RWY 5			EWB	NEW BEDFORD	MA (US)
IAP	LOC RWY 35			OWD	NORWOOD	MA (US)
IAP	ILS OR LOC RWY 6			PYM	PLYMOUTH	MA (US)
IAP	RNAV (GPS) RWY 6			PYM	PLYMOUTH	MA (US)
IAP	RNAV (GPS) RWY 2			3B0	SOUTHBRIDGE	MA (US)
IAP	ILS OR LOC RWY 24			MVY	VINEYARD HAVEN	MA (US)
IAP	ILS OR LOC RWY 11			ORH	WORCESTER	MA (US)
IAP	ILS RWY 11 (CAT II & III)			ORH	WORCESTER	MA (US)
IAP	LOC RWY 22			UUU	NEWPORT	RI (US)
IAP	RNAV (GPS) RWY 16		4	UUU	NEWPORT	RI (US)
IAP	VOR RWY 34			OQU	NORTH KINGSTOWN	RI (US)
IAP	VOR-A		2	OQU	NORTH KINGSTOWN	RI (US)
IAP	VOR-A		1	SFZ	PAWTUCKET	RI (US)
IAP	ILS OR LOC RWY 23			PVD	PROVIDENCE	RI (US)
IAP	ILS OR LOC RWY 34			PVD	PROVIDENCE	RI (US)
IAP	ILS OR LOC RWY 5			PVD	PROVIDENCE	RI (US)
IAP	ILS RWY 23 (SA CAT I & II)			PVD	PROVIDENCE	RI (US)
IAP	ILS RWY 5 (CAT II & III)			PVD	PROVIDENCE	RI (US)
IAP	RNAV (GPS) RWY 5			PVD	PROVIDENCE	RI (US)
IAP	RNAV (GPS) RWY 16			PVD	PROVIDENCE	RI (US)
STAR	WOONS			BOS	BOSTON	MA (US)
STAR	WOONS			1B9	MANSFIELD	MA (US)

QUALITY
42
CHECKED

STAR	WOONS		GHG	MARSHFIELD	MA (US)
STAR	CLAMY (RNAV)		ACK	NANTUCKET	MA (US)
STAR	WOONS		OWD	NORWOOD	MA (US)
STAR	PARCH (RNAV)	5	FRG	FARMINGDALE	NY (US)
STAR	PARCH (RNAV)	5	JFK	NEW YORK	NY (US)

REQUIRED CHARTING: DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 51

DATE OF REVISION: 10/29/2026

REASON FOR REVISION:

1. HOLDING PATTERNS: REMOVED PATTERN 2 PVD.
2. HOLDING PATTERNS: REMOVED PATTERN 6 AND ASSOCIATED DATA.
3. HOLDING PATTERNS: CHANGED PATTERN 3 MAX ALTITUDE FROM 45000 TO 17500 AND MAX TEMPLATE FROM 29 TO 16.
4. CONTROLLING OBSTRUCTIONS: CHANGED PATTERN 3 FROM 200 AAO 413724.00N/0713348.00W 732 4E TO 200 AAO 413712.00N/0713424.00W 719 4B.
5. FIX USE: REMOVED IAP VOR RWY 5 AT PVD.
6. FIX USE: REMOVED IAP VOR/DME RWY 16 AT UUU.
7. FIX USE: REMOVED IAP VOR RWY 6 AT MVY.
8. FIX USE: CHANGED EN ROUTE T139 HOLDING PATTERN FROM 4 TO 3.
9. FIX USE: CHANGED IAP RNAV (GPS) RWY 16 AT UUU HOLDING PATTERN FROM 5 TO 4.
10. FIX USE: CHANGED IAP VOR-A AT OQU HOLDING PATTERN FROM 3 TO 2.
11. FIX USE: CHANGED STAR PARCH (RNAV) AT FRG AND JFK FROM 6 TO 5.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: BRANDON BURCHELL

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: CASEY HILL

Digitally signed by

SIGNATURE:

CASEY D HILL

Jul 08, 2026

QUALITY
42
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: RENCH

STATE: RI

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 413719.62N/0712953.87W

TYPE: INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	PROVIDENCE	PVD	VOR/DME	H	220.75	206.75	6.86	6.86	41706	2000	17500
2	PUTNAM	PUT	VOR/DME	H	156.06	142.06		25.31		2000	17500

HOLDING:

HOLDING TYPE OF ACTION: CANCEL

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	SW	PVD	VOR/DME	220.75	040.75	R	1		2000	10000	4	10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	413539.00N/0713600.00W	735	4E

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PROVIDENCE (FAC 1) USED TO ESTABLISH FIX COORDINATES.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	VOR RWY 5	1, 2	1	PVD	PROVIDENCE	RI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 10

DATE OF REVISION: 12/07/2017

REASON FOR REVISION:

1. UPDATED LAT/LONG FROM 413804.24N/0712913.08W TO 413719.62N/0712953.87W. FIX MOVED 5476 FT SOUTHWEST.
2. UPDATED FAC 1 MAG/TRUE BRG FROM 219.59/205.59 TO 220.75/206.75.
3. INCREASED FAC 1 DME AND DIST FROM FAC NM FROM 5.97 TO 6.86.
4. INCREASED FAC 1 DIST FROM FAC FEET FROM 36289 TO 41706.
5. UPDATED FAC 2 MAG/TRUE BRG FROM 154.10/140.10 TO 156.06/142.06.
6. INCREASED FAC 2 DIST FROM FAC NM FROM 5.97 TO 6.86.
7. UPDATED PAT 1 HOLDING PATTERN RAD/CRS INBOUND FROM 219.59/039.59 TO 220.75/040.75.
8. INCREASED PAT 1 MAX TEMPLATE FROM 9 TO 10.
9. UPDATED PAT 1 CONTROLLING OBSTACLE FROM 693 AAO (413712.54N/0713431.23W) 2C TO 735 AAO (413539.00N/0713600.00W) 4E.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 07/18/2017

OFFICE: AJV-5422

NAME: DUSTIN DAVIDSON

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: CASEY HILL

Digitally signed by

CASEY D HILL

Jul 08, 2026

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: EST
ARTCC: ZBW
ATC FACILITY: PVD APP CON, PVD TOWER
OTHER:

QUALITY
42
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: UJEFO

STATE: RI

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 413030.65N/0713427.50W

TYPE: INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	PROVIDENCE	PVD	VOR/DME	H	220.75	206.75	14.49	14.49		2000	17500
2	PUTNAM	PUT	VOR/DME	H	169.58	155.58		29.42		2000	17500

HOLDING:

HOLDING TYPE OF ACTION:

REMARKS:

PROVIDENCE (FAC 1) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	VOR RWY 5	1, 2		PVD	PROVIDENCE	RI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 12/07/2017

REASON FOR REVISION:

1. UPDATED FIX COORDINATES FROM 413022.90N/0713406.43W TO 413030.65N/0713427.50W. FIX MOVED 1784 FT WEST.
2. UPDATED FAC 1 MAG/TRUE BRG FROM 219.59/205.59 TO 220.75/206.75.
3. UPDATED FAC 2 MAG/TRUE BRG FROM 169.22/155.22 TO 169.58/155.58.
4. DECREASED FAC 2 DIST FROM FAC FROM 29.64 TO 29.42.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 07/18/2017

OFFICE: AJV-5422

NAME: DUSTIN DAVIDSON

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: CASEY HILL

Digitally signed by

SIGNATURE:

CASEY D HILL

Jul 08, 2026

DISTRIBUTION:

NFDC

FPO: EST

ARTCC: ZBW

ATC FACILITY: PVD APP CON, PVD TOWER

OTHER:

QUALITY
42
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: ZEKUN

STATE: RI

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 414238.21N/0712619.96W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	PROVIDENCE	PVD	VOR/DME	H	220.75	206.75	0.92	0.92		560	17500

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE
IAP

USE TITLE
VOR RWY 5

FAC
1

PAT

AIRPORT IDENT
PVD

CITY
PROVIDENCE

STATE
RI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 12/07/2017

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 08/08/2017

OFFICE: AJV-5422

NAME: DUSTIN DAVIDSON

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: CASEY HILL

Digitally signed by

SIGNATURE:

CASEY D HILL

Jul 08, 2026

DISTRIBUTION:

NFDC
FPO: EST
ARTCC: ZBW
ATC FACILITY: PVD APP CON, PVD TOWER
OTHER:

QUALITY
42
CHECKED