NAME: CINPA STATE: OH **COUNTRY: US ICAO REGION CODE: K5**

LATITUDE/LONGITUDE: 393808.57N/0842305.71W TYPE: WP

AIRSPACE DOCKET: 23-ASO-19 FIX TYPE OF ACTION: MODIFY

HOLDING TYPE OF ACTION: NO CHANGE HOLDING:

FIX USE:

USE TITLE RNAV (GPS) RWY 36 RNAV (GPS) RWY 7 RNAV (GPS) RWY 30 AIRPORT IDENT CITY DAYTON DAYTON **USE TYPE** FAC PAT **STATE** IAP KDAY KGDK OH (US) OH (US) ΙΑΡ IAP KHAO **HAMILTON** OH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7 DATE OF REVISION: 06/12/2025

REASON FOR REVISION:

1. ADDED AIRSPACE DOCKET 23-ASO-19.

2. DELETED "DME" IN FIX TYPE.
3. DELETED CVG IN FIX MAKE-UP FACILITIES -- CVG VOR MON.
4. DELETED EN ROUTE V47 IN FIX USE.

5. DELETED "EN ROUTE LOW, CONTROLLER LOW" IN REQUIRED CHARTING.

INITIATED BY: DATE: **ORGANIZATION:** NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A423 NAME: DANIEL JOHNSEN

APPROVED BY: **DATE:** 05/08/2025 **OFFICE:** AJV-A423 NAME: ALLAN WILL

SIGNATURE:

Digitally signed by **ALLAN WILL** Jan 28, 2025

NAME: CUNNINGHAM VOR/DME STATE: KY COUNTRY: US ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 370030.99N/0885012.89W **TYPE**:

AIRSPACE DOCKET: 23-ASO-19 FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC NAME IDENT TYPE CLASS MAG TRUE DME DIST FROM FAC MRA MAA BRG BRG NM FEET

1 CUNNINGHAM CNG VOR/DME VL 17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS: PAT DIR I

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS	TURN	LEG L	ENGTH	HOLDING AL	TITUDES	TEMP	LATES
					INBOUND	(L OR R)	TIME	DME	MIN	MAX	MIN	MAX
1	SW	CNG	VOR/DME	224.69	044.69	Ŕ	1		2100	6000	6	7
2	SW	CNG	VOR/DME	221.71	041.71	R	1		2100	6000	6	7
3	SW	CNG	VOR/DME	221.00	041.00	R	1		2600	6000	6	7

CONTROLLING OBSTRUCTIONS:

AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
230	TOWER (21-001852)	365251.00N/0885452.00W	823	2C
230	TOWER (21-001852)	365251.00N/0885452.00W	823	2C
230	TOWER (21-001852)	365251.00N/0885452.00W	823	2C
310	TOWER (21-002193)	365932.19N/0885919.23W	970	5D
	230 230 230	230 TOWER (21-001852) 230 TOWER (21-001852) 230 TOWER (21-001852)	230 TOWER (21-001852) 365251.00N/0885452.00W 230 TOWER (21-001852) 365251.00N/0885452.00W 230 TOWER (21-001852) 365251.00N/0885452.00W	230 TOWER (21-001852) 365251.00N/0885452.00W 823 230 TOWER (21-001852) 365251.00N/0885452.00W 823 230 TOWER (21-001852) 365251.00N/0885452.00W 823

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PATPROCEDURE TITLEAIRPORT IDENTCITYSTATE3VOR RWY 23KPAHPADUCAHKY (US)

REMARKS:

230 KT PATTERN USED TO ACCOMMODATE MILITARY OPERATIONS. PRECIPITOUS TERRAIN EVALUATION COMPLETED. ASSIGNED FACILITY MAGVAR 3E/1975.

ATC REQUESTED SECTIONAL CHARTING.

FIX USE:

IIA USE.						
USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	HUNTSVILLE			KHSV	HUNTSVILLE	AL (US)
EN ROUTE	V11					(US) ´
EN ROUTE	V305					(US)
EN ROUTE	V540					(US)
IAP	RNAV (GPS) RWY 32			KCIR	CAIRO	ÌL (ÚS)
IAP	ILS OR LOC RWY 20			KMWA	MARION	IL (US)
IAP	VOR/DME-A			M25	MAYFIELD	KY (UŚ)
IAP	ILS OR LOC RWY 5		1	KPAH	PADUCAH	KY (US)
IAP	VOR RWY 23		3	KPAH	PADUCAH	KY (US)
IAP	VOR RWY 5		2	KPAH	PADUCAH	KY (US)
IAP	ILS OR LOC RWY 10			KCGI	CAPE GIRARDEAU	MO`(UŚ)
IAP	LOC BC RWY 28			KCGI	CAPE GIRARDEAU	MO (US)
IAP	RNAV (GPS) RWY 1			KUCY	UNION CITY	TN (ÙS)
IAP	RNAV (GPS) RWY 19			KUCY	UNION CITY	TN (US)

REQUIRED CHARTING: SECTIONAL, DP, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 20 DATE OF REVISION: 06/12/2025

REASON FOR REVISION:

1. ADDED AIRSPACE DOCKET 23-ASO-19.

2. CNG CLASS CHANGED FROM "L" TO "VL" IN FIX MAKE-UP FACILITIES.

3. DELETED EN ROUTE V47 IN FIX USE.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A423 NAME: DANIEL JOHNSEN

APPROVED BY: DATE: 05/08/2025 OFFICE: AJV-A423 NAME: ALLAN WILL

SIGNATURE: Digitally signed by

ALLAN WILL Jan 28, 2025

FAA FORM 8260-2 / FEB 2012 Page 1 of 1

32 SECKE

NAME: DEDDE STATE: OH **COUNTRY: US ICAO REGION CODE: K5**

LATITUDE/LONGITUDE: 393534.85N/0841620.08W TYPE: DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC NAME **IDENT TYPE CLASS MAG** TRUE DME DIST FROM FAC MRA MAA BRG **BRG** NM FEET **CINCINNATI** CVG **VORTAC** 034.00 030.00 40.00 3000 18000

HOLDING: HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE USE TITLE FAC PAT AIRPORT IDENT CITY **STATE**

- (US)

REQUIRED CHARTING: DP, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1 DATE OF REVISION: 08/27/1997

REASON FOR REVISION:
CVG VORTAC DOPPLER CONVERSION AND MAG VAR ROTATION.
CONCURRENT WITH CVT VORTAC COMMISSIONING.

INITIATED BY: DATE: **ORGANIZATION:** NAME:

DEVELOPED BY: DATE: 07/10/1997 OFFICE: AVN-150 NAME: ROBERT COOK

APPROVED BY: DATE: 05/08/2025 OFFICE: AJV-A423 NAME: ALLAN WILL

> Digitally signed by SIGNATURE:

ALLAN WILL

DISTRIBUTION: **NFDC** Jan 28, 2025

FPO: CHI
ARTCC: ZID
ATC FACILITY: CVG APP CON

OTHER:

FAA FORM 8260-2 / AUG 2009 Page 1 of 1

NAME: ELIHO STATE: OH **COUNTRY: US ICAO REGION CODE: K5**

LATITUDE/LONGITUDE: 394104.39N/0842134.43W TYPE: WP

AIRSPACE DOCKET: 23-ASO-19 FIX TYPE OF ACTION: MODIFY

HOLDING TYPE OF ACTION: NO CHANGE HOLDING:

PATTERNS:

LEG LENGTH HOLDING ALTITUDES TEMPLATES **IDENT TYPF** RAD/CRS/BRG **CRS** TURN PAT DIR (LORR) TIME DME INBOUND MAX MIN MAX MIN NW WP 293.56 3000 113.56 6000 6

CONTROLLING OBSTRUCTIONS:

PAT AIRSPEED OBSTRUCTION **COORDINATES ELEVATION ACCURACY CODE**

TOWER (39-000776) 394330.00N/0843430.00W 1414 5D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETE.

FIX USE:

USE TYPE USE TITLE FAC PAT AIRPORT IDENT CITY **STATE** RNAV (GPS) RWY 1 LEBANON 168 OH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4 DATE OF REVISION: 06/12/2025

REASON FOR REVISION:

1. ADDED AIRSPACE DOCKET 23-ASO-19.

2. DELETED "DME" IN FIX TYPE.

3. DELETED ROD IN FIX MAKE-UP FACILITIES -- NO GROUND BASED USE.

4. "HOLDING LIMITED TO ESTABLISHED PATTERN" MOVED FROM FIX RESTRICTIONS TO HOLDING RESTRICTIONS.

5. DELETED EN ROUTE V47 IN FIX USE.
6. DELETED "CONTROLLER, EN ROUTE LOW" IN REQUIRED CHARTING.

INITIATED BY: DATE: **ORGANIZATION:** NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A423 **NAME: DANIEL JOHNSEN**

APPROVED BY: **DATE:** 05/08/2025 OFFICE: AJV-A423 NAME: ALLAN WILL

SIGNATURE:

Digitally signed by **ALLAN WILL** Jan 28, 2025

NAME: MIZZA STATE: OH **COUNTRY: US ICAO REGION CODE: K5**

LATITUDE/LONGITUDE: 392949.41N/0842724.27W TYPE: WP

AIRSPACE DOCKET: 23-ASO-19 FIX TYPE OF ACTION: MODIFY

HOLDING TYPE OF ACTION: NO CHANGE HOLDING:

PATTERNS:

LEG LENGTH HOLDING ALTITUDES TEMPLATES **IDENT TYPF** RAD/CRS/BRG **CRS** TURN PAT DIR (LORR) TIME DME INBOUND MAX MAX MIN MIN WP NE 027.08 2600 207.08 6000 6

CONTROLLING OBSTRUCTIONS:

PAT AIRSPEED OBSTRUCTION **COORDINATES ELEVATION ACCURACY CODE** TOWER (39-026704) 393557.69N/0843205.48W 1350

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE USE TITLE FAC PAT **AIRPORT IDENT** CITY **STATE** ILS OR LOC RWY 30 RNAV (GPS) RWY 19 OH (US) OH (US) IAP **HAMILTON** KHAO IAP 167 **HARRISON** IAP RNAV (GPS) RWY 1 168 LEBANON

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 16 DATE OF REVISION: 06/12/2025

REASON FOR REVISION:
1. ADDED AIRSPACE DOCKET 23-ASO-19.
2. DELETED "DME" IN FIX TYPE.

3. DELETED CVG IN FIX MAKE-UP FACILITIES -- CVG VOR MON. 4. DELETED EN ROUTE V47 IN FIX USE.

5. DELETED "AREA, EN ROUTE LOW, CONTROLLER LOW" IN REQUIRED CHARTING.

INITIATED BY: DATE: **ORGANIZATION:** NAME:

OFFICE OF PRIMARY RESPONSIBILITY: NAME: DANIEL JOHNSEN AJV-A423

APPROVED BY: DATE: 05/08/2025 OFFICE: AJV-A423 **NAME: ALLAN WILL**

> Digitally signed by SIGNATURE:

> > **ALLAN WILL** Jan 28, 2025

NAME: MOWED STATE: OH **COUNTRY: US ICAO REGION CODE: K5**

LATITUDE/LONGITUDE: 392459.19N/0842953.90W TYPE: DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC NAME **IDENT TYPE CLASS MAG** TRUE DME DIST FROM FAC MRA MAA **BRG BRG** NM FEET **CINCINNATI** CVG **VORTAC** 025.65 021.65 25.84 25.84 2800 17500

HOLDING: **HOLDING TYPE OF ACTION:**

REMARKS:

RETAIN FOR ACT USE

FIX USE:

USE TYPE USE TITLE FAC PAT AIRPORT IDENT CITY STATE **EN ROUTE** V47 (US)

REQUIRED CHARTING: EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5 DATE OF REVISION: 11/08/2018

REASON FOR REVISION:

FIX TYPE: DELETED "INT."
FIX MAKE-UP: UPDATED FAC 1 MAG/TRUE FROM 025.66/021.66 TO 025.65/021.65 AND ADDED DIST FROM FAC NM DATA; DELETED FAC 2. REMARKS: ADDED "RETAIN FOR ACT USE."

FIX USE: UPDATED FORMAT

REQUIRED CHARTING: CHANGED "CONTROLLER" TO "CONTROLLER LOW."

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-5431 **NAME: DONALD LANIER**

APPROVED BY: DATE: 05/08/2025 **OFFICE:** AJV-A423 NAME: ALLAN WILL

Digitally signed by

SIGNATURE: ALLAN WILL

Jan 28, 2025 **DISTRIBUTION: NFDC**

FPO: CEN

ARTCC: ZID ATC FACILITY: CVG TOWER, DAY TOWER

OTHER:

NAME: POCKET CITY VORTAC STATE: IN COUNTRY: US ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 375541.95N/0874544.57W **TYPE:**

AIRSPACE DOCKET: 23-ASO-19 FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC NAME IDENT TYPE CLASS MAG TRUE DME DIST FROM FAC MRA MAA BRG BRG NM FEET

1 POCKET CITY PXV VORTAC VH 45000

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTE	RNS:											
PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS	TURN	LEG LE	NGTH	HOLDING A	ALTITUDES	TEMP	LATES
					INBOUND	(L OR R)	TIME	DME	MIN	MAX	MIN	MAX
1	NW	PXV	VORTAC	330.20	150.20	Ř ´	1		2100	14000	4	10
2	SW	PXV	VORTAC	237.00	057.00	R	1		2500	14000	4	10
3	NI\A/		\//D	302.18	122 18	P		1	2500	6000	5	6

CONTROLLING OBSTRUCTIONS: AIRSPEED **OBSTRUCTION COORDINATES ELEVATION ACCURACY CODE** TOWER (18-001320) TOWER (18-001320) TOWER (18-001320) 375706.80N/0874543.60W 200 967 5D 375706.80N/0874543.60W 200 967 5D 375706.80N/0874543.60W

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED. ASSIGNED FACILITY MAG VAR: 3E 1965.

FIX USE: USE TYPE DP	USE TITLE PLESS PLESS PLESS HOOSIER J112 J1131 J29 J73 J78 Q25 Q28 Q31 T312 V11 V305 V4 V512	FAC	PAT	AIRPORT IDENT KALN KBLV KCPS KEYE KHFY KIND KIND KMQJ KTYQ KUMP KGEZ KSTL KSUS KBNA	CITY ALTON/ST LOUIS BELLEVILLE CAHOKIA/ST LOUIS INDIANAPOLIS INDIANAPOLIS INDIANAPOLIS INDIANAPOLIS INDIANAPOLIS INDIANAPOLIS INDIANAPOLIS INDIANAPOLIS STELBYVILLE ST LOUIS ST LOUIS NASHVILLE	STATE IL (US) IL (US) IL (US) IL (US) IN (US)
EN ROUTE EN ROUTE IAP	V52 V7 NDB RWY 9 ILS OR LOC RWY 23 ILS OR LOC RWY 22 ILS OR LOC RWY 4 RADAR-1 RNAV (GPS) RWY 22 RNAV (GPS) RWY 4 VOR RWY 4 RNAV (GPS) RWY 8 VOR-A ILS OR LOC RWY 36 VOR RWY 18 VOR RWY 36 VOR RWY 36 VOR RWY 6 RACYR RACYR RACYR RACYR		2 2 2 3 2 1	KFWC KMVN KEVV KEVV KEVV KEVV KEVV KEVV KEVW KEVW	FAIRFIELD MOUNT VERNON EVANSVILLE EVANSVILLE EVANSVILLE EVANSVILLE EVANSVILLE EVANSVILLE EVANSVILLE EVANSVILLE FRENCH LICK HENDERSON OWENSBORO OWENSBORO OWENSBORO OWENSBORO INDIANAPOLIS INDIANAPOLIS INDIANAPOLIS INDIANAPOLIS	(US) (US) (US) IL (US) IN (US)

RACYR IN (US) STAR **KTYQ INDIANAPOLIS** STAR STAR RACYR BOOSH (RNAV) BLUZZ (RNAV) IN (US) MO (US) TN (US) INDIANAPOLIS KUMP ST LOUIS MEMPHIS KSTL STAR **KMEM** STAR **MEMPHIS** TN (US) WLDER[®] KMEM

REQUIRED CHARTING: DP, STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 23 DATE OF REVISION: 06/12/2025

REASON FOR REVISION:
1. ADDED AIRSPACE DOCKET 23-ASO-19. 2. DELETED EN ROUTE V47 IN FIX USE.

ORGANIZATION: INITIATED BY: DATE: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A423 NAME: DANIEL JOHNSEN

APPROVED BY: **DATE:** 05/08/2025 OFFICE: AJV-A423 NAME: ALLAN WILL

SIGNATURE:

Digitally signed by **ALLAN WILL** Jan 28, 2025

NAME: TRUNC STATE: OH **COUNTRY: US ICAO REGION CODE: K5**

LATITUDE/LONGITUDE: 400203.61N/0841036.64W TYPE: WP

AIRSPACE DOCKET: 23-ASO-19 FIX TYPE OF ACTION: MODIFY

HOLDING TYPE OF ACTION: NO CHANGE HOLDING:

FIX USE:

USE TITLE FAC PAT **AIRPORT IDENT** CITY **USE TYPE** STATE RNAV (GPS) RWY 2 URBANA OH (US) 174

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5 DATE OF REVISION: 06/12/2025

REASON FOR REVISION:

CHANGED AIRSPACE DOCKET FROM "16-AGL-30" TO "23-ASO-19".
 ADDED "WP" AND DELETED "INT, DME" IN FIX TYPE.
 DELETED ROD AND DQN IN FIX MAKE-UP FACILITIES -- NO GROUND BASED USE.

4. DELETED REMARK "ROSEWOOD (FAC 1) AND DAYTON (FAC 2) USED TO ESTABLISH FIX COORDINATES".
5. DELETED REMARK "DAYTON, OH: NON-RADAR FIX".
6. DELETED EN ROUTE V47 IN FIX USE.

7. DELETED "EN ROUTE LOW, CONTROLLER LOW" IN REQUIRED CHARTING.

INITIATED BY: DATE: **ORGANIZATION:** NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A423 NAME: DANIEL JOHNSEN

APPROVED BY: **DATE:** 05/08/2025 **OFFICE:** AJV-A423 **NAME: ALLAN WILL**

> SIGNATURE: Digitally signed by

> > **ALLAN WILL** Jan 28, 2025

NAME: WESON STATE: KY **COUNTRY: US ICAO REGION CODE: K5**

LATITUDE/LONGITUDE: 374727.14N/0875531.48W TYPE: WP. DME

AIRSPACE DOCKET: 23-ASO-19 FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC NAME **IDENT TYPE CLASS MAG** TRUE DME DIST FROM FAC MRA MAA **BRG BRG** NM FEET **POCKET CITY** PXV **VORTAC** 220.29 223.29 11.31 2200 17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

CHART ON SECTIONAL - ATC REQUEST.

FIX USE:

USE TYPE USE TITLE STATE FAC PAT AIRPORT IDENT CITY **EN ROUTE** T419 (US) **EN ROUTE** V11 (US) **EN ROUTE** V305 IAP RNAV (GPS) RWY 36 **KCUL** CARMI

REQUIRED CHARTING: SECTIONAL, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7 DATE OF REVISION: 06/12/2025

REASON FOR REVISION:

1. CHANGED AIRSPACE DOCKET FROM "21-ASW-7" TO "23-ASO-19".

2. DELETED EN ROUTE V47 IN FIX USE.
3. PXV CLASS CHANGED FROM "H" TO "VH" IN FIX MAKE-UP FACILITIES.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A423 NAME: DANIEL JOHNSEN

APPROVED BY: **DATE:** 05/08/2025 OFFICE: AJV-A423 NAME: ALLAN WILL

> SIGNATURE: Digitally signed by

ALLAN WILL Jan 28, 2025

NAME: ZAKIT STATE: OH **COUNTRY: US ICAO REGION CODE: K5**

LATITUDE/LONGITUDE: 394328.22N/0842019.88W TYPE: WP

AIRSPACE DOCKET: 23-ASO-19 FIX TYPE OF ACTION: MODIFY

HOLDING TYPE OF ACTION: NO CHANGE HOLDING:

FIX USE:

USE TITLE AIRPORT IDENT FAC PAT CITY **STATE USE TYPE** RNAV (GPS) RWY 19 LEBANON 168 OH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1 DATE OF REVISION: 06/12/2025

REASON FOR REVISION:

ADDED AIRSPACE DOCKET 23-ASO-19.
 DELETED "DME" IN FIX TYPE.
 DELETED ROD IN FIX MAKE-UP FACILITIES -- NO GROUND BASED USE.

4. DELETED REMARK "ROSEWOOD (FAC 1) USED TO ESTABLISH FIX COORDINATES". 5. DELETED EN ROUTE V47 IN FIX USE.

6. DELETED "CONTROLLER, EN ROUTE LOW" IN REQUIRED CHARTING.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A423 NAME: DANIEL JOHNSEN

APPROVED BY: **DATE:** 05/08/2025 **OFFICE:** AJV-A423 **NAME:** ALLAN WILL

SIGNATURE:

Digitally signed by **ALLAN WILL** Jan 28, 2025