

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HUDSN	ONE	HUDSN1.YOMAN	NONE		

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

VFR SEGMENT: VFR CLIMB TO HUDSN, CROSS HUDSN AT OR ABOVE 920.

IFR SEGMENT: FROM HUDSN, CLIMB ON TRACK 038.00 TO RINNG, CROSS RINNG AT OR ABOVE 2000, THEN ON DEPICTED ROUTE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	---------------------------------	------------------------	----------------------	---------------	-----------------	------------	-------------	--------------------------------

PBN REQUIREMENT NOTES:

RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: USE LAGUARDIA ALTIMETER SETTING; WHEN NOT RECEIVED, PROCEDURE NA.

TAKEOFF MINIMUMS:

TAKEOFF OBSTACLES NOTES:

CONTROLLING OBSTACLES:

IDF ALTITUDE CONTROLLING OBSTACLE: 605 FT MSL BUILDING 404648.09N/0735712.56W

MSA:

MSA FROM HUDSN, 2900 WITHIN A 25 NM RADIUS

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: NOT CONDUCTED

AIRPORT MV: KJRB (P) 13W/2010

CHART: TOP ALTITUDE: 2000

CHART: KTEB

CHART: KLGA

CHART: 6N5 TO HUDSN 001.08/2.97 NM

CHART KJRA TO HUDSN 037.35/2.38 NM

CHART KJRB TO HUDSN 024.24/5.49 NM



<u>DP NAME</u> HUDSN	<u>NUMBER</u> ONE	<u>DP COMPUTER CODE</u> HUDSN1.YOMAN	<u>SUPERSEDED NUMBER</u> NONE	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
-------------------------	----------------------	---	----------------------------------	--------------	------------------------------

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
6N5	NEW YORK	NY
KJRA	NEW YORK	NY
KJRB	NEW YORK	NY

COMMUNICATIONS:

CHART KLGA ATCT, KLGA DEP CON, KLGA ASOS

FIXES AND/OR NAVAIDS:

REMARKS:

RASS PRESSURE PATTERNS THE SAME
 KLGA TO HUDSN: 5.21 NM
 KLGA: 20.7
 6N5: 10.0 RA=13.48
 KJRA: 7.0 RA=13.90
 KJRB: 7.0 RA=13.90

WAIVER: PROCEDURE NAMING

<u>FLIGHT INSPECTED BY</u>	<u>SIGNATURE</u>	<u>OFFICE</u>	<u>DATE</u>	
<u>DEVELOPED BY</u>	<u>SIGNATURE</u>	<u>OFFICE</u>	<u>DATE</u>	
KELLY DEAN	<i>Digitally signed by KELLY D DEAN Mar 06, 2024</i>	AJV-A432	01/31/2024	
<u>APPROVED BY</u>	<u>SIGNATURE</u>	<u>OFFICE</u>	<u>DATE</u>	<u>TITLE</u>
CAS TABAKA		AJV-A432		MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:

A4A **ALPA** **AOPA** **APA** **HAI** **NBAA** **OTHER:** ZNY, N90, LGA ATCT

CHANGES - REASONS:



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>				
HUDSN	ONE	HUDSN1.YOMAN	NONE						
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
6N5	404433.37N/0735819.50W	N	-	-	-	-			VFR SEGMENT
KJRA	404517.65N/0740025.42W	N	-	-	-	-			VFR SEGMENT
KJRB	404204.37N/0740032.50W	N	-	-	-	-			VFR SEGMENT
920	-	-	-	-	-	-			
HUDSN	404727.73N/0735907.94W	Y	FB	IF	-	-	AT/ABOVE 920		IFR SEGMENT
RINNG	405054.08N/0735701.24W	Y	FB	TF	025.00	3.79	AT/ABOVE 2000		
CHNZO	405354.38N/0735437.72W	Y	FB	TF	031.13	3.51			
JOTRE	405611.32N/0734945.39W	Y	FB	TF	058.28	4.34			
YOMAN	405613.31N/0734441.92W	Y	FB	TF	089.48	3.83			

