

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 06/15/2023	APWS Task ID: C5C6867E47694865A03E994E0C0E88E0	APWS Project ID: 2ED34472ABC246B9B85550B46B2C04B9
Procedure: ILS OR LOC RWY 4R AMDT 2G		Enroute: NO	Specialist: Dumar, Ralph		Agreement Number:
Airport ID: KLIT			Airport City: LITTLE ROCK		State: AR
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE AIRPORT, RUNWAY, AND NAVAID DATA USED. REMARKS: P-NOTAM TO CLEAR NTM - FDC 1/2228. CONTACT RAKE MCGRAW (405) 954-8711. THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 01/26/23. 1. ADDED 'DELETE ASTERISK IN PROFILE FROM MINIMUM ALTITUDE AT OGRAY INT/I-CNL 3.11 DME 880' - PREVIOUSLY OMITTED.					



FIPC BASIC FORM						
PROCEDURE: ILS OR LOC RWY 4R AMDT 2G			AIRPORT NAME: BILL AND HILLARY CLINTON		AIRPORT ID: KLIT	SPECIAL CONTROL NO: OP-01-214-23
FAC ID: CNL		CITY: LITTLE ROCK			ST: AR	ORIG CHART DATE: 06/15/2023
DFL TYPE: PROC/A	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:	PTS TASK ID: C5C6867E47694865A03E994E0C0E88E0		
PREFLIGHT NOTES						
REVIEWER: jeffrey a findley					DATE: 03/21/2023	
COMMENTS:					CHECK ONE: ☒ FLT CK REQ ☐ NFCR ☐ REJECT YES NO	
					CPV COMPLETE? ☒ X ☐	
PROCEDURE RESULTS						
INSPECTION DATE: 03/21/2023	CREW #: VN450	N #: N81	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: jeffrey a findley @ 03/21/2023 15:29			PRINTED NAME: FINDLEY, JEFFREY ALLEN			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS:						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:		

LOC/DME I-CNL	APP CRS	Rwy Idg	7200
111.3	047°	TDZE	260
Chan 50		Apt Elev	266



Old

ILS or LOC RWY 4R


BILL AND HILLARY CLINTON NTL/ADAMS FLD (LIT)

▼ Inop table does not apply to S-ILS 4R. ▲ Rwy 4R helicopter visibility reduction below ¾ NA. Simultaneous approach authorized.	MALSR AS	MISSED APPROACH: Climb to 800 then climbing right turn to 4000 on heading 110° and LIT VORTAC R-089 to ATERS INT/LIT 16 DME and hold.
--	---------------------	--

D-ATIS 125.65	LITTLE ROCK APP CON 135.4 353.6	ADAMS TOWER 118.7 257.8	GND CON 121.9 339.8	CLNC DEL 118.95
------------------	------------------------------------	----------------------------	------------------------	--------------------



CATEGORY	A	B	C	D
S-ILS 4R		510/40	250 (300-¾)	
S-LOC 4R	880/40	620 (700-¾)	880-1¾	620 (700-1¾)
CIRCLING	880-1 614 (700-1)	1000-1 734 (800-1)	1180-2¾ 914 (1000-2¾)	1180-3 914 (1000-3)
OGRAY (DUAL VOR RECEIVERS OR DME REQUIRED)				
S-LOC 4R	780/40	520 (600-¾)	780/55	520 (600-1)
CIRCLING	820-1 554 (600-1)	1000-1 734 (800-1)	1180-2¾ 914 (1000-2¾)	1180-3 914 (1000-3)



SC-1, 03 NOV 2022 to 01 DEC 2022

SC-1, 03 NOV 2022 to 01 DEC 2022

