

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
ROWEY	ONE	ROWEY1.ROWEY			

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

RWY 11: CLIMB ON HEADING 101.00 TO 7799 THEN CLIMBING RIGHT TURN DIRECT ROWEY TO CROSS AT OR ABOVE MEA FOR ROUTE OF FLIGHT.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	---------------------------------	------------------------	----------------------	---------------	-----------------	------------	-------------	--------------------------------

PBN REQUIREMENT NOTES:

RNAV 1 - GPS.

EQUIPMENT REQUIREMENT NOTES:

PROCEDURAL DATA NOTES:

TAKEOFF MINIMUMS:

RWY 11: 300-1 3/8 WITH MINIMUM CLIMB OF 270 FT/NM TO 8200 OR STANDARD WITH MINIMUM CLIMB OF 310 FT/NM TO 8200.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 11: VEHICLES ON ROAD 11 FT FROM DER, 338 FT LEFT OF CENTERLINE, 7244 FT MSL.
VEHICLES ON ROAD 40 FT FROM DER, 146 FT LEFT OF CENTERLINE, 7249 FT MSL.
FENCE, TERRAIN BEGINNING 67 FT FROM DER, 320 FT RIGHT OF CENTERLINE, UP TO 14 FT AGL/7262 FT MSL.
VEHICLES ON ROAD BEGINNING 383 FT FROM DER, 509 FT RIGHT OF CENTERLINE, UP TO 7264 FT MSL.
TREES BEGINNING 5134 FT FROM DER, 1827 FT RIGHT OF CENTERLINE, UP TO 120 FT AGL/7463 FT MSL.

CONTROLLING OBSTACLES:

RWY 11: 7449 FT MSL TREE 433203.00N/10939448.00W (CEILING), 7400 FT MSL TREE 433157.00N/1093939.00W (VISIBILITY), 7903 AAO 433024.00N/1093721.00W (CLIMB GRADIENT), 7926 AAO 433018.00N/1093712.00W (CLIMB-TO ALTITUDE), 7449 FT MSL TREE 433203.00N/1093948.00W (CLIMB GRADIENT), 7926 AAO 433018.00N/1093712.00W (CLIMB-TO ALTITUDE).

OBSTACLE MANDATING ROUTE DEVELOPMENT: RWY 11: 9991 FT MSL TOWER (56-023124) 433001.53N/1094117.48W

MSA:

MSA FROM KDUB, 15000.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

AIRPORT MV: KDUB 10E/2025
DME/DME ASSESSMENT: NOT CONDUCTED



DP NAME ROWEY	NUMBER ONE	DP COMPUTER CODE ROWEY1.ROWEY	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
-------------------------	----------------------	---	--------------------------	--------------	------------------------------

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
KDUB	DUBOIS	WY

COMMUNICATIONS:

ZLC ARTCC

FIXES AND/OR NAVAIDS:

REMARKS:

120 FT VEGETATION USED PER FPT CHECKLIST
 RETAINED CLIMBING RIGHT TURN IN DP ROUTE DESCRIPTION PER FPT.

FLIGHT INSPECTED BY

JAMES KRENEK

SIGNATURE

Digitally signed by
RAKE MCGRAW
 Dec 16, 2024

OFFICE

AJF

DATE

12/12/2024

DEVELOPED BY

JANTZEN TAYLOR

SIGNATURE

Digitally signed by
JANTZEN L TAYLOR
 Nov 01, 2024

OFFICE

AJV-A422

DATE

08/07/2024

APPROVED BY

RAKE MCGRAW

SIGNATURE

Digitally signed by
RAKE MCGRAW
 Dec 16, 2024

OFFICE

AJV-A422

DATE

TITLE

MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:

A4A **ALPA** **AOPA** **APA** **HAI** **NBAA** **OTHER:**AMGR ZLC,

CHANGES - REASONS:

ORIGIONAL PROCEDURE

10/29/24: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 8/7/24.

1. REMOVED RWY 29 DP ROUTE DESCRIPTION, TAKEOFF MINIMUMS, TAKEOFF OBSTACLE NOTES AND CONTROLLING OBSTACLES - DEPARTURE FROM RWY 29 NA-ENVIRONMENTAL, REQUESTED DEPARTURE CG DISAPPROVED BY AFS.
2. UPDATED RWY 11 CLIMB-TO ALTITUDE CONTROLLING OBSTACLE 7926 AAO 433018.00N/1093712.00W - CORRECT OBSTACLE COORDINATES.
3. UPDATED AIRNAV DATA, INCORRECT RWY TRUE COURSE.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>		<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>			
ROWEY		ONE	ROWEY1.ROWEY						
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW11 (AER)	433308.60N/1094208.52W	N	-	-	-	-			
7799 MSL	-	-	-	VA	111.00	-	AT/ABOVE 7799		300 1- 3/8 WITH CG 270 FT/NM TO 8200 OR 310 FT/NM TO 8200
ROWEY	431913.41N/1090410.89W	Y	FB	DF	-	-			RIGHT TURN

