

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
CHARTED VISUAL FLIGHT PROCEDURE (CVFP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>AIRPORT ID</u>	<u>CVFP NAME</u>	<u>ORIG/AMDT</u>	<u>CITY</u>	<u>STATE</u>	<u>SUPERSEDES</u>	<u>AMDT NO.</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
SFO	QUIET BRIDGE VISUAL RWY 28R	ORIG	SAN FRANCISCO	CA		NONE		ROUTINE

**VISUAL ARRIVAL ROUTE:**

FROM (Visual Landmarks)	TO (Visual Landmarks)	COURSE (if desired)	ALTITUDE (if needed) Show if for Class B
EDDYY	SIDBY	330.71	5000 (FOR CLASS B)
SIDBY	JANYY / 3.84 NM SE OF SAN MATEO BRIDGE	331.36	3000 (FOR CLASS B)
ARCHI	TRBOW / 0.50 NM E OF SALT PONDS	258.01	6000 (FOR CLASS B)
TRBOW / 0.50 NM E OF SALT PONDS	GAROW / 1.00 NM NW OF SALT PONDS	278.24	4000 (FOR CLASS B)
GAROW / 1.00 NM NW OF SALT PONDS	JANYY / 3.84 NM SE OF SAN MATEO BRIDGE	278.18	3000 (FOR CLASS B)
JANYY / 3.84 NM SE OF SAN MATEO BRIDGE	RAACL / 0.07 NM SE OF SAN MATEO BRIDGE	278.12	1800 (FOR CLASS B)
RAACL / 0.07 NM SE OF SAN MATEO BRIDGE	SHLTN / 0.59 NM NE OF COYOTE POINT MARINA	276.42	914
SHLTN / 0.59 NM NE OF COYOTE POINT MARINA	SAPPP / 1.00 NM SE OF SFO RUNWAY 28R	276.42	399

**WEATHER MINIMA:**

CEILING:            VISIBILITY:

**NOTES:**

CHART: RADAR REQUIRED  
NOTE: CLOSELY SPACED PARALLEL APPROACHES MAY BE IN PROGRESS TO RUNWAY 28L UTILIZING I-SFO.  
SFO 2500'5 OR SFO 1000'3 WITH 5 SM VISIBILITY IN EASTERN QUADRANT (030° TO 120°).

**SUPPLEMENTARY NAVAID / WAYPOINT INFORMATION AND ADDITIONAL LANDMARKS:**

CHART CROSSING ALTITUDE MANDATORY 7000 AT ARCHI; MANDATORY 6000 AT EDDYY  
CHART: CEMENT PLANT  
CHART: SAN MATEO-HAYWARD BRIDGE  
CHART: DUMBARTON BRIDGES  
CHART: COYOTE POINT MARINA  
CHART: SALT PONDS  
CHART: KSQL AIRPORT



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
CHARTED VISUAL FLIGHT PROCEDURE (CVFP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>AIRPORT ID</u>	<u>CVFP NAME</u>	<u>ORIG/AMDT</u>	<u>CITY</u>	<u>STATE</u>	<u>SUPERSEDES</u>	<u>AMDT NO.</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
SFO	QUIET BRIDGE VISUAL RWY 28R	ORIG	SAN FRANCISCO	CA		NONE		ROUTINE

CHART: KPAO AIRPORT  
CHART: KNUQ AIRPORT

**VERTICAL GUIDANCE NAVAID AND ANGLE:** VGS1 (VDA 3.00° TCH 68)

**DESCRIPTION OF ROUTE:**

WHEN CLEARED FOR THE QUIET BRIDGE VISUAL RUNWAY 28R AIRCRAFT MAY PROCEED VIA THE RNAV (GPS) U RWY 28R APPROACH TO RUNWAY 28R. FROM THE SOUTH EDDYY TO SIDBY TO JANYY TO RACL TO SHLTN TO SAPPP INBOUND.  
FROM THE EAST ARCHI TO TRBOW TO GAROW TO JANYY TO RACL TO SHLTN TO SAPPP INBOUND.

**COMMUNICATION:**

D-ATIS, NORCAL APP CON, CPDLC



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
CHARTED VISUAL FLIGHT PROCEDURE (CVFP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>AIRPORT ID</u>	<u>CVFP NAME</u>	<u>ORIG/AMDT</u>	<u>CITY</u>	<u>STATE</u>	<u>SUPERSEDES</u>	<u>AMDT NO.</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
SFO	QUIET BRIDGE VISUAL RWY 28R	ORIG	SAN FRANCISCO	CA		NONE		ROUTINE

**GRAPHIC DEPICTION:** (For reference only, not to be used as source.)



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
CHARTED VISUAL FLIGHT PROCEDURE (CVFP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>AIRPORT ID</u>	<u>CVFP NAME</u>	<u>ORIG/AMDT</u>	<u>CITY</u>	<u>STATE</u>	<u>SUPERSEDES</u>	<u>AMDT NO.</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
SFO	QUIET BRIDGE VISUAL RWY 28R	ORIG	SAN FRANCISCO	CA		NONE		ROUTINE

**FLIGHT INSPECTED BY:**

Jeffrey A Findley

*Digitally signed by*

**ROBERT G HAMILTON**

May 28, 2026

**ORGANIZATION:**

AJF

**DATE:**

5/27/2026

FLIGHT INSPECTION  
SIGNATURE:

**DEVELOPED BY:**

DEVON KERCHER

*Digitally signed by*

**ROBERT G HAMILTON**

May 28, 2026

AJV-A431

03/23/2026

DEVELOPED BY  
SIGNATURE:

**APPROVED BY:**

ROBERT HAMILTON

*Digitally signed by*

**ROBERT G HAMILTON**

May 28, 2026

AJV-A431

APPROVED BY  
SIGNATURE:

**CHANGES - REASONS:**

ORIGINAL PROCEDURE

REMARKS: NON-STANDARD DESIGN FOR THE FOLLOWING

1. WAIVER: 8260.61A 2-1-2 para (g)(f)
2. APPROVAL LETTER: 8260.61A 2-1-2 para (m)(2) (EDDY/ARCHI)
3. APPROVAL LETTER: 8260.61A 2-1-1

