

Flight Procedures Cover Page	Task Action: Abbreviated Amendment	Task Type: IAP	Estimated Chart Date: 03/21/2024	APWS Task ID: CA24533F998C42C2B96581924E7663DB	APWS Project ID: F2595F315C334F22A50C92FB1EF8AC64
Procedure: RNAV (GPS) RWY 18 AMDT 1E		Enroute: NO	Specialist: Dumar, Ralph		Agreement Number:
Airport ID: KPBF			Airport City: PINE BLUFF		State: AR
Facility ID:	Facility Type:	Flight Inspection Remark Type:			
Procedure Comments: ACTIVE DATA USED. REMOVED MOMTE (IAF) SEGMENT - MON NATL PROGRAM. RENAMED PAYIT IF/IAF PER FPT/ATC REQUEST. PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021 GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION. REMARKS: MSA CONTROLLING OBSTACLE UPDATED WITH NO IMPACT TO MINIMUM ALTITUDE. (NEW OBSTACLE LOWER THAN ORIGINAL). 2237 TOWER (05-000779) 4D, BEARING 316, DISTANCE 20.9. CONTACT RAKE MCGRAW, AJV-A422, 405-954-8711. QUALITY 41 CHECKED QUALITY 19 CHECKED					

WAAS CH 40420 W18A	APP CRS 178°	Rwy Idg TDZE 206 Apt Elev 206	5998
--	------------------------	---	-------------


RNAV (GPS) RWY 18
PINEBLUFF RGNL/GRIDER FLD (PBF')

▼ Inop table does not apply to LPV. Baro-VNAV and VDP NA when using Stuttgart altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C (5°F) or above 42°C (107°F). DME/DME RNP-0.3 NA. Rwy 18 helicopter visibility reduction below 3/4 SM NA. When local altimeter setting not received, use Stuttgart altimeter setting; increase LPV DA to 534 feet; increase LNAV/VNAV DA to 723 feet and visibility all Cats 1/4 SM; increase all MDA 80 feet and LNAV Cats C/D and Circling Cats C/D visibility 1/4 SM. For inop MALSRS increase LNAV Cats A/B visibility to 1 and Cats C/D visibility to 1 1/8. For inop MALSRS when using Stuttgart altimeter setting, increase LPV visibility all Cats 1/4 mile, increase LNAV visibility Cats A/B 1/4 mile and Cats C/D 3/8 mile.


MALSRS

MISSED APPROACH:
Climb to 2000 direct
REROY and hold.


ASOS 120.775	LITTLE ROCK APP CON 119.85 353.6	CLINC DEL 119.85	UNICOM (CTAF) 123.0
------------------------	--	----------------------------	----------------------------



Procedure NA for arrivals on PBF VOR/DME airway radials 043 CW 068.





CATEGORY	A	B	C	D
LPV DA		459-3/4	253 (300-3/4)	
LNAV/VNAV DA		648-1	442 (500-1)	
LNAV MDA		600-3/4	394 (400-3/4)	
CIRCLING	660-1 454 (500-1)	680-1 474 (500-1)	840-1 3/4 634 (700-1 3/4)	880-2 1/4 674 (700-2 1/4)



SC-1, 05 OCT 2023 to 02 NOV 2023

SC-1, 05 OCT 2023 to 02 NOV 2023





AIRPORT ID: KPBFB
AIRPORT NAME: PINEBLUFF
RGNL/GRIDER FLD
CITY: PINE BLUFF
STATE: AR
PROC ID: RNAV (GPS) RWY 18
LNAV/VNAV
AMDT #: 1E
SCALE: 1:100000

LNAV/VNAV/LNAV COCAR to KPBFB RWY 18: AER TREE (305)

