Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name WIPOR (RNAV)			Number FOUR	STAR Computer Code WIPOR.WIPOR4		=	eded Num THREE	ber	Dated 11/13/2014	Effective Date
RANSITION ROUTE	S: Transition	From	То							
Transition Name	Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing A	titudes / Fixes
ALBANY	ALB.WIPOR4	ALB VORTAC	ALB VORTAC							
			SHIGY	148.90	30.00	8000	4500			
			TOMES	149.24	21.80	8000	4500			
			NELIE	149.46	17.47	8000	3900			
			WIPOR	141.47	28.60	6000	2700			
ARRKK	ARRKK.WIPOR4	ARRKK	ARRKK							
			SCARS	069.97	26.47	8000	5800			
			FOXXX	100.82	24.00	8000	5800			
			GOOBY	100.26	38.48	8000	5800			
			SHIGY	100.84	05.01	8000	4500			
			TOMES	149.24	21.80	8000	4500			
			NELIE	149.46	17.47	8000	3900			
			WIPOR	141.47	28.60	6000	2700			
MEMMS	MEMMS.WIPOR4	MEMMS	MEMMS							
			SCARS	114.92	66.63	8000	5800			
			FOXXX	100.82	24.00	8000	5800			
			GOOBY	100.26	38.48	8000	5800			
			SHIGY	100.84	05.01	8000	4500			
			TOMES	149.24	21.80	8000	4500			
			NELIE	149.46	17.47	8000	3900			
			WIPOR	141.47	28.60	6000	2700			

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
WIPOR (RNAV)	FOUR	WIPOR.WIPOR4	THREE	11/13/2014	

ARRIVAL ROUTE DESCRIPTION:

PVD: FROM WIPOR ON TRACK 141.78/10.01 TO YANTC.

LANDING PVD RWY 34, 5: FROM YANTC ON TRACK 129.07/10.81 TO CROSS DELSS AT OR ABOVE 2700, THEN ON TRACK 129.26/2.92 TO CROSS LAFAY AT OR ABOVE 2100, THEN ON TRACK 129.26. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING PVD RWY 23, 16: FROM YANTC ON TRACK 129.07/9.81 TO SAUGY, THEN ON TRACK 055.38/10.28 TO WAWIK, THEN ON TRACK 048.52/11.45 TO CROSS SEABE AT OR ABOVE 5000, THEN ON TRACK 048.52. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING TAN/EWB/UUU/PYM/OQU: FROM WIPOR ON TRACK 141.78/10.01 TO YANTC, THEN ON TRACK 129.07/10.81 TO CROSS DELSS AT OR ABOVE 2700, THEN ON TRACK 129.26/2.92 TO CROSS LAFAY AT OR ABOVE 2100, THEN ON TRACK 129.26. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING SFZ: FROM WIPOR ON TRACK 141.78/10.01 TO YANTC, THEN ON TRACK 129.07/9.81 TO SAUGY, THEN ON TRACK 055.38/10.28 TO WAWIK, THEN ON TRACK 048.52/11.45 TO CROSS SEABE AT OR ABOVE 5000. THEN ON TRACK 048.52. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

FIXES AND/OR HOLDING PATTERNS:

COMMUNICATIONS:

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
PVD	PROVIDENCE	RI
EWB	NEW BEDFORD	MA
UUU	NEWPORT	RI
SFZ	PAWTUCKET	RI
PYM	PLYMOUTH	MA
OQU	NORTH KINGSTOWN	RI
TAN	TAUNTON	MA

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

THE ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
WIPOR (RNAV)	FOUR	WIPOR.WIPOR4	THREE	11/13/2014	

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)

MAG VAR: PVD 15W/1985

CHART AT LAFAY TERMINUS: PVD LDG RWY 34,5 CHART AT SEABE TERMINUS: PVD LDG RWY 23,16

CHART AT LAFAY TERMINUS: LDG EWB/OQU/UUU/PYM/TAN

CHART AT SEABE TERMINUS: LDG SFZ

FLIGHT INSPECTED BY: CHRISTOPHER R VANDEVEER	ORGANIZATION: AJF	DATE: 04/29/2025	Flight Inspected Signature:		Digitally signed by CASIMIR L TABAKA
DEVELOPED BY: JOSEPH L. ZEDER (SILVIA YOUNG)	AJV-A432	08/16/2024	Developed By Signature:	Digitally signed by CASIMIR L TABAKA	May 07, 2025
APPROVED BY: JOSEPH L. ZEDER	A IV A 422		, , ,	May 07, 2025	Digitally signed by CASIMIR L TABAKA
JUSEPH L. ZEDEK	AJV-A432		Approved By Signature:		May 07, 2025

CHANGES:

- 1. REMOVED HNK VOR/DME AND ASSOCIATED TRANSITION AND NOTES.
- 2. REMOVED HINGZ TRANSITION AND NOTES.
- 3. REMOVED ORW VOR/DME AND REPLACED WITH YANTC IN LANDING TAN/EWB/UUU/PYM/OQU AND LANDING SFZ ARRIVAL ROUTE DESCRIPTION.
- 4. REMOVED PONEE FIX FROM ALB TRANSITION.
- 5. ADDED ARRKK AND MEMMS TRANSITIONS.
- 6. ADDED TOMES AND CROSSING ALTITUDES/FIXES FOR SHIGY AND WIPOR TO ALBANY TRANSITION.
- 7. REVISED ALL TRANSITIONS MEAS AND ADDED MOCAS.
- 8. REMOVED MEAS FROM ARRIVAL ROUTE DESCRIPTION.
- 9. MOVED "RNAV 1" AND "DME/DME/IRU OR GPS" NOTES FROM PROCEDURAL DATA NOTES TO PBN REQUIREMENT NOTES AND COMBINED THEM TO READ "RNAV 1 DME/DME/IRU OR GPS".
- 10. MOVED "RADAR REQUIRED" NOTE FROM PROCEDURAL DATA NOTES TO EQUIPMENT REQUIREMENT NOTES.
- 11. REMOVED EXPECT NOTE AT WIPOR FROM PROCEDURAL DATA NOTES.
- 12. REMOVED "NEW BEDFORD ATIS, PROVIDENCE ATIS, PROVIDENCE APP CON" FROM COMMUNICATIONS.
- 13. ADDED PYM AND TAN AIRPORTS TO PROCEDURE AND AIRPORTS SERVED.
- 14. REMOVED AIRPORT NAMES FROM AIRPORTS SERVED ALONG WITH K IDENT ON 17.1 FORM.
- 15. ADDED TERMINUS DATA IN ADDITIONAL FLIGHT DATA.
- 16. ADDED "300 FT AIRSPACE BUFFER USED IN WIPOR-YANTC-SAUGY SEGMENT FOR OPERATIONAL ADVANTAGE" TO REMARKS.

REASONS:

- 1-4. VOR MON DECOMMISSIONING.
- 5-6,13. ATC REQUEST, NEW ENROUTE TRANSITION(S).

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
WIPOR (RNAV)	FOUR	WIPOR.WIPOR4	THREE	11/13/2014	

- 7-11,14. PER 8260.19J DOCUMENTATION STANDARDS
- 12. NOW AUTOCHARTED.
- 15. IAW 8260.19J, PARA 4-5-2H(2).
- 16. PROCEDURE IS IN CONTROLLED AIRSPACE THE ENTIRE WAY.


02/04/25: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 08/16/24.

- 1. REMOVED ALL CROSSING ALTITUDES/FIXES IN TRANSITION ROUTES.
- 2. UPDATED KPVD ARRIVAL ROUTE DESCRIPTION TO "FROM WIPOR ON TRACK 141.78/10.01 TO YANTC".
- 3. UPDATED LANDING KPVD RWY 34,5 ARRIVAL ROUTE DESCRIPTION TO "FROM YANTC ON TRACK 129.07/10.81 TO CROSS DELSS AT OR ABOVE 2700, THEN ON TRACK 129.26/2.92 TO CROSS LAFAY AT OR ABOVE 2100, THEN ON TRACK 129.26. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE".
- 4. UPDATED LANDING KPVD RWY 23, 16 ARRIVAL ROUTE DESCRITPION TO "FROM YANTC ON TRACK 129.07/9.81 TO SAUGY, THEN ON TRACK 055.38/10.28 TO WAWIK, THEN ON TRACK 048.52/11.45 TO CROSS SEABE AT OR ABOVE 5000, THEN ON TRACK 048.52. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE".
- 5. UPDATED LANDING TAN/EWB/UUU/PYM/OQU ARRIVAL ROUTE DESCRIPTION TO "FROM WIPOR ON TRACK 141.78/10.01 TO YANTC, THEN ON TRACK 129.07/10.81 TO CROSS DELSS AT OR ABOVE 2700, THEN ON TRACK 129.26/2.92 TO CROSS LAFAY AT OR ABOVE 2100, THEN ON TRACK 129.26. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE."
- 6. REMOVED "300 FT AIRSPACE BUFFER USED IN WIPOR-YANTC-SAUGY SEGMENT FOR OPERATIONAL ADVANTAGE" FROM REMARKS.


Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
WIPOR (RNAV)	FOUR	WIPOR.WIPOR4	THREE	11/13/2014	

Graphic Depiction 1



Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.



FEDERAL AVIATION ADMINISTRATION FLIGHT STANDARDS SERVICE STAR (DATA RECORD)

Arrival Name WIPOR (RNAV)			mber OUR	S	TAR Compu WIPOR.W		Superseded Number THREE		Dated 11/13/2014	Effective Date
FIX/NAVAID	LAT/LONG	. <u>c</u>	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
En Route Transition										
ALB VORTAC	424450.21N / 0734811.46W	Υ		IF					ALB.WIPOR4	
SHIGY	422357.95N / 0731900.98W	Υ	FB	TF	133.90	30.00				
TOMES	420843.27N / 0725801.44W	Υ	FB	TF	134.24	21.80				
NELIE	415627.64N / 0724118.88W	Υ	FB	TF	134.46	17.47				
WIPOR	413923.07N / 0721037.67W	Υ	FB	TF	126.47	28.60				
En Route Transition										
ARRKK	420348.52N / 0751900.41W	Υ		IF					ARRKK.WIPOR4	
SCARS	421856.70N / 0744947.35W	Υ	FB	TF	054.97	26.47				
FOXXX	422037.11N / 0741731.07W	Υ	FB	TF	085.82	24.00				
GOOBY	422336.34N / 0732545.62W	Υ	FB	TF	085.26	38.48				
SHIGY	422357.95N / 0731900.98W	Υ	FB	TF	085.84	05.01				
TOMES	420843.27N / 0725801.44W	Υ	FB	TF	134.24	21.80				
NELIE	415627.64N / 0724118.88W	Υ	FB	TF	134.46	17.47				
WIPOR	413923.07N / 0721037.67W	Υ	FB	TF	126.47	28.60				
En Route Transition		-								
MEMMS	423059.71N / 0761815.43W	Υ		IF					MEMMS.WIPOR4	
SCARS	421856.70N / 0744947.35W	Υ	FB	TF	099.92	66.63				
FOXXX	422037.11N / 0741731.07W	Υ	FB	TF	085.82	24.00				
GOOBY	422336.34N / 0732545.62W	Υ	FB	TF	085.26	38.48				
SHIGY	422357.95N / 0731900.98W	Υ	FB	TF	085.84	05.01				
TOMES	420843.27N / 0725801.44W	Υ	FB	TF	134.24	21.80				
NELIE	415627.64N / 0724118.88W	Υ	FB	TF	134.46	17.47				
WIPOR	413923.07N / 0721037.67W	Υ	FB	TF	126.47	28.60				

FEDERAL AVIATION ADMINISTRATION FLIGHT STANDARDS SERVICE STAR (DATA RECORD)

Arrival Name WIPOR (RNAV) FIX/NAVAID			mber DUR		STAR Compo WIPOR.W		•	ded Numb HREE	oer 	Dated 11/13/2014	Effective Date
	LAT/LONG	· <u>c</u>	FO/FB	LEG TYPE	<u>TC</u>	DIST (NM)	ALTITUDE		SPEED	REMARKS	
Common Route											
WIPOR	413923.07N / 0721037.67W	Υ		IF						WIPOR.WIPOR4	
YANTC	413322.81N / 0715956.95W	Υ	FB	TF	126.78	10.01					
Common Route											
WIPOR	413923.07N / 0721037.67W	Υ		IF						WIPOR.WIPOR4	
YANTC	413322.81N / 0715956.95W	Υ	FB	TF	126.78	10.01					
DELSS	412857.38N / 0714649.16W	Υ	FB	TF	114.07	10.81	AT/ABOVE 2700				
LAFAY	412745.22N / 0714316.43W	Υ	FO	TF	114.26	02.92	AT/ABOVE 2100				
KEWB,KOQU,KPYM, KTAN,KUUU				FM	114.26						
Common Route											
WIPOR	413923.07N / 0721037.67W	Υ		IF						WIPOR.WIPOR4	
YANTC	413322.81N / 0715956.95W	Υ	FB	TF	126.78	10.01					
SAUGY	412922.03N / 0714801.95W	Υ	FB	TF	114.07	09.81					
WAWIK	413711.58N / 0713909.45W	Υ	FB	TF	040.38	10.28					
SEABE	414644.52N / 0713042.26W	Υ	FO	TF	033.52	11.45	AT/ABOVE 5000				
KSFZ				FM	033.52						
Runway Transition											
YANTC	413322.81N / 0715956.95W	Υ		IF							
DELSS	412857.38N / 0714649.16W	Υ	FB	TF	114.07	10.81	AT/ABOVE 2700				
LAFAY	412745.22N / 0714316.43W	Υ	FO	TF	114.26	02.92	AT/ABOVE 2100				
KPVD:RWY 5 RWY 34				FM	114.26						
Runway Transition											
YANTC	413322.81N / 0715956.95W	Υ		IF							QUÂ
SAUGY	412922.03N / 0714801.95W	Υ	FB	TF	114.07	09.81					

FEDERAL AVIATION ADMINISTRATION FLIGHT STANDARDS SERVICE STAR (DATA RECORD)

Arrival Name WIPOR (RNAV)			mber OUR	(STAR Computer Code Superseded Number WIPOR.WIPOR4 THREE		Dated 11/13/2014	Effective Date		
FIX/NAVAID	LAT/LONG	· <u>c</u>	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
WAWIK	413711.58N / 0713909.45W	Υ	FB	TF	040.38	10.28				
SEABE	414644.52N / 0713042.26W	Υ	FO	TF	033.52	11.45	AT/ABOVE 5000			
KPVD:RWY 16 RWY 23				FM	033.52					